
Installation Instructions



6x Max 60W Candelabra Base

Safety Information

READ AND SAVE THESE INSTRUCTIONS

1.For your protection and safety,carefully read and understand the information provided in this manual completely before attempting to assemble,install,or operate this product.Failure to do so could lead to electrical shock,fire,or other injuries that could be hazardous or even fatal.

2.Before touching any wire,use a voltage tester to make sure it not live.

3.When replacing fuses, turn off the main power first.Make sure your hands and feet are dry,and place one hand behind your back to prevent electricity from making a complete circuit through your chest.Touch the plug fuse only by its insulated rim. Remove cartridge fuses with a fuse puller

4.Use tools with insulated handles and ladders made of wood or fiberglass.

5.To protect children,place a safely cover over any unused outlets.



DANGER: Before starting installation of this fixture or removal of a previous fixture,disconnect the power by turning off the circuit breaker,removing the fuse at the fuse box,or tripping the breaker that controls that circuit.Tape a sign to the panel warning others to leave the circuit alone while you work.



CAUTION:CONSULT A QUALIFIED ELECTRICIAN IF YOU HAVE ANY ELECTRICAL QUESTIONS. If you have any non-electrical questions about this fixture please contact our customer service via the distributor where you purchased this product from. We will be more than happy to assist.


Pre-Installation

PLANNING INSTALLATION

Read all instructions before installing.

To avoid damaging this product,place it on a soft, non-abrasive surface,such as carpet or cardboard.


TOOLS REQUIRED (NOT INCLUDED)



Phillips Screwdriver



Wire Stripper



Pliers




Safety Goggles




Electrical Tape


HARDWARE INCLUDED



lamp arm 6PCS



lamp holder assembly 1PCS




canopy 1PCS



3PCS




3PCS



7.87-in hanging tube 1PCS




cap nut 2PCS




hanging board 1PCS



3PCS



7.87-in hanging tube 2PCS



wrench 1PCS


Inner toothed ring 12PCS



2PCS




1PCS




11.8-in hanging tube 3PCS



2PCS



4.7-in hanging tube 1PCS



cover box 2PCS




nut 12PCS




bare ground wire 1PCS

Safety Warning


Read wiring and grounding instruction and any additional directions.Turn power supply off during installation.If new wiring is required,consult a qualified electrician or local authorities for code requirements.



lamp arm 6PCS




lamp holder assembly 1PCS




7.87-in hanging tube 1PCS




cap nut 2PCS



3PCS




7.87-in hanging tube 2PCS




wrench 1PCS



3PCS




11.8-in hanging tube 3PCS




cover box 2PCS




3PCS



4.7-in hanging tube 1PCS



canopy 1PCS



2PCS




1PCS



2PCS

Inner toothed ring 12PCS




hanging board 1PCS





nut 12PCS




bare ground wire 1PCS








1.Rotate the lamp head assembly to the appropriate position.
2.Assemble the lamp arm and cover box together.
3.Assemble the lamp arm, lamp head assembly,
and 4.7-inch hanging tube together.



1.Thread the wires through the hanging tube and rotate the tube to tighten it.
2.Thread the wires through the canopy and tighten the nuts to secure the canopy.
3.Install the hanging board on the ceiling junction box.
4.Connect the wires to the home circuit and distinguish between positive and negative.
5.Install the canopy onto the hanging board and tighten it with a cap nut.




(Bulbs not included)


1.Twist the light bulb onto the lamp head.


Please read carefully before installation!!!


Note : Please make sure that the electricity is powered off during installation !

Only a professional electrician should install this kind of product !




WHITE SUPPLY WIRE
WHITE OR IDENTIFIED FIXTURE WIRE
WIRE NUTS
BLACK SUPPLY WIRE
PLAIN OR BLACK FIXTURE WIRE
BARE OR GREEN GROUND WIRE FROM SUPPLY
BARE OR GREEN FIXTURE GROUND WIRE
OR
BARE OR GREEN GROUND WIRE FROM SUPPLY
GREEN GROUND SCREW


A
B
C



Thank you for choosing our product! If you have any questions about the installation of the lighting fixtures , please use the corresponding application on your smartphone to scan the QR code and watch he installation video.

MH-346

E26 SocketMax . 60W Bulbs (not included)

Disclaimer

Read this disclaimer completely and carefully before proceeding with the rest of the manual content.

1.Product Modifications
Any modifications or alterations to this product void any warranties and may result in damage or injury. We shall not be liable for any damages resulting from such modifications or alterations.

2.Compliance with Laws
Customers shall be liable for ensuring that the use of this product complies with all applicable laws and regulations in their respective jurisdictions. We shall not be responsible for any violations of laws or regulations resulting from the use of this product.

3.Correct Use
Always use this product only as directed in the accompanying manuals. Failure to follow instructions may result in injury or damage.
Always ensure the assembly, installation, operation, maintenance, or repair of this product is carried out by a competent person.
Regular maintenance should be performed throughout the lifecycle of this product. You are responsible for ensuring this product operate as intended.Always wear appropriate protective gear.

4.Third-Party Products
We shall not be liable for any damages or losses resulting from the use of third-party products in conjunction with our products. Customers shall refer to the third-party' sguidelines or/and warranties (if any) for any third-partyproducts used.

5.Limitation of Liability
We shall not be liable for any direct, indirect, punitive, incidental, special,or consequential damages to property or life, whatsoever arising out of or connected with the use or misuse of our products. In no event shall our liability exceed the value of the products sold.

6.Warranty
Refer to the sales page for warranty information.

This disclaimer states the entire obligation of us with respect to this product. If any part of this disclaimer is determined to be void, invalid, unenforceable, or illegal, including but not limited to the warranty disclaimers, liability disclaimers, and liability limitations set forth above, the invalid or unenforceable provision will be deemed superseded by a valid and enforceable provision that most closely matches the intent of the original provision and the remainder of the agreement shall remain in full force and effect.