



Coralais® | K-15583-4RA

Single-handle centerset bathroom sink faucet with pop-up drain, 0.5 gpm vandal-resistant aerator and red/blue indicator

Features

- Metal construction.
- One-piece, self-contained ceramic disc valve allows for both volume and temperature control
- Stationary spout
- Lever handle
- Metal throat plate
- Metal pop-up drain with tailpiece
- Flexible supplies
- Red/blue indexing
- Vandal-resistant aerator
- 0.5 gpm (1.9 lpm) maximum flow rate at 60 psi (4.14 bar)



Sustainability



Available Colors/Finishes

Color tiles intended for reference only.

■ CP Polished Chrome



1-800-4 KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to

www.kohler.co m USA or www.kohler.ca a Canada.

8-14-2026 11:04 - US- CA

THE BOLD LOOK
OF **KOHLER**



Single-handle centerset bathroom sink faucet with pop-up drain, 0.5 gpm vandal-resistant aerator and red/blue indicator

Codes/Standards

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

ADA CSA B651 OBC

ASME A112.18.1/CSA B125.1
NSF/ANSI/CAN 372 NSF/ANSI/CAN 61
DOE - Energy Policy Act 1992
California Energy Commission (CEC)
ADA
ICC/ANSI A117.1
CSA B651
OBC

Technical Information

All product dimensions are nominal.

Handle

Handle Style/Type: Lever

Spout

Spout Reach: 4-3/16" (106 mm)

Drain With Overflow: [object Object]

Flow Rate

Faucet Flow Rate:

0.5 gpm (1.9 l/min)

Valves

Included Valves:

Ceramic disc, Thermostatic, Volume Control

Recommended Products/Accessories

K-23726 Drain treatment

K-23723 Faucet cleaner

Warranty

See website for detailed warranty information.

KOHLER® Faucet Lifetime Limited Warranty




1-800-4 KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to

www.kohler.com USA or www.kohler.ca Canada.

8-14-2026 11:04 - US- CA



Installation

For 4" (102 mm) centers

Installation Notes

Install this product according to the installation instructions.

ADA compliant for handles only.

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.



1-800-4 KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to

www.kohler.co m USA or www.kohler.ca a Canada.

8-14-2026 11:04 - US- CA