


Product Installation Instructions







1x1




2x2




3x1




4x1




5x1




6x1




7x1




8x1




9x1




10x1




11x1




12x2



13x2




14x2




15x1


1




16x2




17x1




18x2




19x1




20x1




21x1




22x1




23x1




24x1




25x2




26x1




27x1



28x1





















29x1




30x1

2


Accessories list

A		Two In One Screw (6x28mm)	73pcs +7pcs
B		Two In One Nut (10x12mm)	73pcs +7pcs
C		Wood Chipping (6x30mm)	8pcs +1pcs
D	 	Handle & Screw (4x22mm)	8pcs +1pcs / 4pcs
E	 	Screw & Guide (29cm) (3.5x12mm)	2pcs / 10pcs +2pcs
F	 	Hinge & Screw (3.5x12mm)	10pcs +2pcs / 2pcs
G	 	Wheel & Screw (3.5x12mm)	16pcs +2pcs / 4pcs
H	 	Screw & Guide (24cm) (3.5x12mm)	4pcs / 20pcs +4pcs
I		Non-slip pads (50x10mm)	6pcs +2pcs
J	 	Hinge & Screw (3.5x12mm)	4pcs +1pcs / 2pcs
K		Screw (4x14mm)	8pcs +1pcs
L	 	Bracket(15CM) & Screw (4x12mm)	8pcs +1pcs / 2pcs
M	Anti tipping hardware  x1  x1 (3.5x14mm)  x1  x1 (4x45mm)  x2		1pcs


AC/DC Adapter (12V ⎓ 3.0A)



1pcs





1pcs



Double-head screwdriver, use as required


Product structure decomposition





18
18
30
14
12
17
16
15
13
28
14
12
20
23
16
19
13
21
27
25
22
29
26
24
25
11
7
5
6
8
9
10
2
1
3
2
4

Use parts ① and ②


Step1




Step2




Step3







Use a screwdriver to lock in the direction of the "+" sign




Disassemble along the direction of "-" sign

Step 1






Step 2




Step 3




Step 4

A x4




Step 5

B x8




Drawer rail breakdown diagram




① Dismantle the schematic diagram

Step 1 : Pull the rails apart




Step 2 : Press the nylon button and pull out ①.


Drawer rail decomposition completed schematic diagram




Step 6




E



x2




x4



Step 7


D



x1




x2




Step 8

A x2





Step 9

B x2





Step 10






Step 11








This hole is for strengthening fixed hole customers can choose to install according to their needs.

Step 12

B




x4




Step 13


A





x4



Step 14









This hole is for strengthening fixed hole customers can choose to install according to their needs.

Step 15






Step 16

B

x4




Step 17

G


x4

x16




Step 18

A x6




Step 19

B x6




Step 20

A x6




Step 21

B x6



Step 22


D



x1




x2




Step 23

F




x4

Step 24




As shown，When installing the drawer,
pull the guide rail out first, Slide beads are also pulled out.


Step 25




If a large gap is found after installing the drawer the slide rail can be moved up and down to adjust the gap


18
18
30
14
12
17
16
15
13
14
12
16
19
13
11
7
5
6
9
8
10
23
28
20
21
27
25
22
29
26
25
24
2
1
3
2
4


Step 26







Steps and objects x2

Step 27










Steps and objects x2

Step 28




Panel No.15 with flannelette






Flannelette side facing up

Step 29






Steps and objects x2

Step 30

B




x16



Steps and objects x2

Step 31


D



x2





x4




Steps and objects x2

Step 32









Steps and objects x2


Step 33



Step 34




Step 35



Step 36


A x3



Step 37

A x2

C x2




Step 38

B




x2




Step 39

B




x3



Step 40


A x2

C x2





Step 41


B x2



Step 42









This hole is for strengthening fixed hole customers can choose to install according to their needs.


Step 43






Step 44

B x4



Step 45

B x4




Step 46

B



x2




Step 47


C





x2



Step 48








This hole is for strengthening fixed hole customers can choose to install according to their needs.

Step 49






Step 50


B




x10




Step 51






Tear off release paper and stick the black foot pad on the board


Step 52





Tear off release paper and stick the black foot pad on the board

Turning this screw can effectively adjust the size of the door gap.




Adiust hole control the up and down height of the door


Turn this screw to adjust the door panel to be flat with the side panel.

Step 53


J



x2





x4



Step 54


K x8






First lock the elliptical hole
then lock the fixed hole


Note: Route the lamp wire to the rear side.



Step 55




As shown，When installing the drawer,
pull the guide rail out first, Slide beads are also pulled out.




Step 56


The drawer with grid structure shall be mounted on the upper position.




If a large gap is found after installing the drawer the slide rail can be moved up and down to adjust the gap

Step 57


L  x2  x4







Step 58

L x4




Step 59






Step 60




use a ruler to measure theapproximate height of the producton the wall, and then mark it witha pencil.




Put the expansion bolt into the hole.

Pass the matching screws throughthe "anti-rewind" and tighten themto fix them on the wall.


Use a tape drill to make holesin the wall that are suitable for theproduct screws.




Step 61




x1



Step 62






Select English Language


Select the corresponding device to download.

Note: If the download fails,
please turn off the “Enhanced Protection”
in the Pure Mode settings of the device.




① Click to add device

② It turns blue after clicking




③



④



⑤ Unplug the smart box




⑥


⑦Plug in the smart box power plug.




The appearance of this program icon indicates that the matching is complete




⑧



⑨



⑩



Now you can freely adjust the lighting according to your preferences



User's Guide

Thank you for purchasing this product.

To use this product, please connect it to a power source.

Please use if the product works normally after connecting to power.

If bubbles appear on the panel, remove the protective film.

Introduction

The box is an intelligent controller.

It has 1 USB output port 1 Type-c port, with 3 touch buttons and a touch ring,

it can and turn ON/OFF the induction function,

turn ON/OFF the light,adjust the light luminance, and change light colors.

The lights can be controlled through both the touch buttons and a dedicated app.

Operation



This touch button is used to turn the light on/off, adjust brightness, and switch the color of the lights.

i. Single Click: Turn the light on/off.

ii. Quick Double-Click: Switch between 7 static RGB colors.

iii. Long Press (2+ seconds): Adjust the light luminance.



This touch button is used to turn ON/OFF the induction function.

Single Click: Turn on The key press indicator light is on.)


Single Click: Turn off (The key press indicator light is off.)

By default, the human body sensing is enabled upon initial power-on, and the indicator light is on.



This touch button is used to switch dynamic phantom colors.

Single Click:Switch to Phantom Mode, with 5 magical color transformations available.



⚠ ATTENTION PLEASE

1. If there is no touch response suddenly, Re-plug the power to reset the touch static electricity.

2. If you have any questions when installing, please feel free to contact us. Thank you.