



# Vault™ | K-3935-3

29-3/4" top-mount single-bowl farmhouse kitchen sink

## Features

- 30" (762 mm) minimum base cabinet width
- Single bowl
- 9" (229 mm) depth provides generous workspace
- Self-Trimming® apron overlaps cabinet face for easy installation and beautiful results
- Apron height allows sink to be used in most standard cabinetry or retrofitted to existing standard cabinetry
- Three faucet holes
- Rear drain placement increases cabinet storage space underneath sink
- Box includes: Sink, installation hardware, cutout template



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
7-29-2026 18:58 - US-CA

THE BOLD LOOK  
OF **KOHLER**®

## Codes/Standards

ASME A112.19.3/CSA B45.4

## Technical Information

*All product dimensions are nominal.*

|                             |                   |
|-----------------------------|-------------------|
| Number of Deck Holes:       | 3                 |
| Faucet Hole(s) Size:        | 1-7/16" (37 mm)   |
| Drain Hole Diameter:        | 3-5/8" (92 mm)    |
| Minimum Base Cabinet Width: | 30" (762 mm)      |
| Basin Configuration:        | Single Bowl       |
| Basin Length:               | 26-1/2" (673 mm)  |
| Basin Width:                | 17-3/16" (437 mm) |
| Basin Depth:                | 9" (229 mm)       |

## Material

- Premium 18-gauge stainless steel
- Premium 18-gauge stainless steel

## Recommended Products/Accessories

K-23726 Drain treatment

K-23729 Stainless steel cleaner

K-6466 Stainless steel sink rack, 26" x 16-11/16" for 30" single-bowl apron-front sink

K-8801 Sink drain and strainer with tailpiece

K-8799 Sink drain and strainer basket, less tailpiece

## Warranty

*See website for detailed warranty information.*


KOHLER® Stainless Steel Sinks Lifetime Limited Warranty



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications. For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
7-29-2026 18:58 - US-CA

THE BOLD LOOK  
OF **KOHLER®**



## Installation

- Top-mount

## Installation Notes

*Install this product according to the installation instructions.*

**NOTICE:** Countertop manufacturer or cutter must use the cut-out template provided with the product, or a current one provided by Kohler Co. (call 1-800-4-KOHLER). Kohler Co. is not responsible for cutout errors when the incorrect cut-out template is used.

**IMPORTANT!** The distance from the top edge of the cabinet to the top of the cabinet door must be at least 8-7/8" (214 mm) to install this sink.



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

7-29-2026 18:58 - US-CA