Outdoor Storage Shed Assembly Guide



CC16

CUSTOMER FIRST, SERVICE FOREMOST!

QUESTIONS? ISSUES? CONTACT US REPLY WITHIN 24 HOURS IN BUSINESS DAYS Thank you for purchasing this item, please read this instruction guide carefully before assembly and keep it for future reference.

WHAT WILL YOU GET?



Attention: Product will be shipped in 2 boxes. They may arrive at different times, please wait patiently.

THE TOOLS YOU NEED TO PREPARE



WARNING

•Take all parts from the 2 boxes and sort them by number. Ensure all parts are received before assembly.

•Please wear work gloves, long sleeves and safety goggles during assembly since some parts with sharp edges may injure you accidentally.

Set your drill's torque limit to prevent damage to the metal parts.

•Make sure that the ground stability is sufficient before using a ladder. Never rest your entire weight on the roof or on any other part of the storage shed.

•Do not attempt to assemble the storage shed in strong windy conditions.

Keep children and animals away from the assembly site.

Note: When assembling, please do not tighten the screws one by one first until making sure all the corresponding screws are placed in the right positions.



The parts are stacked together for easier transportation. When you think something is missing, please try to separate every part first and check.

NO.	PART	Qty.
1		2
3L		1
3R		1
4L		1
4R		1
5		1
6		1
7		1
8		1
9	Circle 1	1
10L		1
10R		1
11	12 Alexandre	1
11-1		1
11-2		1
B1		2

NO.	PART	Qty.
15		2
17L		2
17R		2
20		6
21L		1
21R		1
25L		1
25R		1
C1		1
C2		1
C3		1
C4		1
C5		1
C6	Reference to the second	1
C7		2
PL03	A A	1

Part List

NO.	PART	Qty.
P1		9
P2		4
P3		3
P6		2
P4L		2
P4R		2
P5		2
P0		2

NO.	PART	Qty.
G2	Con and	4
GD	Ø	4
GB	(internet the second se	2
GC	a construction of the second s	4
F1	())))) ST4.2X10	267
F2	(M4X15	51
F3	ST4.8X16	8
S2	ØF?	120
S3	0	243

NO.	PART	Qty.
D1		1
D2	2	1
J1		4
F100	M10x45	4
GLV03	In In	2



























NO.	PART	Qty.
P1		7
P3		1
F1		66
S3	0	77
F2	(11









Step 21







Please fold the small iron piece shown in the picture.

Ste	o 22	
NO.	PART	Qty.
F1	{] 1111112+	2







Step	26
------	----

NO.	PART	Qty.
B1		2
F2	(11111)	4
S3	\bigcirc	4

21L

B1





B1

90 90





¢

Π

17Ŗ











Step	3 3		
NO.	PA	RT	Qty.
GD	Ø		4
F2	(þ unu		4
S3		\bigcirc	4







Step 36

NO.	PART	Qty.
PL03	Ŕ	1

After you have completed all the assembly, tighten all the screws and put the S2 over the sharp screws to prevent accidental scratches to you.



Step 37

NO.	PART	Qty.
J1		4
F1	{]mm>	16
F100	M10 x45	4

Then go to the 4 corners inside of the shed to install the anchors.

Step 1: Install the anchors onto each corner of the base with 4 F1 screws for each anchor.

Tips: You need to drill the installation holes by yourself with dia.1.5mm or 1/16" driller.



Step 2: After the whole shed and anchors are installed, move the shed to the place you want it to be, then drill one 2" deep hole in the ground for each anchor with electric hammer and dia. 13/32" driller.



NOTE: If the following situations occur after the installation is complete, please operate as shown

Situation One



24/25

Situation Two



When there is a LARGE gap between the [D1] and [D2] door panels, please adjust as shown in the figure below, and screw the [F3] to the corresponding hole.

Situation Three

gap

gap

•

7&8

G2

°00

°•• 🟵 🔘



Please re-screw the [F3] screw into the hole according to the position shown in the picture.

