

Product Assembly Instructions Insert Factory Item # SETODGIBLKDGRYBX1 X1 X1 X4 M6×30 Seat Base X4 X1 [^]5 Wrench M6 spacer Step 1: Turn the seat over and place it on the ground where the exterior finish will not be scratched. Step 2: Align the screw holes of the base with the screw holes of the seat, insert flat washers(4) and screws(3) into each hole, once the screws are in place, tighten the screw until firmly attached with the wrench provided. Step 3: Flip the chair over upright as seen. Step 4: Sit and enjoy your new chair.

Product Assembly Instructions Insert Factory Item # SETODGIBLKDGRYBX3 X1 X1 X6 Seat Base M6×30 X6 X1 (5)Wrench M6 spacer Step 1: Turn the seat over and place it on the ground where the exterior finish will not be scratched. Step 2: Align the screw holes of the base with the screw holes of the seat, insert flat washers(4) and screws(3) into each hole, once the screws are in place, tighten the screw until firmly attached with the wrench provided. Step 3: Flip the chair over upright as seen. Step 4: Sit and enjoy your new sofa.

Product Assembly Instructions Insert Factory Item # SETODGIBLKDGRYBX4



Step 1: Align the screw holes of the table leg(2) with the screw holes of the table leg(3), insert flat washers(6) and screws(4) into each hole, once the screws are in place, tighten the screw until firmly attached with the wrench provided.



Step 3: Align the screw holes of the table legs with the screw holes of the table top, insert flat washers(6) and screws(5) into each hole, once the screws are in place, tighten the screw until firmly attached with the wrench provided.

agricit the screw and mining adactica with the wichen provided

Step 4: Flip the table over upright as seen.

Step 5: Identify the glass and place the pattern surface side upwards before setting on the frame.

Step 6 : Enjoy your new table.

