



K-13481

Multi-outlet power supply, global outlets

Features

- Universal input for 100–240 VAC, 50/60 Hz operation
- Powers up to eight Insight AC-powered touchless faucets
- Ultralow power consumption saves energy
- Energy Star Efficiency Level VI
- Regulated output of 5 VDC at 1.2 amps
- Short circuit and overcurrent output protection
- Intended for use in global outlets only. For North American outlets, please use K-13481-A
- Supports a total of up to eight devices, including a maximum of two touchless soap dispensers and up to eight sensor faucets



Available Colors/Finishes

Color tiles intended for reference only.

^{NA} NA Not Applicable



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-29-2026 22:01 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

UL 60950

cUL Listed

UL Listed

Required Products/Accessories

- K-13487 4' cable assembly

or

- K-13602 6' cable assembly
-

Warranty

See website for detailed warranty information.

KOHLER® One-Year Limited Warranty




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

7-29-2026 22:01 - US-CA



Installation

- Designed for portable or permanent hardwire installations
- Supplied with 30" (762 mm) power cord for easy 120-volt installation

Installation Notes

Install this product according to the installation instructions.

