

CARE AND MAINTENANCE



Unplug lamps before using any cleaning solutions. Dust shades with a feather duster or with an appropriate vacuum-brush attachment. Wipe with a soft, dry cloth and clean lamp bases with the methods appropriate to the material. Avoid the use of chemicals and household cleaners as they may damage the finish.

NOTICE& IMPORTANT SAFETY INSTRUCTIONS

- * Please make sure that you have all parts indicated before you begin assembly of this item
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly
- * To reduce the risk of fire, electrical shock or injury to persons or property, please follow the guideline below for safe use and installation
- *The external flexible cable or cord of this luminaire cannot be replaced;
If the cord is damaged, the luminaire shall be destroyed


**This portable lamp has a polarized plug (one blade is wider than the other) as a safety feature to reduce the risk of electric shock. this plug will fit in a polarized outlet only one way. if the plug does not fit fully in the outlet, reverse the plug, if it still does not fit, contact a qualified electrician. Never use with an extension cord unless the plug can be fully inserted. do not attempt to defeat this safety feature.

Part List and Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY	PIECE	DESCRIPTION	PICTURE	QUANTITY
A	Body		1X	D	Tube 3		1X
B	Tube 1		1X	E	Lamp canopy Body		1X
C	Tube 2		1X	F	Bulb		6X

Owner Manual

Product Dimensions: 22.5"Lx 18"W x 57.5"H




PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list. If any part is missing or damaged, do not attempt to assemble the product.
Estimated Assembly Time: 6 minutes.

PLEASE USE ON/OFF TYPE "B" BULB MAX 60-WATT BULB IN THE BOX


1



Step1

Screw the tube(B) onto the lamp body(A).
Be careful not to twist the power cord and tighten securely.


2



Step2

Screw the tube(C) onto the tube(B).
Be careful not to twist the power cord and tighten securely.

3



Step3


Screw the tube(D) onto the tube(C).

Screw the canopy(E) onto the tube(D)

Be careful not to twist the power cord and tighten securely.

ENJOY YOUR LAMP

4



Step4

Install the plate(1) to the junction box with 2 Mounting screws(2)

Attach the Canopy(E/4) to the junction box and fix it

Consult a qualified electrician to ensure correct branch circuit conductor. Power connections may only be handled by a skilled worker