




Floor Lamp

[Instruction Manual]



Please pay attention to the warning signs
Read the instructions with caution before operating
and keep it properly

CAUTION

1. Before assembly, place all parts out on a clean flat surface and inspect each part for defects that may have occurred during shipping.
2. Inspect wire insulation for any cuts, abrasions or exposed copper that may have resulted during shipping. If there are any defects in the wire, DO NOT continue assembly. Please send an email to our Customer Service immediately.
3. Consult a qualified electrician if you have any electrical questions.
4. Never drape clothes over the lamp.
5. To reduce the likelihood of tipping over, we recommend placing the lamp behind furniture and keep children and pets away.
6. To prevent children from suffocating and choking, keep them away from packing materials.
7. Please keep this manual and hand it over when you transfer the product.




Packing List:




A × 1 	B × 1 	C × 1 	D × 1 
E × 4 	F × 2 	G × 4 	H × 2 



I × 4 	J × 1 	K × 4 	L × 4 
S × 1 	M × 1 	N × 1 	P × 1 (H13.5cm) 
Q × 1 (H14.5cm) 	R × 1 	a × 8 (Short screw) 	b × 4 (Long screw) 



Assembly Instructions

Before assembly, please compare the packing list to make sure all parts are present.










1. Install the lampshade
2. Take out the panel (D) and the four lamp posts (E), and tighten the four lamp posts (E) clockwise onto the panel (D) in sequence.
3. Tighten the four short screws (a) clockwise to the bottom of the lamp post (E), install the table board (F), and then screw the lamp post (G) clockwise.
4. Tighten the four short screws (a) clockwise to the bottom of the lamp post (G), install the drawer limit strip (H) and the table board (F) in sequence, and then tighten and fix the four lamp posts (I) clockwise.
(Please note: The limit end of the limit strip(H) should be installed at the back.)
5. Install the four long screws (b) to the bottom of the lamp post (I), then install the drawer limit strip (H) and the base plate (J) in sequence, and tighten and fix the four lamp posts (K) clockwise.
6. Install adjustable nuts (L).
7. Fix the metal lamp post (S) to the panel (D) and complete the wiring (Refer to the illustration);
8. Install the lampshades in sequence and secure them with the lampshade fixing ring (N), then install the bulbs (M)(Bulb included).

Operating Instructions

Type-C+USB-A 5V 2.1A




Remote Control Bulb Instructions for Use

1. Install the bulb to the floor lamp, and insert the batteries into the remote control.

2. Depress the foot switch gently to turn on the floor lamp.

3. Control the bulb with remote control.

NOTE: To control the bulb by remote control, you must plug the floor lamp into the power supply first, then keep the foot switch in the ON state by depressing it gently.



1 Auto-off After 1H:

The bulb flashes once after pressing it, indicating enter the 1-Hour Timer mode; if switch it on/off with foot switch, plug or remote control during the timing period, it will automatically exit the timing function.

2 ON/OFF:

Turn the bulb ON/OFF

- 3 Brightness +:**
Press the button to increase the brightness, 7 levels in total.
- 4 Brightness -:**
Press the button to decrease the brightness, 7 levels in total.
- 5 Color Temperature +:**
Press the button to increase the color temperature, 7 levels in total
- 6 Color Temperature -:**
Press the button to decrease the color temperature, 7 levels in total
- 7 Max Brightness Button:**
No matter which color temperature is set, press this button once to adjust the brightness to 100% at this color temperature.
- 8 3 color Temperature modes:**
Press the button to cycle through the 3 common color temperature modes.
- 9 Night Light Mode:**
Press the button to enter Night Light Mode.
- 10 Breastfeed Mode:**
Press the button to enter Breastfeed Mode.
- 11 Office Mode:**
Press the button to enter Office Mode.
- 12 Reading Mode:**
Press the button to enter Reading Mode

Specifications

- Product Height: 58.27 IN
- Materials: Metal, Wood, Linen
- Input Voltage: 120VAC, 60Hz
- Max.Load Power: Incandescent Bulb 60W or LED Bulb 12W
- Socket Type: Standard Medium E26

One Year Limited Warranty

Supported by our professional R&D team and QC team, we provide One Year Warranty for materials and workmanship from the purchase date. Please note that the warranty does not cover damage caused by personal misuse or improper installation. Please attach your Order ID and Name so that our dedicated customer service team can help you better.