


GAOHAPY[®]

Manual Recliner



Please read this manual carefully before any operation and keep it properly for future use. If any problems on our product, please feel free to contact us at support@gaohapy.com.

GAOHAPY®


TIME FOR FURNITURE TO CHANGE YOUR LIFE



Congratulations on becoming our exclusive member

Thank you for choosing our product! We hope it brings you joy and convenience. If you have any questions, feel free to reach out! If you enjoy our chairs and would like to share your experience with a photo or video, please contact us in the email below and we have a great gift for you.

Wishing you a wonderful day!



support@gaohapy.com


Recliner Assembly Instructions

Estimated Assembly
Time in Minutes


- Your recliner comes packaged in one box.
- **DO NOT** use any sharp objects to open plastic wrapped components as damage to product or components may result.
- Carefully remove all of the components from the packaging and set aside for assembly.
- Assemble on a soft surface to prevent scratching the finish.
- **Zip ties are used to secure your recliner cords and avoid damage - do not cut.**

Support Email: support@gaohapy.com

Mon - Fri from 9AM to 5PM (PST)




Part List





Assembly

Step 1




Assembly




Assembly

Step 2




NOTE: Hold the handles on the armrest with both hands, pull it out horizontally until you hear two clicks, now the armrest is extended.

Step 3




Step 4




Assembly

Step 5




Step 6




Put spring coil pad inside of the seat cushion cover and zipped.

Assembly


Step 7



Attention, please tear off the protective sticker on the velcro of the sofa before sticking.




Do not press the handle under the cushion.





Then put the whole seat cushion on the center of seat base correctly and tighten the velcro.

Step 8

Insert metal bolts of the backrest to the seat cushion as shown. Ensure they are installed correctly in place.




Step 9




Assembly

Step 10



Step 11

The recliner with a gentle rocking motion moves back and forth horizontally and can swivel 360° (reclining angle can not be fixed).



Assembly

Step 12

