#### CARE AND MAINTENANCE

Always use felt pads under all articles to prevent discoloration or softening of the lacquer. Plastic and rubber bases on items can discolor wood. Wipe up spill immediately and avoid common hazards such as hot dishes,harsh solvents and abrasives. Cleaning should be done with a soft lint free cotton cloth dampened with water or furniture polish. On highly used surfaces we recommend applying a quality paste wax which should be used on a regular basis to provide additional protection from sratches and spills. How often you apply the wax depends on how much wear the furniture receives.

### **NOTICE**

- \* Please make sure that you have all parts indicated before you begin assembly this item.
- \* This item should be assembled on a soft surface to prevent scratching the finish during assembly.
- \* This item may require periodic tightening.
- \* Requiring atleast two person to assemble the product

#### Part List and Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY
А	Table Top		1x
В	Leg		4x
С	Cross Rail Up/Down	(; ee ; ; ; ee ;)	2x
D	Pedestal		1x
E	Pedestal Cap		1x
HW 1	Csk Screw M4x2.0x30mm	<b>(X)</b>	16x
HW 2	Nut 13mm∅		8x
HW 3	Spring Washer 8mm∅		8x
HW 4	Flat Washer 8mm Ø		8x
HW 5	Jcbc Bolt M8x0.5x60mm		8x
HW 6	Allen Key M5		1x
HW 7	Spanner 13mm		1x

Product Dimensions: 47.24" W x 47.24" D x 29.92" H



Weight Capacity: 165 lbs


**WARNING: DO NOT OVER TORQUE** 

**BOLTS/SCREWS** 




# **PREPARATION**

Before beginning assembly of product, make sure all parts are present. Compare parts with package content list. If any part is missing or damaged, do not attempt to assemble the product. Estimated Assembly Time: 20 minutes.




Step 1
Assemble the leg and pedestal.




Step 2
Assemble the cross rail then tight it.

## **PREPARATION**

Before beginning assembly of product, make sure all parts are present. Compare parts with package content list. If any part is missing or damaged, do not attempt to assemble the product. Estimated Assembly Time: 20 minutes.



Step 3
Put upside down the table top, then tight the leg frame.
Make sure put on the smooth and clear surface, to avoid the surface scratch.



Step 4 Place the pedestal cap on the pedestal.