INSTRUCTION MANUEL ENCLOSED

ATTENTION

IF YOU HAVE ANY PROBLEMS OR QUESTIONS, EMAIL OR CALL CUSTOMER SERVICE <u>BEFORE</u> YOU RETURN THIS PRODUCT TO THE STORE WHERE IT WAS PURCHASED.

INSTRUCTION MANUEL ENCLOSED

LOVE SEAT

LOVE SEAT ASSEMBLY INSTRUCTION



	PARTS LIST	
Part	Description	Quantity
	PARTS	
A	Right Armrest	1
В	Left Armrest	1
C	Chair Seat	1
D	Chair Back	1
	HARDWARE	
F	Bolts M6*40mm	7
G	Bolts M6*50mm	4
Н	Washers	11
I	Allen Key	1

A	B	C	D
X1	X1	X1	X1
F	G	Н	I
M6*40	M6*50	0	
X 7	X4	X11	X1


PLEASE READ AND FOLLOW ALL SAFETY TIPS

GETTING STARTED


- 1. Before assembly, CAREFULLY use scissors or utility knife to cut and unwrap all parts. Make sure you do not discard the hardware.
- 2. Make sure that you have all the parts listed. If you are missing any parts, please contact Customer Service: Please identify the parts you need and model number. Make sure to include your name and address.

***Tips: Do not fasten all bolts completely tight until finish all steps.


1. Locate the Armrests(A & B) to the Chair Back(D) by the pre-drilled threads. Fasten Bolts(G) with Washers(H) by using Allen Key(I) to combine armrests and chair back together. 4 bolts should be fastened totally. (Step 1)



2. Locate the Chair Seat(C) to the Armrests(A & B) by the pre-drilled threads. Fasten Bolts(F) with Washers(H) by using Allen Key(I) to combine armrests and chair seat together. 4 bolts should be fastened totally. (Step 2)



3. Locate the Chair Seat(C) to the Chair Back(D) by the pre-drilled threads. Fasten Bolts(F) with Washers(H) by using Allen Key(I) to combine chair seat and chair back together. 3 bolts should be fastened totally. (Step 3).




4. Fasten all bolts tight.

Till now you have finished the whole assembly and enjoy your love seat!!

CLUB CHAIR ASSEMBLY INSTRUCTION



	PARTS LIST	
Part	Description	Quantity
	PARTS	
A	Right Armrest	1
В	Left Armrest	1
C	Chair Seat	1
D	Chair Back	1
	HARDWARE	
F	Bolts M6*40mm	6
G	Bolts M6*50mm	4
Н	Washers	10
I	Allen Key	1




F	G	Н	I
9	9	0	
M6*40	M6*50		2
X6	X4	X10	X1

GETTING STARTED


- 1. Before assembly, CAREFULLY use scissors or utility knife to cut and unwrap all parts. Make sure you do not discard the hardware.
- 2. Make sure that you have all the parts listed. If you are missing any parts, please contact Customer Service. Please identify the parts you need and model number. Make sure to include your name and address.

***Tips: Do not fasten all bolts completely tight until finish all steps.


1. Locate the Armrests(A & B) to the Chair Back(D) by the pre-drilled threads. Fasten Bolts(G) with Washers(H) by using Allen Key(I) to combine armrests and chair back together. 4 bolts should be fastened totally. (Step 1)



2. Locate the Chair Seat(C) to the Armrests(A & B) by the pre-drilled threads. Fasten Bolts(F) with Washers(H) by using Allen Key(I) to combine armrests and chair seat together. 4 bolts should be fastened totally. (Step 2)



3. Locate the Chair Seat(C) to the Chair Back(D) by the pre-drilled threads. Fasten Bolts(F) with Washers(H) by using Allen Key(I) to combine chair seat and chair back together. 2 bolts should be fastened totally. (Step 3).




4. Fasten all bolts tight.

Till now you have finished the whole assembly and enjoy your chair!!

COFFEE TABLE

COFFEE TABLE ASSEMBLY INSTRUCTION



Dout	PARTS LIST	0
Part	Description	Quantity
	PARTS	
A	Table Top	1
В	Table Feet	4
C	Table Rack	1
	HARDWARE	
Е	Bolts M6*15mm	12
F	Washers	12
G	Allen Key	1

A	В	С
X1	X4	X1
Е	F	G
⊕ M6*15	©	
X12	X12	X1


PLEASE READ AND FOLLOW ALL SAFETY TIPS

GETTING STARTED


- 1. Before assembly, CAREFULLY use scissors or utility knife to cut and unwrap all parts. Make sure you do not discard the hardware.
- 2. Make sure that you have all the parts listed. If you are missing any parts, please contact Customer Service. Please identify the parts you need and model number. Make sure to include your name and address.

***Tips: Do not fasten all bolts completely tight until finish the step 1 and 2.

1. Locate 4 Table Feet(B) to the Table Top(A) by the pre-drilled threads. Fasten Bolts(E) with Washers(F) by using Allen Key(G) to combine table top and table feet together. 8 bolts should be fastened totally, 2 for each foot. (Step 1)



2. Locate Table Rack(C) to 4 Table Feet(B) by the pre-drilled threads. Fasten Bolts(E) with Washers(F) by using Allen Key(G) to combine table rack and table feet together. 4 bolts should be fastened totally, 1 for each corner of the rack. Now fasten all bolts tight. (Step 2)



3. Trun over the whole Table (Step 3)



Till now you have finished the whole assembly and enjoy your coffee with the table!!