







Please note: Items cannot be returned once assembled


Installation & Assembly




IT IS RECOMMENDED
TO USE POWER TOOLS




180MIN




EN_IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY.




EN_QUICKFIT: Tighten quickfit until shoulder is flush with panel. Do not overtighten or undertighten.













EN_CAM LOCK: When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.












EN_Quickfit head should be in the centre of the cam lock when the two panels are joined.
Cam lock should be inserted before quickfit.






EN_Turn cam lock clockwise to tighten.

NO.	PARTS	QTY	SPARE
1		x1	
2		x1	
3		x1	
4		x1	
5		x2	
6		x3	
7		x1	
8		x1	
9		x1	
10		x1	


NO.	PARTS	QTY	SPARE
11		x1	
12		x5	
13		x5	
14		x5	
15		x5	
16		x5	
17		x5	
	 Hardware Kit		






 A x31 Ø6x35mm +2(spare)	 B x31 Ø15x10mm +2(spare)	 C x38 Ø6x30mm +3(spare)	 D x47 Ø4x35mm +3(spare)	 E x60 Ø3.5x12mm +4(spare)	 F x5
 G1  G2 G x14 Ø3x16mm +1(spare)	 H x1	 I x16 Ø15mm +2(spare)	 J x3 Ø4x14mm	 K x2	 L x2 Ø6x30mm
 M x1	 N x5 Ø3x12mm +1(spare)	 O x1	 P x10 Ø4x30mm +1(spare)	 Q x1	 CL x5 350mm
 CR x5 350mm	 DL x5 350mm	 DR x5 350mm			

 A x25	 C x20	 D x25
---	---	---

x5 **01**




B x25**F x5****x5****02****E x30****DL x5****DR x5****x5****03**


E x30

CL x5

CR x5



D x4




D x2


06



 Please support board 4 with your hands



07





D x6



Note: At least two people are required for this step.

08




C x4




Note: At least two people are required for this step.


09




Need Two or More
People To Complete



90°




A x2



C x2




10





B x2

C x8



D x4



P x10



D x4




**Notice**


I x16




Note: At least two people are required for this step.

14






- (1) Please unfold the light strip (M) and peel off a small piece of protective film on the back of the light strip M at the right end, as shown in the picture



- (2) Then please pull the light strip M from the bottom of board 11 according to the arrow direction as shown in the figure, tear off the adhesive on the back of the light and stick the light strip M to board 8, and finally to board 10, as shown in the figure




C x4





Note: At least two people are required for this step.

16






**Need Two or More
People To Complete**







A x4




B x4






**G** x14**J** x2**K** x2**Q** x1

(1)




(2)

**x5**


D x2




L x2




First, use a ruler to measure the approximate height of the product on the wall, and then mark it with a pen.




Then use a tape drill to make holes in the wall that are suitable for the product screws.




Then, put the expansion bolt into the hole



Finally, pass the matching screws through the "anti-rewind" and tighten them to fix them on the wall.





Short Press:

1. **Cycle through seven static colors:** The light cycles through seven predefined static colors.
2. **Three-color jump mode:** The light dynamically jumps between three specific colors.
3. **Sound control mode:** The light responds to sound input, changing colors or patterns.
4. **Power off:** The light turns off.
5. **Loop:** The sequence repeats in a continuous loop.

Long Press (3 seconds):

1. **First long press (3 seconds):** Activates the radar function (LED flashes once to indicate activation).
2. **Second long press (3 seconds):** Deactivates the radar function (LED flashes three times to indicate deactivation).
3. **Toggle in a loop:** Each long press toggles between activating and deactivating the radar function.

Radar Function:

1. **Automatic turn-off:** If a person moves away and no motion is detected for 60 seconds, the light automatically turns off.
 2. **Automatic turn-on:** When a person comes within a 3-meter range, the light automatically turns on via motion detection.
- This functionality provides a versatile and user-friendly lighting system with both manual and automatic control options.

