

Assembly Instructions



Sofa

Your chair comes packaged in one box. Carefully remove all of components from the packaging and set aside for assembly.








CAUTION:
DO NOT use any sharp objects to open plastic wrapped components as damage to product or components may result.

Package Contents


Part List: Box 1:

	
Part A*1 Left Arm	Part B*1 Right Arm

Box 2:

			
Part C*1 Backrest	Part D*1 Seat	Part E*3 Pillow	Part F*4 Seat Cushion
			
Part G*1 Ottoman	Part H*2 Arm Pillow	Part I*8 Leg	


Hardware List:

		
Part 1*14 Bolt Ø 5/16x35mm	Part 2*14 Lock Washer Ø 5/16	Part 3*14 Flat Washer Ø 5/16
		
Part 4*1 M5 Allen Wrench		

Assembly Instructions


Step 1:

Attach Leg (I) to Left Arm (A), Right Arm (B).



Step 2:


Attach Leg (I) to Ottoman (G)



Assembly Instructions


Step 3:

Attach Backrest (C) to Seat (D) by using Bolt (1), Lock Washer (2), Flat Washer (3) and Allen Key (4).




Step 4:

Attach Left Arm (A), Right Arm (B) to Seat (D) by using Bolt (1), Lock Washer (2), Flat Washer (3) and Allen Key (4).




Assembly Instructions

Allow 36-72 hours for the cushion to inflate fully.



Step1:
Cut and open the package



Step2:
Rotate the cushion multiple times and pat from the sides



Step3:
Gently pull the fabric cover and cushion filling outward





Step4:
Straighten the edges of the fabric cover



Step5:
Lightly pat the surface to smooth wrinkles


Step 5:

Place the Seat Cushion (F) on the seat frame




Step 6:


Place the Pillow (E) on the seat frame
Attach Arm Pillow (H) to Arm.





Step 7:

Completed





Moving the chair carefully to prevent
your feet from being hurt



Put a carpet under the chair to protect your floor while assembling

