

ASSEMBLY INSTRUCTION






4pcs

1pc


1pc

4pcs

Screw long bolts (F) into corresponding holes on the glass top (E) as shown and tighten it.




Insert attached long bolts (F) through the corresponding holes on stretchers (A) as shown below.




3

Insert attached long bolts (F) through the corresponding holes on stretchers (B) and fix stretchers (B) to stretchers (A) using bolts (G) and allen wrench (K). Then, Insert attached long bolts (F) through the corresponding holes on stretchers (C).




4

Insert attached long bolts (F) through the corresponding holes on stretchers (B) and fix stretchers (B) to stretchers (C) using bolts (G) and allen wrench (K). Then, Insert attached long bolts (F) through the corresponding holes on stretchers (C).




5

Insert attached long bolts (F) through the corresponding holes on stretchers (B) and fix stretchers (B) to stretchers (C) using bolts (G) and allen wrench (K). Then, Insert attached long bolts (F) through the corresponding holes on stretchers (C).



6

Insert attached long bolts (F) through the corresponding holes on stretchers (D) and fix stretchers (D) to stretchers (C) using bolts (G) and allen wrench (K). Fix the frame firmly using flat washers (I) and nuts (H) with open wrench (L). Then, attach leveler (J) to the bottom of stretchers (D) as shown and tighten bolts firmly. Carefully, turn the assembled unit upright. The chop counter height table is now complete.



Cleaning & Care

Treat surface with care. Surface is resistant to scratches but is not scratch resistant. Clean surfaces with a dry or damp soft cloth. Do not use abrasive cleaners. Hardware may loosen over time. Periodically check that all connections are tight.