


Montageanleitung | Instructions de montage Assembly Instructions | Instructions de montage

N657P427428

Productmanual
Gebrauchsanweisung
Manuelduproduit
Manualdelproducto
Manualelprodotto



Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
URL	https://www.decobusgroup.de
Hersteller	Qingdao Rui Kesen Home Furnishing Co.,Ltd
Adresse	Room 517, Building 32, No. 89, Changcheng Road, Chengyang District, Qingdao City, Shandong province, China
Email/URL	Frank_hfmy@163.com
EC REP	Decobus Handel GmbH Innungsstraße 9, 2124 Buchholz, Deutschland https://www.decobusgroup.de



FR
Cet appareil,
ses cordons,
et batterie
se recyclent

À DÉPOSER
EN MAGASIN



À DÉPOSER
EN DÉCHÈTERIE



OU

Points de collecte sur www.quefairedemesdechets.fr
Privilégiez la réparation ou le don de votre appareil !





2PERS




60 MIN

Tool Required Not Provided



Parts List





[DE]

Warnung: Lesen Sie die Anleitung vor dem Zusammenbau bitte vollständig durch. Überprüfen Sie, ob Sie alle auf den Seiten aufgeführten Komponenten und Werkzeuge haben.

Warnung: Legen Sie alle Teile auf eine ebene Fläche. Legen Sie eine weiche Decke oder Ähnliches darunter, um sie vor Kratzern oder Flecken zu schützen. Vermeiden Sie es, Komponenten über den Boden zu ziehen oder zu schieben.

Warnung: Überprüfen Sie regelmäßig alle Beschläge und Befestigungen, um sicherzustellen, dass sie sicher sind und um Unfälle zu vermeiden. Wenn Teile fehlen, kaputt, beschädigt oder abgenutzt sind, verwenden Sie das Produkt nicht weiter, bis es mit vom Hersteller autorisierten Teilen repariert wurde.

Warnung: Lassen Sie Kinder nicht auf die Möbel klettern, da dies zum Umkippen und zu schweren Verletzungen führen kann. Bauen Sie die Möbel außerhalb der Reichweite von Kindern zusammen.

Warnung: Stellen Sie die Möbel nicht in die Nähe von Feuerquellen oder heißen Gegenständen, um Brandgefahr zu vermeiden.

Warnung: Reinigen Sie die Möbel mit einem feuchten Tuch oder Alkohol. Verwenden Sie keine Reinigungsmittel mit ätzenden Chemikalien.

Warnung: Dieses Produkt ist mit einer Kippschutzvorrichtung ausgestattet. Bitte installieren Sie diese Vorrichtung unbedingt, um unnötige Verletzungen durch Umkippen zu vermeiden.

[EN]

Warning: Please read instructions fully before starting assembly. Check you have all the components and tools listed on pages.

Warning: Please place all parts on a flat surface. Place a soft blanket or similar underneath to protect against scratches or stains. Avoid dragging or sliding components across the floor.

Warning: Regularly check all fittings and fastenings to ensure they are secure and to prevent accidents. If any parts are missing, broken, damaged, or worn, discontinue use of the product until repairs have been made using factory authorized parts.

Warning: Do not allow children to climb on the furniture as this may result in tipping and serious personal injury. Assemble the furniture away from the reach of children.

Warning: Do not place furniture close to fire sources or high-temperature objects to avoid the risk of fire.

Warning: Clean furniture with a damp cloth or alcohol, avoid using cleaning agents containing corrosive chemicals.

Warning: This product is equipped with an anti-tilt device. Please be sure to install this device to prevent unnecessary injuries caused by tipping.

[FR]

Avertissement : Veuillez lire entièrement les instructions avant de commencer l'assemblage.

Vérifiez que vous disposez de tous les composants et outils répertoriés sur les pages.

Avertissement : Veuillez placer toutes les pièces sur une surface plane. Placez une couverture douce ou similaire en dessous pour les protéger des rayures ou des taches. Évitez de faire glisser les composants sur le sol.

Avertissement : Vérifiez régulièrement tous les raccords et fixations pour vous assurer qu'ils sont bien fixés et pour éviter les accidents. Si des pièces manquent, sont cassées, endommagées ou usées, cessez d'utiliser le produit jusqu'à ce que des réparations aient été effectuées à l'aide de pièces autorisées par l'usine.

Avertissement : Ne laissez pas les enfants grimper sur les meubles car cela pourrait entraîner un basculement et des blessures graves. Assemblez les meubles hors de portée des enfants.

Avertissement : Ne placez pas les meubles à proximité de sources de feu ou d'objets à haute température pour éviter tout risque d'incendie.



Avertissement : Nettoyez les meubles avec un chiffon humide ou de l'alcool, évitez d'utiliser des produits de nettoyage contenant des produits chimiques corrosifs.

Avertissement : Ce produit est équipé d'un dispositif anti-basculement. Assurez-vous d'installer ce dispositif pour éviter les blessures inutiles causées par un basculement.

[IT]

Attenzione: leggere attentamente le istruzioni prima di iniziare il montaggio. Verificare di avere tutti i componenti e gli strumenti elencati nelle pagine.

Attenzione: posizionare tutte le parti su una superficie piana. Posizionare una coperta morbida o simile sotto per proteggere da graffi o macchie. Evitare di trascinare o far scivolare i componenti sul pavimento.

Attenzione: controllare regolarmente tutti i raccordi e i dispositivi di fissaggio per assicurarsi che siano sicuri e per prevenire incidenti. Se alcune parti sono mancanti, rotte, danneggiate o usurate, interrompere l'uso del prodotto fino a quando non siano state eseguite le riparazioni utilizzando parti autorizzate dalla fabbrica.

Attenzione: non consentire ai bambini di arrampicarsi sui mobili poiché ciò potrebbe causare ribaltamenti e gravi lesioni personali. Montare i mobili lontano dalla portata dei bambini.

Attenzione: non posizionare i mobili vicino a fonti di fuoco o oggetti ad alta temperatura per evitare il rischio di incendio.

Attenzione: pulire i mobili con un panno umido o alcol, evitare di utilizzare detergenti contenenti sostanze chimiche corrosive.

Attenzione: questo prodotto è dotato di un dispositivo antiribaltamento. Assicurarsi di installare questo dispositivo per prevenire lesioni inutili causate dal ribaltamento.

[ES]

Advertencia: Lea las instrucciones completamente antes de comenzar el montaje. Compruebe que tiene todos los componentes y herramientas que se enumeran en las páginas.

Advertencia: Coloque todas las piezas sobre una superficie plana. Coloque una manta suave o algo similar debajo para protegerlas de rayones o manchas. Evite arrastrar o deslizar los componentes por el piso.

Advertencia: Verifique regularmente todos los accesorios y fijaciones para asegurarse de que estén seguros y evitar accidentes. Si falta alguna pieza, está rota, dañada o desgastada, deje de usar el producto hasta que se hayan realizado las reparaciones con piezas autorizadas de fábrica.

Advertencia: No permita que los niños se suban a los muebles, ya que esto puede provocar que se vuelquen y lesiones personales graves. Monte los muebles fuera del alcance de los niños.

Advertencia: No coloque los muebles cerca de fuentes de fuego u objetos de alta temperatura para evitar el riesgo de incendio.

Advertencia: Limpie los muebles con un paño húmedo o alcohol, evite usar agentes de limpieza que contengan químicos corrosivos.

Advertencia: Este producto está equipado con un dispositivo antivuelco. Asegúrese de instalar este dispositivo para evitar lesiones innecesarias causadas por vuelcos.

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
Email/URL	https://www.decobusgroup.de
Hersteller	Qingdao Rui Kesen Home Furnishing Co.,Ltd
Adresse	Room 517, Building 32, No. 89, Changcheng Road, Chengyang District, Qingdao City, Shandong province, China
Email/URL	Frank_hfmy@163.com



Decobus Handel GmbH

Innungsstraße 9, 21244 Buchholz, Deutschland

<https://www.decobusgroup.de>


EN It may be necessary to adjust the hinges so that the doors align. Use the instructions below as a guide.

FR Il est parfois nécessaire d'ajuster les charnières pour un meilleur alignement des portes. Servez-vous des instructions ci-dessous comme guide.

ES Puede que sea necesario ajustar los quicios de forma que se alineen las puertas. Use las instrucciones que aparecen debajo como guía.

DE Möglicherweise müssen Sie die Scharniere so einstellen, dass die Türen ausgerichtet sind. Verwenden Sie die nachstehenden Anweisungen als Leitfaden.

IT Potrebbe essere necessario regolare le cerniere in modo che le porte siano allineate. Per fare ciò attenersi alle istruzioni sottostanti.




EN To adjust the door vertically loosen the screw as shown and move up and down as needed.

FR Si vous souhaitez régler la porte **verticalement**, desserrez la vis comme indiqué et déplacez la porte de haut en bas selon les besoins.

ES Para ajustar la puerta **verticalmente** afloje el tornillo tal y como se muestra y muévelo hacia arriba o hacia abajo según sea necesario.

DE Um die Tür **vertikal** auszurichten, lösen Sie die Schraube wie abgebildet und bewegen Sie sie nach Bedarf nach oben oder nach unten.

IT Per allineare la porta **verticalmente** allentare la vite come mostrato e spostarla in alto o in basso secondo necessità.




EN To adjust the gap from the door to the main frame turn the screw clockwise or anti-clockwise as needed.

FR Si vous souhaitez ajuster l'**écart** entre la porte et le cadre principal, tournez la vis dans le sens des aiguilles d'une montre ou dans le sens inverse, si nécessaire.

ES Para ajustar el **espacio** desde la puerta al marco principal, gire el tornillo en sentido horario o antihorario, según se necesite.

DE Um den **Abstand** von der Tür zum Hauptrahmen auszurichten, drehen Sie die Schraube je nach Bedarf im oder gegen den Uhrzeigersinn.

IT Per regolare lo **spazio** tra la porta e il telaio principale, avvitare o svitare la vite secondo necessità.




EN To adjust the door laterally adjust the screw as shown by turning clockwise or anti-clockwise.

FR Si vous souhaitez ajuster la porte **latéralement**, ajustez la vis comme indiqué en tournant dans le sens des aiguilles d'une montre ou dans le sens inverse des aiguilles d'une montre.

ES Para ajustar la puerta **lateralmente** ajuste el tornillo tal y como se muestra girándolo en sentido horario y antihorario.

DE Um die Tür **seitlich** auszurichten, stellen Sie bitte die Schraube wie abgebildet durch Drehen im oder gegen den Uhrzeigersinn ein.

IT Per allineare la porta **lateralmente** regolare la vite come mostrato, avvitandola o svitandola.




EN Please fix other screws

FR Merci de serrer les autres vis.

ES Fije los demás tornillos

DE Befestigen Sie bitte die anderen Schrauben

IT Fissare le altre viti




EN_QUICKFIT: Tighten quickfit until shoulder is flush with panel. Do not overtighten or undertighten.

FR_RACCORD RAPIDE: Faites serrer le raccord rapide jusqu'à ce que l'épaulement soit parfaitement encastré dans le panneau. Il ne faut ni trop serrer ni insuffisamment serrer.

ES_QUICKFIT: Apriete quickfit hasta que el hombro se descargue con el panel. NO lo sobreapriete ni lo apriete poco.

DE_QUICKFIT: Ziehen Sie den Quickfit fest, bis die Schulter mit der Platte bündig ist. Bitte nicht zu fest oder zu schwach anziehen.

IT_MONTAGGIO RAPIDO: Stringere il montaggio rapido fino a quando la spalla è a filo con il pannello, non stringere troppo o troppo poco.




EN_CAM LOCK: When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.

FR_SERRURE BATTEUSE: Avant d'insérer la serrure batteuse, veillez à la bonne orientation avant d'insérer le raccord rapide.

ES_CIERRE DE LA CÁMARA: Cuando instale el cierre de la cámara, asegúrese de que la posición de inicio es correcta antes de que inserte el quickfit conector.

DE_CAM-LOCK: Achten Sie bei der Montage des Cam-Locks auf die richtige Ausgangsposition, bevor Sie den Quickfit einsetzen.

IT_BLOCCAGGIO A CAMMA: Quando si monta il bloccaggio a camma, assicurarsi che la posizione iniziale sia corretta prima di inserire il montaggio rapido di collegamento.



EN_Quickfit head should be in the centre of the cam lock when the two panels are joined.

Cam lock should be inserted before quickfit.

FR_Lorsque les deux panneaux sont assemblés, la tête du raccord rapide doit reposer au centre de la serrure batteuse.

Il faut insérer la serrure batteuse avant le raccord rapide.

ES_El cabezal del quickfit debe estar en el centro del cierre de la cámara cuando se unan los dos paneles.

Se debe insertar el cierre de la cámara antes que el quickfit.

DE_Der Quickfit-Kopf sollte sich in der Mitte des Cam-Locks befinden, wenn die beiden Platten zusammengefügt sind.

Der Cam-Lock sollte vor dem Quickfit eingesetzt werden.

IT_La testa del montaggio rapido deve trovarsi al centro del bloccaggio a camma quando i due pannelli sono uniti.

Il Bloccaggio a Camma deve essere inserito prima del montaggio rapido.

EN_Turn cam lock clockwise to tighten.

FR_Faites tourner la serrure batteuse dans le sens des aiguilles d'une montre pour la resserrer.

ES_Gire el cierre de la cámara en sentido horario para apretarlo.

DE_Drehen Sie den Cam-Lock im Uhrzeigersinn, um ihn festzuziehen.

IT_Ruotare il bloccaggio a camma in senso orario per stringere.



DE

Warnung: Die maximale Belastbarkeit dieses Möbels beträgt:60kg, bitte nicht überlasten!

EN

Warning: The maximum load-bearing capacity of this furniture is:60kg, please do not overload!

FR

Avertissement : La capacité de charge maximale de ce meuble est de :60kg, merci de ne pas surcharger !

IT



















Attenzione: la capacità di carico massima di questo mobile è:60kg, non sovraccaricare!

ES

Advertencia: La capacidad máxima de carga de este mueble es:60kg, ¡no lo sobrecargue!
















Part List/Teileliste/Liste des pieces

N657P427428

1		x 1	10		x 1
2		x 1	11		x 1
3		x 1	12		x 1
4		x 1	13		x 1
5		x 1	14		x 1
6		x 1	15		x 1
7		x 1	16		x 1
8		x 1	17		x 1
9		x 1	18		x 1















Part List/Teileliste/Liste des pieces

N657P427428


19		x 2	28		x 2
20		x 2	29		x 1
21		x 2	30		x 1
22		x 2	31		x 1
23		x 2	32		x 1
24		x 1	33		x 1
25		x 1			
26		x 1			
27		x 2			

Hardware List/ Hardware-Liste/Liste du matériel

N657P427428

A	 A1  A2	x 35	K		x 8
B	 8 x 30 MM	x 14	L		x 10
C	 3.5 x 14 MM	x 32	M		x 1
D	 4 x 30 MM	x 8	N		x 1
	(CL)  (DL)  (CR)  (DR) 	x 2	P		x 2
F	 5 x 50 MM	x 26	Q		x 35
G	 4 x 18 MM  	x 2	R	 R1 R2 	x 2
H	 M6 x 30 MM	x 6	Z	 Z1  Z2	x 2
J	 M6 x 35 MM	x 15	O	 M6 x 25 MM	x 2
S	 M6 x 14 MM	x 8	U		x 4
			T		x 4
I	 M6 x 20 MM	x 4			x 1

1



A1 x 8



8 x 30 MM
B x 6





3.5 x 14 MM
C x 8



(CL) x 2









(CR) x 2



REMARK:


When installing, please make sure the screws are flattened, Not crooked; Otherwise the drawers will not be installed perfectly.




2

A2 x 8

5 x 50 MM
F x 4









3



A1 x 13




8 x 30 MM
B x 8





4



A2 x 1







5 x 50 MM
F x 4




5

A2 x 12

5 x 50 MM
F x 2



6








A1 x 6



A2 x 6



5 x 50 MM
F x 10




7

3.5 x 14 MM
C x 10

5 x 50 MM
F x 2

L x 10




8


M6 x 35 MM
J x 8

M6 x 14 MM
S x 4

M6 x 20 MM
I x 4



9



5 x 50 MM
F x 4






M6 x 30 MM
H x 2



K x 4



U x 4








10

M6 x 14 MM
S x 4

Px 2




Tx 4




11

M6 x 25 MM
O x 2



M6 x 35 MM
J x 1



12



A1 x 8



13



A2 x 8



3.5 x 14 MM
C x 8



4 x 30 MM
D x 8



(DL) x 2










(DR) x 2





G x 2

X2





N x 1







15

M6 x 30 MM
H x 4

M6 x 35 MM
J x 6

K x 4



16



Q x 35



R1 x 2



R2 x 2



Z1 x 2







Z2 x 2



3.5 x 14 MM

C x 2

WALL




Test Verification of Conformity

Verification Number: 250805098GZU-VOC001

On the basis of the tests undertaken, the sample<s> of the below product has been tested by an accredited 3rd party laboratory in accordance to the referenced specification<s>/standard<s> at the time the tests were carried out. This verification is part of the full test report<s> and should be read in conjunction with it <them>.

This document can be used in support of a claim in meeting relevant EU legislation and mandatory Conformity Marking. And in accordance with EU law, the claim is the sole obligation of the Manufacturer/ Importer.

Applicant Name & Address:	Dongguan baiyou electronic Co., Ltd 2 F A building wufeng industrial jintanroad shijie town DONGGUAN Guangdong, China
Product Description:	Multiple socket outlets
Ratings & Principle Characteristics:	See appendix
Models/Type References:	See appendix
Brand Names:	BAYU
Specification<s>/Standards:	SS 428 08 34: 2013+T1:2018 Low Voltage Directive 2014/35/EU
Verification Issuing Office Name & Address:	Intertek Testing Services Shenzhen Ltd. Guangzhou Branch Room101/301/401/102/202/302/402/502/602/702/802, No. 7-2, Caipin Road, Huangpu District, Guangzhou, Guangdong, China
Date of Tests:	2025-08-05 to 2025-12-16
Test Report Number(s):	250805098GZU-001: 2026-01-04 250805098GZU-002: 2026-01-04



Signature

Name: Hunter Chu

Position: Manager

Date: Jan. 12, 2026

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observation and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

APPENDIX: Test Verification of Conformity

This is an Appendix to Test Verification of Conformity Number: 250805098GZU-VO C001

Models/Type References:

BAYU-****-**-*

The first '**' may be AE, AEF, AER.

The second '**' may be 01, 02, 03, 04, 05, 06.

The third '**' may be AA, AC, ACC.

The fourth '**' may be 0524, 1215.

The fifth '**' may be K or blank.

The sixth '**' may be AC, DC, USB.

Ratings & Principle Characteristics:

250V~, 50Hz, 16A, Max. 3680W@230V~

For Type A+A USB charger:

USB A1/A2: 5VDC2.4A

Total output: 5VDC2.4A.

For Type A+C USB charger:

1): USB-C: 5VDC2.4A

USB-A: 5VDC2.4A

Total output: 5VDC2.4A.

2): USB-C: 5VDC3A, 9VDC2.22A, 12VDC1.67A

USB-A: 5VDC3A, 9VDC2A, 12VDC1.5A

USB-A+USB-C: 5VDC 3A Max

3): USB-C: 5VDC3A, 9VDC2.22A, 12VDC1.67A

USB-A: 5VDC3A

USB-A+USB-C: 5VDC 3A Max

For Type A+C+C USB charger:

1): USB-C1/C2: 5VDC2.4A


USB-A: 5VDC2.4A

Total output: 5VDC2.4A

2): USB-C1/C2: 5VDC3A, 9VDC2.22A, 12VDC1.67A

USB-A: 5VDC3A, 9VDC2A, 12VDC1.5A

USB-A+USB-C1+USB-C2: 5VDC 3A Max



Signature

Name: Hunter Chu

Position: Manager

Date: Jan. 12, 2026

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Applicant: Dongguan baiyou electronic co.,ltd

2 F A Building WuFeng Industrial JinTan
Road ShiJie Town DongGuan City,
GuangDong 523295

Sample Description:

The following submitted sample(s) said to be:

Item Name : Multiple Socket Outlets
Client's Information : See Appendix
Date of Sample Received : Aug 13, 2025
Testing Period : Aug 13, 2025 to Aug 26, 2025

Tests conducted:

As requested by the applicant, refer to following page(s) for details.

Conclusion:

Tested Sample	Standard	Result
Tested components of submitted sample	Screening by XRF spectroscopy and chemical confirmation test for RoHS Directive 2011/65/EU and (EU) 2015/863	Pass

Intertek Testing Services Shenzhen Ltd. Guangzhou Branch:

Prepared by:

Hay Zhao

Hay Zhao
Project Engineer



Reviewed by:

Michael Pang

Michael Pang
Technical Supervisor



Test Verification of Conformity

Verification Number: 250811262GZU-VOC001

On the basis of the tests undertaken, the sample<s> of the below product has been tested by an accredited 3rd party laboratory in accordance to the referenced specification<s>/standard<s> at the time the tests were carried out. This verification is part of the full test report<s> and should be read in conjunction with it<them>.

This document can be used in support of a claim in meeting relevant 2014/30/EU legislation and mandatory Conformity Marking. And in accordance with EU law, the claim is the sole obligation of the Manufacturer/ Importer.

Applicant Name & Address:	Dongguan baiyou electronic Co., Ltd 2 F A building wufeng industrial jintanroad shijie town DONGGUAN Guangdong, China
Product Description:	Multiple socket-outlets
Ratings & Principal Characteristics:	250V~, 50Hz, 16A. Max. 3680W@230V~ For Type A+A USB charger: USB A1/A2: 5VDC2.4A, Total output: 5VDC2.4A. For Type A+C USB charger: 1): USB-C: 5VDC2.4A, USB-A: 5VDC2.4A, Total output: 5VDC2.4A. 2): USB-C: 5VDC3A, 9VDC2.22A, 12VDC1.67A, USB-A: 5VDC3A, 9VDC2A, 12VDC1.5A USB-A+USB-C: 5VDC 3A Max 3): USB-C: 5VDC3A, 9VDC2.22A, 12VDC1.67A, USB-A: 5VDC3A, USB-A+USB-C: 5VDC 3A Max For Type A+C+USB charger: 1): USB-C1/C2: 5VDC2.4A, USB-A: 5VDC2.4A, Total output: 5VDC2.4A 2): USB-C1/C2: 5VDC3A, 9VDC2.22A, 12VDC1.67A, USB-A: 5VDC3A, 9VDC2A, 12VDC1.5A USB-A+USB-C1+USB-C2: 5VDC 3A Max.
Models/Type References:	see Appendix
Brand Names:	--
Specification<s>/Standards:	EN IEC 61000-6-3:2021 EN IEC 61000-6-1:2019
Verification Issuing Office Name & Address:	Intertek Testing Services Shenzhen Ltd. Guangzhou Branch Room101/301/401/102/202/302/402/502/602/702/802, No. 7-2, Caipin Road, Huangpu District, Guangzhou, Guangdong, China
Date of Tests:	08 September 2025-15 September 2025
Test Report Number(s):	250811262GZU-001
Additional information in Appendix.	


Dean Liu

Signature

Name: Dean Liu

Position: Sr. Project Engineer

Date: 13 January 2026



This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

APPENDIX: Test Verification of Conformity

This is an Appendix to Test Verification of Conformity Number: 250811262GZU-VOC001

Models/Type References:

BAYU-****-*.*

'BAYU' represents the company name.

The subsequent fields indicate product features in the following order:

The first '*' denotes the product form factor, with possible values:

AE: Regular long strip shape.

AEF: Regular long strip shape, compatible with flip cover installation.

AER: Regular long strip shape with built-in USB charger assembly in the middle.

The second '*' indicates the number of socket-outlets. Options include: 01, 02, 03, 04, 05, 06.

The third '*' specifies the type of USB charger module, it can be blank or following features:

AA: A + A USB ports.

AC: A + C USB ports.

ACC: A + C + C USB ports.

The fourth '*' defines the USB charging output specification, it can be blank or following features:

0524: Maximum output 5V DC / 2.4A.

1215: Maximum output 12V DC / 1.5A.

The fifth '*' indicates whether the product is equipped with CBE functionality. Currently, the options are K or blank.

The sixth '*' refers to additional output features: it can be blank or following features (The same as the USB module. On the PCBA board, solder the USB and DC lines at the A port pin location):

AC: Equipped with a single non-rewirable socket outlet (250V~, 2.5A).

DC: Equipped with a single DC port output (5VDC, 2.4A).

USB: Equipped with a single USB port output (5V DC, 2.4A).



Signature

Name: Dean Liu

Position: Sr. Project Engineer

Date: 13 January 2026

Shenzhen ZKT Technology Co., Ltd.
1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China



Certificate of Compliance

Certificate Number: ZKT-250902L21450C

Certificate's Holder : Shenzhen Lanling Optoelectronics Technology Co., Ltd
511-G5, Building C, No. 101 Fukang Road, Henggang Community,
Henggang Street, Longgang District, Shenzhen City, Guangdong
Province

Manufacturer : Shenzhen Lanling Optoelectronics Technology Co., Ltd
511-G5, Building C, No. 101 Fukang Road, Henggang Community,
Henggang Street, Longgang District, Shenzhen City, Guangdong
Province

Trade Mark : /

Product : LED Strip

Model(s) : CWG-5050RGB-60D-5v
LED5050X18, LED5050X30, LED5050X48, LED5050X60, LED5050X72,
LED5050X90, LED5050X120, LED2835X30, LED2835X60,
LED2835X120, LED2835X180, LED2835X240, LED3528X30,
LED3528X60, LED3528X120, LED3528X240, LED5730X60,
LED5730X72, LED5730X84, LED3535X60, LED3535X120

Test Standard : EN IEC 62031:2020+A11:2021

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of Low Voltage Directive 2014/35/EU. The essential requirement are fulfilled accordingly based on the technical specifications applicable at the time of issuance. See also notes overleaf. It is only valid in connection with the test report number: ZKT-250902L21450S.



This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant Directives to be observed.

Shenzhen ZKT Technology Co., Ltd.

1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China



Certificate of Compliance

Certificate Number: ZKT-250902L21449C

Certificate's Holder : Shenzhen Lanling Optoelectronics Technology Co., Ltd
511-G5, Building C, No. 101 Fukang Road, Henggang Community,
Henggang Street, Longgang District, Shenzhen City, Guangdong
Province

Manufacturer : Shenzhen Lanling Optoelectronics Technology Co., Ltd
511-G5, Building C, No. 101 Fukang Road, Henggang Community,
Henggang Street, Longgang District, Shenzhen City, Guangdong
Province

Trade Mark : /

Product : LED Strip

Model(s) : CWG-5050RGB-60D-5V
LED5050X18, LED5050X30, LED5050X48, LED5050X72, LED5050X90,
LED5050X120, LED2835X30, LED2835X60, LED2835X120,
LED2835X180, LED2835X240, LED3528X30, LED3528X60,
LED3528X120, LED3528X240, LED5730X60, LED5730X72, LED5730X84,
LED3535X60, LED3535X120

Test Standard : EN IEC 55015:2019+A11:2020
EN IEC 61000-3-2:2019 + A1:2021 + A2:2024
EN 61000-3-3:2013 + A1:2019 + A2:2021
EN IEC 61547:2023

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of EMC Directive 2014/30/EU. The essential requirements are fulfilled accordingly based on the technical specifications applicable at the time of issuance. See also notes overleaf. It is only valid in connection with the test report number: ZKT-250902L21449E.



This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant Directives to be observed.

Shenzhen ZKT Technology Co., Ltd.

1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China



Certificate of Compliance

Certificate Number: ZKT-260114L0992C

Certificate's Holder : Shenzhen Lanling Optoelectronics Technology Co., Ltd
Address : 511-G5, Building C, No. 101 Fukang Road, Henggang Community, Henggang Street, Longgang District, Shenzhen City, Guangdong Province

Manufacturer : Shenzhen Lanling Optoelectronics Technology Co., Ltd
Address : 511-G5, Building C, No. 101 Fukang Road, Henggang Community, Henggang Street, Longgang District, Shenzhen City, Guangdong Province

Product : Controller strip lights
Trade Mark : /
Model(s) : YH-358
LL-LED5050X60, LL-LED5050X18, LL-LED5050X30,
LL-LED5050X48, LL-LED5050X60, LL-LED5050X72,
LL-LED5050X90, LL-LED5050X120, LL-LED2835X30,
LL-LED2835X60, LL-LED2835X120, LL-LED2835X180,
LL-LED2835X240, LL-LED3528X30, LL-LED3528X60,
LL-LED3528X120, LL-LED3528X240, LL-LED5730X60,
LL-LED5730X72, LL-LED5730X84, LL-LED3535X60,
LL-LED3535X120, CWG-5050RGB-60D-5v

Test Method : IEC 62321-5:2013 & IEC 62321-4:2013+A1:2017 &
IEC 62321-7-2:2017 & IEC 62321-6:2015 & IEC 62321-8:2017
& IEC 62321-3-1:2013 & IEC 62321-7-1:2015

The following products have been tested by us and found in conformity with the (RoHS) Directive 2011/65/EU Annex II amending Annex (EU)2015/863 and amending Annex (EU)2017/2102. It is possible to use CE Marking to demonstrate the conformity with this Directive. It is only valid in connection with the test report number: ZKT-260114L0992R. After preparation of the necessary technical documentation according the requirement of EN IEC 63000:2018 as well as the verification of conformity the CE marking as shown below can be affixed on the equipment.

RoHS



This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant Directives to be observed.

Shenzhen ZKT Technology Co., Ltd.

1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China



Certificate of Compliance

Certificate Number: ZKT-260105L0127C

Certificate's Holder : Shenzhen Lanling Optoelectronics Technology Co., Ltd
511-G5, Building C, No. 101 Fukang Road, Henggang
Community, Henggang Street, Longgang District,
Shenzhen City, Guangdong Province

Manufacturer : Shenzhen Lanling Optoelectronics Technology Co., Ltd
511-G5, Building C, No. 101 Fukang Road, Henggang
Community, Henggang Street, Longgang District,
Shenzhen City, Guangdong Province

Trade Mark : /

Product : Controller strip lights

Model(s) : YH-358

REQUIREMENT	STANDARD	Report No.
Art.3.1(a) Safety	EN 60598-2-21:2015 EN IEC 60598-1:2024+A11:2024 EN IEC 62031:2020+A11:2021	ZKT-260105L0128S
Art.3.1(a) Health	EN 62479:2010 EN 50663:2017	ZKT-260105L0127E-3
Art.3.1(b) EMC	ETSI EN 301 489-1 V2.2.3 (2019-11) ETSI EN 301 489-17 V3.3.1 (2024-09) EN IEC 61000-3-2:2019 + A1:2021 + A2:2024 EN 61000-3-3:2013 + A1:2019 + A2:2021	ZKT-260105L0127E-1
Art.3.2 Radio	ETSI EN 300 328 V2.2.2 (2019-07)	ZKT-260105L0127E-2

This Attestation of Compliance is issued on for electrical equipment below the voltage limits of Radio Equipment Directive (RED) 2014/53/EU. The essential requirement are fulfilled accordingly based on the technical specifications applicable at the time of issuance.



This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant Directives to be observed.

EU DECLARATION OF CONFORMITY

1. Product model/product (product, type, batch or serial number):

Multiple Socket Outlets BAYU-AE02AC0524

2. Name and address of the manufacturer or his authorised representative:

DONGGUAN BAIYOU ELECTRONICCO.,LTD

2F A Building Wufeng Industrial, Jintan Road, Shijie Town523290 Dongguan
CityPEOPLE'S REPUBLIC OF CHINA

3. This declaration of conformity is issued under the sole responsibility of the manufacturer.

4. Object of the declaration (identification of electrical equipment allowing traceability, it may include a colour image of sufficient clarity where necessary for the identification of the electrical equipment):



BAYU-AE02AC0524

5.The object of the declaration described above is in conformity with the relevant Union harmonisation legislation:

LVD Directive 2014/35/EU EMC Directive 2014/30/EU

ROHS 2011/65/EU

6.References to the relevant harmonised standards used or references to the other technical specifications in relation to which conformity is declared:

**IEC IEC 60884-2-7:2011, IEC 60884-2-7:2011/AMD1:2013 for use in conjunction
with IEC 60884-1:2002, IEC 60884- 1:2002/AMD1:2006,
IEC60884-1:2002/AMD2:2013 IEC 60884-1:2002, AMD1:2006, AMD2:2013**

ROHS:IEC 62321-3-1 Edition 1.0:2013

EMC: EN IEC 61000-6-3:2021 EN IEC 61000-6-1:2019

7.Additional information:

Signed for and on behalf of:

(place and date of issue):

(name, function) (signature):

