






Installation & Assembly



YOU MAY NEED (NOT SUPPLY)



ASSEMBLY DIAGRAM




PARTS LIST					
PARTS LIST					
NO	DESCRIPTION	QTY	NO	DESCRIPTION	QTY
①	Left side panel 	1	⑥	Back fixed panel 	1
②	Right side panel 	1	⑦	Top Decorative Panel 	1
③	fixed bottom shelf 	1	⑧	Right door panel 	1
④	Bottom panel 	1	⑨	Bottom Decorative Panel 	1
⑤	Front fixed panel 	1			

PARTS LIST					
HARDWARE LIST					
NO	DESCRIPTION	QTY	NO	DESCRIPTION	QTY
A	Three-in-one eccentric wheel 	14	F	4*30mm screw 	2
B	Three-in-one connecting rod 	14	G	4*16mm screw 	12
C	Three-in-one sticker 	14	H	4*20mm screw 	2
D	8*40mm wood dowel pins 	8	I	Door hinges 	2
E	door handle 	1	J	Small adjustable foot 	4
CAUTION: Please confirm the parts list before installation					


STEP 1

HARDWARE LIST		
Three-in-one connecting rod B  14PCS	Small adjustable foot J  4PCS	


1. Put the three-in-one connecting rod in the 10mm hole of the following panels and tighten them with a cross screwdriver or an electric tool.




2. Fix the small adjustable feet on the bottom of the left and right side panels



STEP 2





1. Strike the 08*40mm wood dowel pin into the 8mm hole of the above panels with an iron hammer. Please note that the hole of the three-in-one connecting rod should also be 8mm. The hole of the three-in-one connecting rod connects to the hole of 15mm three-in-one eccentric wheel.




HARDWARE LIST	
8*40mm wood dowel pins D  8PCS	

STEP 3



1. Connect No. 4 panel to No. 9 panel tightly with the three-in-one eccentric wheel.



2. Cover the mounting hole of the eccentric wheel with a three-in-one sticker.



HARDWARE LIST

Three-in-one
eccentric wheel
A  2PCS


Three-in-one
sticker
C  2PCS



STEP 4



1. Connect No. 3-4-5-6 panel to No. 2 panel tightly with the three-in-one eccentric wheel.



2. Cover the mounting hole of the eccentric wheel with a three-in-one sticker.



HARDWARE LIST

Three-in-one
eccentric wheel
A  6PCS


Three-in-one
sticker
C  6PCS



STEP 5



1. Connect No. 1 panel to No. 3-4-5-6 panel tightly with the three-in-one eccentric wheel.



2. Cover the mounting hole of the eccentric wheel with a three-in-one sticker.


HARDWARE LIST

Three-in-one
eccentric wheel
A  6PCS

Three-in-one
sticker
C  6PCS



STEP 6




Fasten Panel 7 and Panel 5 with 4*30mm screws.

HARDWARE LIST

4*30mm screw
F  2PCS




STEP 7



HARDWARE LIST				
4*16mm screw	Door hinges	door handle	4*20mm screw	
G  12PCS	I  2PCS	E  1PCS	H  2PCS	

Hinge/Door Adjustment and Realignment

If adjustment or realignment is needed, follow the instructions provided in the following chart.





Choking hazard-Small Parts : This unit contains small parts, not for children under 3 years.

Tip-over hazard : Secure finished unit to wall stud using L-Bracket and wall screw (#10*1.5"W/out provided). If a wall stud is not neccessible , Consault your local hardware store for appropriate mounting hardware . Failure to properly install will result in product collapse or tip-over. Serious injury can occur .