HELP CENTER

Thank you for choosing us to be a part of your life.
We value your business,and
constantly strive to provide you only top-
quality products and services.Contact us if we
can be offurther assistance,we'd love to hear your advice.

WarmTips:

1.If you need any help or received damage or missing parts,please feel free to contact our customer support.

2.Please check the pack content be for eattem Pting tocon struct the Sreen house.

3.Read them anual carefully and famil iarise yours elf with the Procedure be for easse mblingit.

4.Plea sed onotlocate the Productin the are aex Posed to excess winds.


5.I ti sre commended that he green house to beassem bled by at least tivewo People.

WARNING

Manufacturer and seller expressly dlselatm any and all Habllty for personal injury,property damage,or loss ,whather dreet,indireet,or ineldenthi,resulting from the ineorreet attaehment,improper use，inadequate maintenance,or neglect of this produet.

20x40 ft Green house

INSTRUCTION MANUAL



SKU：1007120204A（BOX1/3)

1007120205A（BOX2/3)
1007120206A（BOX3/3)

Arrive in 2 separate boxes and may not be part of the same shipment;







Please install the product after receiving all the packages

Email Address:support@amer-life.com



Tel:+1(901)347-2181


Service Time:8 am-5 pm(central time)Monday-Friday.Ifno one picks up, please call several more times


Pre-installation Notes:
1.Assembly requires three or more people.
2.It is recommended to use a ladder during assembly.
3.Ensure all necessary accessories are prepared before assembly.4.
Assembly is not recommended during heavy wind or rain.
5.Assembly is recommended on level ground.

Item no.	Reference Image	Qty.
1		X14
2		X18
3		X14
4		X14
5		X7
6		X4
7		X12
		X1
A		X2
A1		X4

HELP CENTER
ASSEMBLY INSTRUCTIONS

Reference Image		Qty.
B		X5
B1		X10
		X4
		X10
	 M8×50	X14
	 M6×25	X8
	 M6×70	X14
		X12
		X4
	 Tent peg	X28
		X4


Item no.	Reference Image	Qty.
		X140
		X1
		X2
		X2
		X8




It's best to pre-locate and lay out all the profiles on the ground before proceeding with the installation

HELP CENTER


ASSEMBLY INSTRUCTIONS






2









HELP CENTER
ASSEMBLY INSTRUCTIONS


3









4










HELP CENTER
ASSEMBLY INSTRUCTIONS


5







6












The steel wire needs to hook into the hole of the No. 4 profile. If it's too loose or too tight, you can use an adjuster to adjust the tension.

7







To prevent the cloth cover from being blown away, you can first use a bungees to secure the cloth cover to the profile.


8




③7pcs



2pcs





Note: The tensioning connectors need to be installed in advance into the pillars at all four corners.

HELP CENTER

ASSEMBLY INSTRUCTIONS


9




③7pcs




2pcs







Note: The tensioning connectors need to be installed in advance into the pillars at all four corners.

10









1.Make sure to tighten the screws when installing the foot pads.
2.Always tighten the screws when installing the tensioning cables.

HELP CENTER
ASSEMBLY INSTRUCTIONS

11







12



92pcs 2pcs 2pcs






The top and crossbeam are tied together with the previous drawstring before being wrapped with the cloth, and the same operation is performed at the four corners.

13




4pcs 28pcs




1.When installing L-shaped ground stakes, it's important to ensure that the stakes are inserted diagonally into the soil to form an X shape with two stakes crossing each other.
2.The windproof rope must be tightly fastened with the fabric sleeve and round-headed ground nails. Moreover, the round-headed ground nails need to be inserted diagonally in the direction beyond the canopy into the soil to achieve the maximum effectiveness.

14




Grassy surfaces



Cement surfaces

To improve wind resistance,
be sure to complete this installation step. If expansion screwsor ground nails are not installed,strong winds may topple the gazebo., and ground
Expansion screws are essential for stability on cement surfaces
nails are for grassy surfaces.
Ground nails are included in the package while expansion screws are not provided.


15




Installation Completed

How to make the entire greenhouse more sturdy in strong winds or heavy snow?
1.Ensure all screws are tightened.
2.Confirm that ground nails and windproof ropes are installed as instructed.
3.Use stones or other heavy objects to weigh down any excess fabric around the perimeter.
4.If the canopy is erected on concrete ground, it is recommended to use expansion screws.

9




Grassy surfaces



Cement surfaces

To improve wind resistance,
be sure to complete this installation step. If expansion screwsor ground nails are not installed,strong winds may topple the gazebo.,
Expansion screws are essential for stability on cement surfaces and ground nails are for grassy surfaces.
Ground nails are included in the package while expansion screws are not provided.

10



Installation Completed

How to make the entire greenhouse more sturdy in strong winds or heavy snow?

1.Ensure all screws are tightened.

2.Confirm that ground nails and windproof ropes are installed as instructed.

3.Use stones or other heavy objects to weigh down any excess fabric around the perimeter.

4.If the canopy is erected on concrete ground, it is recommended to use expansionscrews.