


ASSEMBLY INSTRUCTIONS


DEAR CUSTOMER,









Caution:











1. Please read all instructions before assembly and check the carton for any parts that may have come loose during shipment. It is recommended to use two or more persons during the assembly process.
2. Please do not discard any packaging before you have checked all the parts and fittings are included. if for any reason this product needs to be returned it must be returned packed in its original packaging.
3. Assemble this product on a flat and clean surface to avoid scratching.




Hardware List


 Pls make sure all the accesories are complete!

	①	2PCS
	②	1PC
	③	1PC
	④	1PC
	⑤	1PC
	⑥	1PC
	⑦	2PCS
	⑧	1PC

	ø3*12	Ⓐ	2PCS
	M6*45mm	Ⓑ	10PCS
	ø6	Ⓒ	10PCS
	M6*12mm	Ⓓ	8PCS
	M8*65mm	Ⓔ	4PCS
	ø8	Ⓕ	8PCS
	M8	Ⓖ	4PCS
		Ⓗ	1PC
		Ⓘ	1PC
		Ⓙ	1PC



You can choose mobile control or RF Remote Control.
First, pull out the plastic card on the RF Remote Controller and power on the RF Remote Controller.



Mobile phone control steps:

1. Connect LED Lamp and RF RGB Controller.
 2. Plug in the Adaptor Power supply.
 3. Scan the RF RGB Controller QR code on the controller and download the software HappyLighting.
 4. Turn on the Bluetooth function of the mobile phone and search for Bluetooth pairing "Trinoes".
 5. Open the "Happy lighting" APP and switch colors change.
- Click the music switch to realize the skip mode of different LED lights.
Press the timing switch to realize the automatic light off function, etc.

