



OUTDOOR BEACH SWING - 2-SEAT












Scan the QR code on the right to watch the installation video
Note:Best assembled by two people for ease.
Any problems,please contact at: **furniture@supportme.email**

SCREW PARTS


A  U-bolts x4	B  Open-end wrench x1	C  White Screw with Wave Washer x4
D  White Screw with Flat Washer x6	E  Short White-Head Screw x4	F  Short White-Head Screw x2

SCREW PARTS


1  Top Left Triangular Crossbar x1	2  Top Right Triangular Crossbar x1	3  Standard Base Legs x8
4  Side Support Bars x2	5  Curved Steel Tubes x4	6  Swing Seat x1
7  Black Head Ropes x2	8  In-Ground Mounting Pole x4	9  Round Seat Cushion Cloth x1


1
2
A
A
A
A
3
3
7
7
3
3
3
3
4
4
3
3
9
6
5
3
8
8
8
8


STEP 1 ❶ x 1PCS ❷ x 1PCS




STEP 2 Ⓓ x 2PCS



STEP 3 3 x 8PCS




STEP 4 C x 4PCS D x 4PCS




STEP 5 5 x 4PCS 7 x 2PCS 9 x 1PCS

STEP 1




Insert Part 5 through the opening of Part 9.
(Note Part 5: one side has a hole,
and the other has a protrusion.)

STEP 2




Pass the head of Part 7 through
the strap of Part 9.

STEP 3




Assemble part 7 onto part 5.


STEP 4




Snap the two Part 5 connectors together.


STEP 6 A x 4PCS





STEP 7 E x 4PCS 8 x 4PCS





INSTALLED

