







80083 Product Installation Instructions









1x4




2x4




3x1




4x1




5x1




6x3




7x3
























8x1



9x1




10x3


A		Non-slip pads (36x36mm)	4pcs +2pcs
B	 x1  x1  x2	Corner Bracket,,Screw (4x8mm)	24pcs +4pcs
C		Two In One Nut (10x12mm)	32pcs +4pcs
D		Laminate support nail	12pcs +4pcs
E	 	Rebound device & Screw (3x16mm)	8pcs +2pcs 2pcs
		Iron sheet	2pcs
	  	Hinge	4pcs 2pcs 2pcs
F		LED Strip Controlle	1pcs
G		AC/DC Adapter (12V==2. 0A)	1pcs
H	 x1 (3. 5x14mm)  x1  (290mm) x1  x2  x1 (4x45mm)	Anti Fall Hardware	
I		Two In One Screw (6x28mm)	32pcs +4pcs
J		Clamp	6pcs +1pcs
 1pcs   Double-head screwdriver, use as required 2			

Use parts A and B




Step1



Step2




Step3





Use a screwdriver to lock in the direction of the "+" sign

Disassemble along the direction of "-" sign

Step 1




Remove the protective film before installation




Step 2

I




x 8




Step 3

B





x 6



x 6


Install this hole



4


Step 4

C




x 8

Please note: Installation must be performed using the hole-to-hole alignment method.




Step 5


- I




x 8
- E



x 1





x 4



Step 6



- B



x 6
- 


x 6

Install this hole




Step 7

C




x 8

D



x 4




Adjustable up and down as needed

Step 8


B





x8



x8



Install this hole



Please note: Do not use an electric drill when installing glass.


It is recommended to have two people assist with the installation.

Step 9



B



x4




x4





Step 10

I




x 8




Step 11


B





x 6



x 6




Install this hole




Step 12

C







x 8

Please note: Installation must be performed using the hole-to-hole alignment method.





Step 13





- I  x 8
- E  x 1  x 4

Step 14


Install this hole



- B  x 6
-  x 6


Step 15

C






x 8

D




x 8




Adjustable up and down as needed

Step 16


B



x8



x8




Please note: Do not use an electric drill when installing glass.


It is recommended to have two people assist with the installation.

Step 17


B




x4



x4








Install this hole





Please note: Do not use an electric drill when installing glass.

It is recommended to have two people assist with the installation.

Step 18




First, place the glass shelf at an angle inside the cabinet, then lay it flat on the shelf support.





Step 19


First, completely unscrew the screws on the parts



Place the white gasket first, then install the hinge, and finally tighten the screws.




Pay attention to the direction of the door hinge, and rotate the screws to compress the white gasket





If you feel loose, please pinch the accessory before installation

Step 20


First, completely unscrew the screws on the parts



Place the white gasket first, then install the hinge, and finally tighten the screws.




Pay attention to the direction of the door hinge, and rotate the screws to compress the white gasket




If you feel loose, please pinch the accessory before installation

Step 21


E



x2



x2




Step 22

E

x1

Pay attention to the direction of the door hinge during installation

When installing a glass door, it is recommended to have two people install it to avoid the glass door colliding or hitting oneself.



After aligning the glass door, tighten the screws to secure it.


Step 23

E

x1

Pay attention to the direction of
the door hinge during installation


When installing a glass door, it is recommended to
have two people install it to avoid the glass door
colliding or hitting oneself.



After aligning the glass door,
tighten the screws to secure it.


Step 24

F




x1

G






x1

J




x6




Step 25


H





x1



x1




x1




Step 26


H



x1








x1




x1

Wall Mount




Please note: If you need to rotate the display case, please remove the anti-tip strap.

Smart Box Plug Power Off
Scan the QR code to download the app



Select English Language


Select the corresponding device to download.
Note: If the download fails,
please turn off the “Enhanced Protection”
in the Pure Mode settings of the device.




1

2

It turns blue after clicking




3



4




5 Unplug the smart box




6

7 Plug in the smart box power plug.


The appearance of this program icon indicates that the matching is complete




8



9



10



Now you can freely adjust the lighting according to your preferences



Scan code to download app

User's Guide

Thank you for purchasing this product.
To use this product, please plug it into a 12V DC power supply.
Please use if the product works normally after connecting to power.

Introduction

The box is an intelligent controller. With 4 touch buttons,
it can turn ON/OFF the light and turn ON/OFF the induction function,
change light colors, and adjust the light luminance.
The lights can be controlled through both the touch buttons and a dedicated app.

Operation



This touch button is the master switch of the smart box,
which can turn off all functions of the box and control the light strips on/off operation.
The operation that can be turned on and off with just a light tap.Press and hold to adjust the brightness.
Upon first power-up,the default light will be set to white.



This touch button is used to turn on/off the induction function.
A.touch this button once to turn on the induction function (indicator light on).
After the person leaves or remains stationary for more than 30 seconds, the light strip goes out;
people and objects within a range of 1 meters move will light up the light strip.

B. Long press this button for 0.5 seconds to turn off the human body induction function(the indicator light goes out).
At this point, Keep the light strip as it was before turning off and no longer be affected by humanand object activities.
By default, induction function is enabled when powered on.




This touch button is the Dynamic Phantom Color Mode, which includes 5 magical lighting effects.
Simply tap to cycle through the options.(Attention:This mode cannot adjust the brightness)



This touch button controls the single-color switching function of the light strips,
offering 7 different colors to choose from.

Phantom Color Mode Button

7-Color Mode Button



ATTENTION PLEASE

1. If there is no touch response suddenly, Re-plug the power to reset the touch static electricity.
2. If you have any questions when installing, please feel free to contact us. Thank you.