ASSEMBLY INSTRUCTIONS

TOOLS REQUIRED

2 - People

ASSEMBLY RATING

EASY ——→ DIFFICULT

The Assembly Rating is a 5-point system showing the level of effort needed to assemble a specific product.

Thank you for your purchase!

We hope you enjoy this new addition to your home for many years to come.

Our commitment to providing quality products does not simply end when you purchase our product. We fully stand behind our products from start to finish. Our customer service department can help with assembly questions as well as, if necessary, replacing damaged or missing parts. To help expedite our service, please have these assembly instructions readily available, along with your order receipt.

CHECK BEFORE STARTING

- ☐ **Are you missing anything?**
  Double-check all parts, hardware and accessories listed are all acccounted for.
- ☐ **Should we send any replacements?**
  Are there any irregularities or flaws in the parts? We can send replacements!
- ☐ **Check out our Quick Tips!**
  We recommend reviewing the pre-assembly handouts. Even experts need a refresher now and then!
- ☐ **Prep Time!**
  Please review the assembly instructions and all diagrams prior to assembling.

PRE ASSEMBLY INTRODUCTION

We understand building ready-to-assemble furniture can be a challenging experience for some. To help avoid confusion, we have provided some helpful tips that may speed up the process.



Teamwork

ALWAYS have at least two people to help with transporting and assembling the product to avoid potential injury and/or damage.



Suitable Location

Assembling near the area of the intended location is highly recommended.

Sufficient Space

Make sure you have enough space to move around during the assembly.



Avoid Scratches

Use cardboard, blankets or a carpeted area while assembling furniture to prevent to prevent scratches and damages.



Flat Surface

Make sure the furniture rests on a flat and level surface with each leg evenly touching the floor.

ASSEMBLY AND CARE ADVICE

FAILURE TO FOLLOW THE GUIDELINES BELOW MAY RESULT IN INJURY AND/OR PROPERTY DAMAGE.

Position each part correctly and insert screws or bolts into their respective holes.



Turn clockwise to tighten and only tighten when step is completed or when instructed to do so.

Use the appropriate hand tools or power tools for assembly. Select steps, such as tightening screws and/or bolts, may require hand tools to avoid causing damage during assembly.

Save the instructions and store any supplied tools for later maintenance.

After two weeks, check and tighten any loose hardware and repeat again every six months thereafter.

IT IS THE USER'S RESPONSIBILITY TO MAINTAIN THE FURNITURE. THE HARDWARE MAY LOOSEN OVER TIME AND MAY CAUSE THE FURNITURE TO BE WOBBLY AND UNABLE TO SUPPORT ITS INTENDED WEIGHT CAPACITY. THIS MAY LEAD TO COLLAPSE AND MAY CAUSE SERIOUS INJURY.

Thank you for being our valued customer. Be sure to check all packing materials carefully for small parts which my have come loose inside the carton during shipment. Identify and count all items and compare them with the parts list below.

CAUTION: Read the Instructions carefully before assembly.

1. We recommend that you assemble this product with the assistance of another person to eliminate to the product during assembly.
2. When you want to reposition the product, please always “LIFT & MOVE”.

PARTS LIST			
NO.	DESCRIPTION	PART NAME	Q’TY (PCS)
①	SEAT FRAME		1
②	LEFT ARM		1
③	RIGHT ARM		1
④	BACK SEAT		1
⑤	SEAT CUSHION		1
⑥	LEG		4
⑦	KIDNEY PILLOW		1

HARDWARE LIST			
NO.	PART NAME	SKETCH	Q’TY (PCS)
Ⓐ	ALLEN KEY Ø5/16’’		1
Ⓑ	BOLT Ø5/16’’x2 ½’’		14

HARDWARE LIST			
NO.	PART NAME	SKETCH	Q'TY (PCS)
Ⓒ	FLAT WASHER Ø5/16''x7/8''		14
Ⓓ	WASHER Ø5/16''x1/2''		14

How to assemble:



STEP 1:

Flip the bottom of the chair on, align and attach legs (6) to the seat frame (1), using bolt (B) with washer (D) and flat washer (C) and securing with the allen key (A).



STEP 2:

Align and attach Left arm (2) and Right arm (3) to the seat frame (1) using bolt (B) with washer (D) and flat washer (C) and securing with Allen key (A).



STEP 3:

Attach Backrest (4) to the Left arm (2) and Right arm (3) by sliding in the backets all the way until it is secured and using bolt (B) with washer (D) and flat washer (C) and securing with Allen key (A).



STEP 4:

Place the Seat cushion (5) on to the Seat frame (1).

STEP 5:

Assembly is completed.