


Extra Tall Cat Gate Assembly Instructions



Scan QR code to
view assembly video



WARNING: Read carefully before assembly to avoid injury.
Please install the gate on a flat floor.

Questions? Contact us:

☎ : +1 (877) 313 6212
(Mon–Fri, 8:00 am – 5:00 pm PT)

@ : info@universeh.com (24/7)

🌐 : unipawspro.com



Scan to submit a request
We'll reply within 1 business day


Universe Home Inc.

Ver. 1

Parts List

Please check all parts before starting.


(If anything is missing, contact us immediately at info@universeh.com)




1

- Insert the Adjustable Post (Part 3) through the holes of the Top Frame (Part 1).
- Insert the Connecting Post (Part 4) through the holes of the Bottom Frame (Part 2).


X2




X2



X2




X2






2

- Slide the poles (Part 3 & Part 4) together until the spring button pops into the hole with a "click".
- Insert the Non-Slip Bases (Part 5) to the bottom end (Part 4 end).
- Insert the Support Braces (Part 8) to the top end (Part 3 end).




3

- Slide the extension panel (Part 10) to overlap with the main frame (Part 1 & Part 2) until the gate fits the width of your doorway.
- Once the desired width is set, firmly snap the Fixing Parts (Part 9) onto the overlapping bars at the top and bottom to lock the panels together.



4


- Install the Part 11 Fixing Part to lock the upper part and bottom part of gate.
- Stand the gate upright in your doorway.
- Ensure it is perfectly vertical (90° to the floor).



keep vertical to the floor


5

- Make sure the gap between gate and door frame does not exceed 1.4 inches to prevent escaping pets.





IMPORTANT:

The gap between the gate frame and the wall must NOT exceed 1.4 inches on either side. A wider gap will allow your pet to escape.



- **Extend:** Press the button on the Adjustable Post and pull it UP until the Support Brace touches the ceiling.
- **Tension:** Twist the circle screw counterclockwise until the gate is completely tight and secure against the ceiling.



6

- **Choose Your Height:** Determine a comfortable height for opening and closing the gate daily.
- **Attach the Fixing Pin:** Snap the Fixing Pin (Part 6) onto the outermost vertical bar of the gate door at your chosen height.
- **Attach the Latch:** Install the Latch (Part 7) onto the main post. Make sure it is exactly leveled with the Fixing Pin.

