


ASSEMBLY INSTRUCTIONS




NOTE:

This brochure contains IMPORTANT safety info. Please and keep for future reference.


PARTS LIST

Ax1




Back frame

Bx1




Seat frame

Cx1




Left armrest

Dx1




Right armrest

Ex1




Front rail

Fx2




back and front
rail bar

Gx2




Side rail bar

Hx1




Seat cushion

Ix1




Back cushion

Jx2




Round throw
pillow

Kx2



Front leg (Adjustable)

Lx2



Rear leg

HARDWARE&TOOL LIST

①x8



M6*45mm
Bolt

②x16



M6*16mm
Bolt

③x4



M8*20mm
Bolt

④x8



Washer

⑤x1



Allen Key

SPARE

①x1



M6*45mm
Bolt

②x1



M6*16mm
Bolt

③x1



M8*20mm
Bolt

④x1




Washer


Be sure to check all packing material fit the packing list. Carefully for small parts, which may have some loose inside the carton during shipment.

ASSEMBLY INSTRUCTIONS


Remove the Velcro at the bottom of the armrest
and remove the seat cushion from inside




STEP1: Take the back cushions and seat cushions from the vacuum bags,let them expand for a while.




STEP 2: Attach the side rail bars (G) to the armrests(C,D) with bolts (1),washers(4)and allen key(5)




STEP 3: Attach the back and front rail bars (F) to the back frame (A) and front rail (E) with bolts (1), washers (4) and allen key (5)




STEP 4: Attach front rail (E) to armrests (C, D) with bolts (3) and allen key (5).




STEP 5: Attach backrest (A) to armrest, Insert both connectors at the same time, push hard to connect fully.



STEP6: Attach legs(K,L) to bottom of armrests with bolts(2) and allen key(5). *The foot pads on the front legs (K) are adjustable*




STEP7:Place seat frame onto the rails.





It will take a while for the cushions to expand.
Normally it will take up to around 24 hours to
expand to its full size.

STEP 8:Place back cushion onto backrest, then place
seat cushion and round throw pillows on seat.



STEP9:Assembly completed.



Adjust the adjustable levelers at bottom of the front legs to keep the sofa balanced.