
ASSEMBLY INSTRUCTION

N723P227311 N723P227312 N723P227313





Sets often ship in multiple boxes and delivery date may vary.

CUSTOMER SERVICE

Questions, Missing parts, Assembly help?

No need to return the product, we will gladly help and ship your replacement parts free of charge.

PRE-ASSEMBLY INFORMATION

Please read this manual carefully before beginning assembly of this product. Keep this manual for future reference.

NOTICE

- 1.Please assemble it AFTER all boxes are received.
- 2.Please do not throw away any of the packages or the instruction until the sofa is fully assembled.
- 3.Please keep children away from the plastic bags or any small pieces of stuff.
- 4. Some key parts of our product may be stored and hidden inside of other parts. Please open any zippered or hook & loop storage compartments to take out all parts.
- 5.Please do not open the compressed packages until your sofa frame is completely assembled.
- 6.As the cushions are all vacuum compressed, there will be some wrinkles. Please give them up to 72 hours to reach its original size and the wrinkles will basically disappear.
- 7.DO NOT INSTALL THE SCREWS ALL THE WAY IN THE BEGINNING. Place each screw into their proper hole and use your hand to twist the screw halfway. Twist all the screws in halfway to ensure the holes will match up properly and the product is level on the ground. When everything seems fitted, then tighten the screws.
- 8.Do not over tighten screws and bolts to avoid stripping.



2 adults recommended




Takes about 1.5 Hours to assemble



Weight capacity of each seat:330LBS


COMPONENTS




HARDWARE			
NO	DESCRIPTION	SKETCH	QTY
1	Metal screws		2
2	Screws 6*15mm		16
3	Screws 6*40mm		10
4	Leg irons		4
(5)	Wrench		1
6	Gaskets	o	20
7	Legs		20
8	Brackets		2

COMPONENTS

N723P227313




N723P227312





COMPONENTS


N723P227311





ASSEMBLY STEPS
















- STEP 7 1.Use Screws 6*40mm to link Ottoman front Supporting blocks(f) to Ottoman front baffles(F) Tighten the screws with a wrench
 - 2.Use Screws 6*40mm to link Ottoman Lateral Supporting blocks(e) to Ottoman Lateral baffles(E) Tighten the screws with a wrench






STEP 8

Use Metal screws 6*15mm to link Legs irons to Ottoman front baffles(F) and Ottoman Lateral baffles (E)




③×10 ⊕




STEP 9 Attach legs ⑦ and Gaskets⑥ to the seat ⑥ × 4









STEP 11 Open the vacuum bag and take the Throw pillows/ Backrest cushions(H/I), Seat cushions/OttomanSeat cushion(J/K) out.To restore the original shape,follow the steps bellow.









After packing up, place them in somewhere dry and venslated. After about 72-96 hours. It can be restored to the best use condition.

