

ASSEMBLY INSTRUCTIONS


Thanks for purchasing one of our products.

Please read carefully the assembly instructions before the installation. Do not discard this manual or any of the packaging material until the unit has been completely assembled.



PARTS LIST





-SCREWS LIST

PART	QTY.	ITEM	
A	18	3X15 MM	Dimin
В	27	6X40 MM	⊕ ⇒∋∋∋∋∋∋
C	20	4X14 MM	Dim
D	1	8X60 MM	()))))))))))))))
E	4	6X50 MM	
F	2	6X25 MM	(1)
G	4	6X12 MM	(1)
Н	4	4X4 MM	9 mm

PART	QTY.	ITEM	
	2	6X35 MM	(a)
٦	4	4X20 MM	()
K	1	6X25 MM	CIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
L	8	4X35 MM	Dunnan-
М	3	Washer	0
N	1	Washer	0
	1		

This unit uses cam bolts and locks. The following explains how touse them. This is not an assembly step; it is a guide for when you are actually doing the assembly using this kind of hardware.







Cam Lock



1. Screw the bolt into the corresponding panel.



2. In the other panel, insert the cam lock and align it so it can properly receive the bolt, then join both panels.




3. The panels might have a very small gap which is normal; turn the camlock clockwise to lock the parts together and the gap will also close.




BEFORE YOU START THE ASSEMBLY, PLEASE READ THE FOLLOWING TIPS AND WARNINGS.


- Do a guick inventory to make sure the product contains all the parts and hardware.
- Missing, damaged and defective parts can be replaced at no cost to you.
- The replacement parts service is limited to the continental United States. If you reside in Hawaii, Puerto Rico, U.S. Dependencies or other countries.
- If during assembly you find an issue or need clarification.
- On each step read the instructions and analyze the illustrations thoroughly before proceeding to do the assembly.
- Make sure you understand which hardware will be used on each step. Using the wrong size of screw, bolt or pin might strip the threads or cause damage to the part in which it is being used.
- To avoid misalignments, always leave the screws loose and tighten them until all pieces are positioned correctly.
- Do not overtighten or force the screws as they might break, strip, damage the threads of the holes or get stuck inside the part.
- Sometimes the laminate might cover partially or entirely the hole on a panel, but the hole should still be located under the laminate.
- If there is no visible hole for the screw, pass and press the tip of your finger over the area where the hole should be located to feel the indentation, and once found, carefully pierce the laminate to reveal the hole underneath.
- If the hole seems too small for the screw, first make sure you are using the correct size of screw and that it's been installed in the correct hole. If the hole still appears to be too small, carefully pierce the laminate to reveal the hole's actual size.


ASSEMBLY STEPS:







Screws the Bolts (B) to the corresponding holes on the inside face of Bottom Panel (10), then assemble the Bottom Panel (10) to (7), (8) & (9) by turning all the corresponding cam locks. Please pay close attention to the orientation of all the parts as illustrated.









Assemble the other pair of flat sliders to the inside face of the Left & Right Side Panels (7&8). The wheels will be located at the front and facing down.







•Use Screws (C) to attach the Long Support Tubes (12) to the underside of the Bottom Panel (10).




•Screw the Studs (3) to the Long Support Tubes (12).



screw the Stud (3) to the short Tube (5). Please follow the illustration for the correct assembly order and orientation of the parts.



Use Screws (E) to assemble the CPU Panel (4) to the Left Back Panel (1).





■Use Screws (F) to attach the CPU Tube (2) to the Left Back Panel (1) & CPU Panel (4).


Note: If part (2) seems misaligned, or a little too short/long, unscrew and loosen panel (4) from panel (1) to allow some flexibility and this will allow part (2) to reach both holes.


SCREWS


6X25 MM





















•Carefully insert all the drawers starting from the bottom. Make sure the wheels from the drawers engage and roll in the middle of the sliders.

DONE! Before you start using the unit, make sure that all the screws, bolts, cam locks, etc. are properly tightened, and read all the warnings in the next page.



ENJOY YOUR NEW UNIT!

AFTER THE ASSEMBLY IS DONE, PLEASE READ CAREFULLY THE FOLLOWING CARE AND MAINTENANCE WARNINGS:

WEIGHT LIMITS 30 Lbs 22 Lbs

- · Do not exceed the indicated weight limits.
- Do not expose the surfaces to direct sunlight or to extreme environmental conditions.
- Clean the surfaces preferable with a clean cloth damped in a solution of mild soap and water, then dry with a clean towel.
- · Do not use solvents or abrasive materials to clean the unit.
- If you decide to use a cleaning agent, test first on an area hidden from view such as underneath the tabletop.
- Do not seat on the unit or lean against it.
- Do not allow small children to play under or over the unit, or inside the CPU cabinet.
- Do not allow small children to reach inside the drawers or CPU cabinet without your supervision.
- The unit must be handled by at least 2 persons when moving in the same or adjacent rooms.
- Before moving the unit, make sure to remove any object that is heavy or might fall off. Please note that lifting from the tabletop with too much weight on the product might lead to part damage/separation.
- When lifting the unit, use both hands and bend your knees, not your backs.
- When transporting the unit to places far away, protect and secure the unit to avoid damage in transit.
- The glass is made of safety tempered glass. The safety feature is that when breakage occurs, the glass shatters into many tiny pieces minimizing the risk of serious injuries. If the glass breaks, do not handle the pieces with your bare hands, take some pictures and contact Customer Service immediately. Please refer to the Contact Us card.
- Shall any part of the unit become defective during the warranty period, replacement parts might be available to you at no charge. Please refer to the WARRANTY card included with the product.
- The warranty does not extend to regular wear and tear, nor the manufacturer assumes liability for damages
 or consequences due to accidents, incorrect assembly, negligence, improper use, modifications, or not
 heeding the above warnings.
- The warranty is limited to the continental United States. If you reside in Hawaii, Puerto Rico, U.S.
 Dependencies or other countries, please contact the supplier from where the unit was purchased.