



Installation & Assembly



Trouble shooting:

Missing/Wrong / Broken parts and installation issues




Send an email with your question, pic and order NO.




Respond within 24 hours




Issue Resolved




Note: Don't tighten all screws during installation.




1 x1




2 x1




3 x2




4 x1




5 x3




6 x2




7 x4




8 x1




9 x2




10 x2




11 x2




12 x2






13 x2





14 x10



15 x2


(A)		X4
(B)		X2
(C)		X8
(D)	 M6x12mm	X10
(E)	 M6x19mm	X2
(F)	 M6x25mm	X8
(G)	 M8x25mm	X16
(H)	 M8x35mm	X24

(I)	 M8x55mm	X4
(J)	 M6x32mm	X4
(K)		X2
(L)		X2
(M)		X20
(N)	 5mm	X2
(O)	 4mm	X2


Check all the components & screws before assembly.

Do not install in case part is missing, contact us to get.


Send email with your question



50% : means the screw no need to tightened.



75% : means the screw no need to tightened.







100% : means the screw needs to be tightened.

Greenguard




It is recommended to keep the area well-ventilated for 48 hours after installation.

Step 1







100%: means the screw needs to be tightened.

Step 2




50% : means the screw no need to tightened.

Step 3




50% : means the screw no need to tightened.




100% : means the screw needs to be tightened.

Step 4






100%: means the screw needs to be tightened.

Step 5





100%: means the screw needs to be tightened.

Step 6





100%: means the screw needs to be tightened.

Step 7




100%: means the screw needs to be tightened.


Step 8




x2



1、 Take the A number accessory and insert it in the middle of the left and right steel bars, ensuring a tight fit.





2、 Then, secure the steel bars in the inner and outer slots ensuring a tight fit.






3、 Once all the steel bars are securely placed, the assembly is complete.

Step 9




x2




x4

Step 10




100%: means the screw needs to be tightened.

Step 11




Step 12


mode one




mode two




mode three




mode four




mode five






mode six



Step 13





Step 14





100%: means the screw needs to be tightened.

Step 15



100%: means the screw needs to be tightened.

Step 16



IMPORTANT SAFETY INFORMATION

Please carefully read the instructions and caution warnings below before assembling the product. Following this guide will ensure that you install, use and maintain the product properly.

- Please keep this installation and user manual/instructions for future reference in case you need to assemble the product.
- Do not assemble if you notice serious damage such as cracks or bends.
- During installation, please use work gloves for hand safety.
- Please assemble the unit on carpeted floor or the flat cardboard box to avoid scratching the surface or your floor while assembling on the floor.
- To assemble, please use the complimentary installation tools (Allen Wrench). Pay more attention to the direction of components at each steps.
- It is recommended that two people work together to assemble the product.
- Please do not tighten the screws up too much, just to 80% before you finish to make the installation go on successfully.

RETURN POLICY

We believe you will absolutely love your new product. But for some reason you want to return your item, please contact us within 30 days after receiving and ensure that the product which you want to return is in a good condition in the original box with all original certificates of purchase, manuals and accessories attached.

HOW TO MAINTAIN YOUR PRODUCT:

- Check the screws of the product are not loose from regular use.
- Do not use sharp instruments, rubbing alcohol, corrosive chemicals, or abrasive cleaners to clean the product.
- Do not keep the product in a damp environment for a long period of time. The damp environment may cause the iron components to rust and the plates to bulge and crack.

CAUTIONS!

