


# \*\*\*NOTICE BEFORE ASSEMBLY\*\*\*




Please choose the **CHAISE** will be on the **LEFT** or **RIGHT** hand side

[ CHAISE ON THE **LEFT** ]




## PARTS LIST

BOX-1



\*Cushions, pillow and legs included

BOX-2



\*Cushions, pillow and legs included


1.  x12

2.  x12


3.  x12

4.  x12

5.  x1

6.  x8


## BEFORE ASSEMBLY




Open up the Velcro of Non-Woven Fabric cover on the bottom of the seat frame to remove seat cushions, back cushions and pillow

\*\*\*PLEASE REMOVE ALL PARTS FROM SEAT FRAMES AND SEAT BACKS BEFORE ASSEMBLY\*\*\*



## CHAISE ON THE LEFT



## CHAISE - BOX 1




## SOFA - BOX 2





## CHAISE ASSEMBLY INSTRUCTION-BOX 1

### STEP 1- INSERT THREADED RODS INTO SEAT BACKS & ARM



\* Shorter end of the threaded screw going into the back panel.\*



### STEP 2- MOUNT SEAT BACKS & ARM INTO THE SEAT FRAME




### STEP 3- PUT BACK THE FABRIC COVER AND INSERT LEGS





## SOFA ASSEMBLY INSTRUCTION-BOX 2



### STEP 1- INSERT THREADED RODS INTO SEAT BACKS & ARM



### STEP 2- MOUNT SEAT BACKS & ARMS INTO THE SEAT FRAME



### STEP 3- PUT BACK THE FABRIC COVER AND INSERT LEGS




\* Shorter end of the threaded screw going into the back panel.\*

# \*\*\*NOTICE BEFORE ASSEMBLY\*\*\*




Please choose the **CHAISE** will be on the **LEFT** or **RIGHT** hand side

**CHAISE ON THE RIGHT**





## PARTS LIST

BOX-1



\*Cushions, pillow and legs included

BOX-2



\*Cushions, pillow and legs included

1.  x12

2.  x12


3.  x12

4.  x12

5.  x1

6.  x8


## BEFORE ASSEMBLY




Open up the Velcro of Non-Woven Fabric cover on the bottom of the seat frame to remove seat cushions, back cushions and pillow

\*\*\*PLEASE REMOVE ALL PARTS FROM SEAT FRAMES AND SEAT BACKS BEFORE ASSEMBLY\*\*\*



## CHAISE ON THE RIGHT



## CHAISE - BOX 1





## SOFA - BOX 2




## CHAISE ASSEMBLY INSTRUCTION-BOX 1

### STEP 1- INSERT THREADED RODS INTO SEAT BACKS & ARM


\* Shorter end of the threaded screw going into the back panel.\*



### STEP 2- MOUNT SEAT BACKS AND ARM INTO THE SEAT FRAME




### STEP 3- PUT BACK THE FABRIC COVER AND INSERT LEGS




## SOFA ASSEMBLY INSTRUCTION-BOX 2

### STEP 1- INSERT THREADED RODS INTO SEAT BACKS & ARM



\* Shorter end of the threaded screw going into the back panel.\*

### STEP 2- MOUNT SEAT BACKS AND ARM INTO THE SEAT FRAME



### STEP 3- PUT BACK THE FABRIC COVER AND INSERT LEGS

