

Counter Height Table

PAGE 1 OF 4

ASSEMBLY TIPS:

- 1. Remove hardware from box and sort by size.
- 2. Please check to see that all hardware and parts are present prior to start of assembly.
- 3. Please follow attached instructions in the same sequence as numbered to assure fast & easy assembly.



WARNING!

- 1. Don't attempt to repair or modify parts that are broken or defective. Please contact the store immediately.
- 2. This product is for home use only and not intended for commercial establishments.



ASSEMBLY TIME

15 MINUTES

PARTS IDENTIFICATION


		ı			
1	SIDE PANEL WITH EXTRA CLEAT	1PC	5	LEAF	1PC
2	SIDE PANEL	2PCS	6	LEG	4PCS
3	DOOR PANEL	1PC	7	TOP PANEL	1PC
4	тор 🧲	1PC	8	BOTTOM PANEL	1PC

HARDWARE IDENTIFICATION


Α	HEX NUT (Ø5/16" x 1/2" - RBW)		4PCS	F	FLAT HEAD SCREW (Ø3.5 x 9/16" - RBW)	()	4PCS
В	BOLT (Ø1/4" x 1-9/16" - RBW)	()	14PCS	G	DOOR HINGE (120mm - RBW)		1PC
С	LOCK WASHER (Ø5/16" - RBW)		18PCS	н	ALLEN WRENCH (M4 x 59mm - RBW)		1PC
D	SMALL FLAT WASHER (Ø5/16" x 19mm - RBW)		14PCS	I	WRENCH (M4 x 50mm - RBW)	<u></u>	1PC
E	BIG FLAT WASHER (Ø5/16" x 22mm - RBW)		4PCS				

NOTE:


Phillips head screw driver is required in the assembly process; however, manufacturer does not provide this item.




STEP 2




STEP 3




STEP 4




ASSEMBLY INSTRUCTIONS STEP 5




STEP 6 COMPLETE







Note: Dimension tolerance ±5%



Counter Height Chair

PAGE 1 OF 3

ASSEMBLY TIPS:

- 1. Remove hardware from box and sort by size.
- 2. Please check to see that all hardware and parts are present prior to start of assembly.
- 3. Please follow attached instructions in the same sequence as numbered to assure fast & easy assembly.



WARNING!

- 1. Don't attempt to repair or modify parts that are broken or defective. Please contact the store immediately.
- 2. This product is for home use only and not intended for commercial establishments.



ASSEMBLY TIME

5 MINUTES

PARTS IDENTIFICATION

1	BACK FRAME	1PC	4L LEFT FRONT LEG	€°	1PC
2	SEAT CUSHION WITH FRAME	1PC	4R RIGHT FRONT LEG		1PC
3L	LEFT SIDE STRETCHER	1PC	5 FRONT STRETCHER		1PC
3R	RIGHT SIDE STRETCHER	1PC			


HARDWARE IDENTIFICATION

	_						
A	LONG BOLT (Ø1/4" x 3" - RBW)	(a)—)))))))))))))))))))))))))))))))))))	4PCS	E	FLAT WASHER (Ø5/16" - RBW)		9PCS
В	MEDIUM BOLT (Ø1/4" x 2-1/2" - RBW)		4PCS	F	FLAT HEAD SCREW (Ø4 x 40mm - RBW)	(†)	6PCS
С	SHORT BOLT (Ø1/4" x 1-1/2" - RBW)	(a))))))))))))))))))))))))))))))))))))	1PC	G	ALLEN WRENCH (M4 x 59mm - RBW)		1PC
D	LOCK WASHER (Ø5/16" - RBW)		9PCS				


NOTE:

Quantities shown are for one chair.


Phillips head screw driver is required in the assembly process; however, manufacturer does not provide this item.




STEP 2




STEP 3



STEP 4 COMPLETE







Note: Dimension tolerance ±5%