


Junior Loft with Slide

Twin


Weight Limit:

Bed: 200 LBS / 91 KG











Slide: 150 LBS / 68 KG










PARTS



PARTS LIST








			
Post 1 PC	Post 1 PC	Post 1 PC	Post 1 PC
			
Rear Guard Rail 1 PC	Rear Rail 1 PC	Front Guard Rail 1 PC	Ladder 1 PC
		 Before throwing any packaging, please verify all contents and make sure you have received all the parts listed above!	
Side Rail 2 PCS	End Guard Rail 2 PCS		

PARTS LIST

F1 	O 	P 	P1 
Plastic Housing 4 PCS	Slat 20 PCS	Slide Guard 1 PC	Slide Guard 1 PC
M 	N 	S 	
Slide Pannel 1 PC	Bar 3 PCS	Bar 1 PC	

⚠ Before throwing any packaging, please verify all contents and make sure you have received all the parts listed above!



HARDWARE LIST

1		2		3		4	
	1/4" X 1 25/32" 6 PCS		1/4" X 1 13/32" 5 PCS		1/4" X 7/8" 23 PCS		1/4" X 7/8" 4 PCS
5		6		7			
	5/16" X 1 9/16" 8 PCS		4 mm Allen key 1 PC		4mm Ratchet Wrench 1 PC		

- ⚠ Please do not completely tighten all the hardware, until the entire assembly is complete, unless otherwise indicated in the step-by-step instructions.
- ⚠ The screw(s), bolt(s) to be used at each step are shown in actual size in the lower right corner of the page.


How To Use The Ratchet

1. Before assembling the furniture, please adjust the lock tool as needed.



2. Tighten or loosen the bolts

- **Tighten bolts** : Locate the turncap (picture) and rotate it clockwise to screw the bolt quickly, until it cannot be rotated any more. Then start rotating with the handle clockwise to finalize tightening the bolts.
- **Loosen bolts** : Rotate the handle counterclockwise to loosen the bolt. Then, to completely remove the bolts, continue rotating with the turncap in the same direction.





Helpful Hints

- Before assembling the furniture, please read the instructions on how to use ratchet, it will help you to assemble the furniture quickly.
- Please don't throw away the ratchet in case you may need to use in future.

Step 1

Attach **K** to **A** and **B** with ③.



Attach **J** to **A** and **B** with ③.




Step 2


Attach **K** to **C** and **D** with ③.

Attach **J** to **C** and **D** with ③.








3.1



3.2





Step 3

3.1 Insert **E** to **C** as illustrated, then secure with **4**.

3.2 Insert **F1** x 2 onto the ends of **G**; Insert subassembly (**G&F2**) into **B** as illustrated, then secure with **5**.

Note: Please do not completely tighten the bolts until slats are assembled completely in **Step 8**.







Step 4

Insert **E** and **(G&F1)** to **B** as illustrated, then secure with **4, 5**.

Note: Please do not completely tighten the bolts until slats are assembled completely in **Step 8**.






5.1

Step 5



5.1 Insert **F1** onto the ends of **H**; Insert subassembly (**H&F2**) x 2, into **A** and **D** as illustrated, then secure with **5**.

5.2 Attach **H** to **A** with **2**.

Note: Please do not completely tighten the bolts until slats are assembled completely in **Step 8**.






5.2






Step 6


Attach **I** to **D** with **2**.





Step 7

Attach I to H with ③.








8.1



8.2



Step 8


8.1 Insert one end of **O** into the plastic housing on **H** until its ultimate end;

8.2 Insert the other end of **O** into the plastic housing on the opposite **G**, slide **O** down until notches on **O** fully engaged with plastic housing.


Follow the same procedure for remaining **O**.

Step 9

Attach **P** x 2 to **M** with **1** and **N** as illustrated.






! For your safety, please orient Slide Guard **P** with the smooth surface facing towards the inside of the "SLIDE", the Warning label on part **P** should also be oriented towards the inside.



Step 10




Attach **S** and **N** x 2 to **M** with ③.




Step 11

Attach the Slide subassembly from previous step to **H** with **2**.

 For safety reason and to prevent injuries, you **MUST** attach the Slide to the bed where indicated.



⚠ CAUTION: This unit is intended for use only with the products and/or maximum weights indicated. Use with other products and/or products heavier than the maximum weights indicated may result in instability or cause possible injury.



⚠ Weight Limit:
Bed: 200 LBS / 91 KG
Slide: 150 LBS / 68 KG

That's it ! You've finished assembling your **Junior Loft with Slide!**


Helpful Hints

- Move your new furniture carefully, with two people lifting and carrying the unit to its new location.
- Your furniture can be disassembled and reassembled to move.
- Clean the product with a soft damp cloth. DO NOT use harsh chemicals or abrasive cleaners.
- Check bolts and nuts periodically and tighten if necessary.
- Do not use risers under this bed.



⚠ WARNING:

For safety reasons and to prevent injuries:




- This bed is intended for use by children aged 4 years or older.
- Ensure that children use the ladder for climbing onto the bed.
- Prohibit jumping and horseplay on this bed.
- This bed should only be used by one person at a time.
- The slide must be attached to the bed where indicated.
- Only use a mattress which is **74"-75"** long and **37 ½" - 38 ½"** wide, and not more than **6"** thick.
- Use guardrails on both sides of the loft and ensure that the mattress is at least **5"** below upper edge of guardrails.
- **STRANGULATION HAZARD** - Never attach or hang items to any part of this bed that are not designed for use with the bed; for example, but not limited to hooks, belts and jump ropes.



1



2



How to Dismantle Bed Slats.

1. Push down the Clip of Slat Plastic Housing using Allen Key, simultaneously lift up the Slat at most.
2. Proceed the same procedure for another end of Slat Plastic Housing and Slat, then pull out the Slat gently.

