




Product Installation Instructions







1x1




2x1




3x1




4x1




5x1




6x1



7x2




8x1




9x1




10x1



11x2




12x2



13x1




14x1




15x1



1



16x1




17x1




18x2



19x2



20x5



21x1




22x2



23x1



24x1



25x1




26x2




27x1



28x1








29x2




30x1


2

Accessories list

A		Two In One Screw (6x28mm)	120pcs +8pcs
B		Two In One Nut (10x12mm)	120pcs +8pcs
C		Wood Chipping (6x30mm)	8pcs +2pcs
D		Handle & screw (4x7mm)	2pcs +1pcs 1pcs
E		Screw & Guide (10 inch) (3x12mm)	10pcs +2pcs 2pcs
F		Non-slip pads (50x10x2mm)	8pcs +2pcs
G		Double end connecting line	1pcs
H		Clamp	4pcs +2pcs
I		Fixing clip & screw (3x16mm)	4pcs +2pcs
J	 x2  x2  x2 (3.5x14mm)  x4  x2 (4x45mm)		
		AC/DC Adapter (12V=2.0A)	1pcs






1pcs





Double-head screwdriver, use as required

Product structure decomposition




A		8pcs	B		8pcs	D	 1pcs	 2pcs
E	 2pcs	 4pcs						




Use parts A and B




Step1



Step2



Step3




Use a screwdriver to lock in the direction of the "+" sign



Disassemble along the direction of "-" sign

Step 1

A




x4




6



Step 2





Step 3



Step 4




Step 5




E

Drawer rail breakdown diagram




① Dismantle the schematic diagram

Step 1 : Pull the rails apart



Step 2 : Press the nylon button and pull out ①.


Drawer rail decomposition completed schematic diagram








Step 6



E


x2




x4




A		48pcs	B		38pcs	C		8pcs
E	 2pcs	 6pcs	F		8pcs			



Step 7



Step 8




Step 9

Ⓑ




x4




Ⓑ

x4



Ⓑ



8


7

6


7

Step 10

Ⓐ




x6



Ⓐ

x6




9

Step 11

B



x6




Step 12

F






x8



Tear off release paper and stick the black foot pad on the board





Step 13




Step 14




Step 15




Step 16




Step 17




Step 18



Step 19





Step 20





This hole is for strengthening fixed hole customers can choose to install according to their needs.


Step 21




Step 22





Step 23






Step 24




Step 25



Step 26




E **x1**



This hole is for strengthening fixed hole customers can choose to install according to their needs.

B x2




Step 29


B





x2





Step 30



Step 31



Step 32




Step 33

B




x4






Step 34




A





x10




A		64pcs	B		74pcs	G		1pcs
H		4pcs	I		4pcs			



Step 35




Step 36




Step 37

B  x6





Step 38



B  x4





Step 39





Step 40



Step 41





Step 42






Step 43

B  x2



Step 44

B  x4






30

Step 45

B




x4




B

Step 46

A



x10






A x10

Step 47



B




x10





Step 48





Step 49



Step 50





Step 51





Step 52

B  x2





Step 53




B  x2





Step 54



Step 55



Step 56




Step 57


B



x8




Step 58



As shown, When installing the drawer,
pull the guide rail out first, Slide beads are also pulled out.

Step 59





If a large gap is found after installing the drawer the slide rail can be moved up and down to adjust the gap

Step 60

I




x4






I

x4




Step 61

G




Step 62




Step 63


H






x4







Step 64





x1



Step 65



wall




User's Guide

Thank you for purchasing this product. To use this product, please plug it into a 12V DC power supply. Please use if the product works normally after connecting to power.

Introduction

The box is an intelligent controller with 2 touch buttons. It can turn ON/OFF the light, change light colors, and adjust the light luminance.

Product Show



ATTENTION PLEASE

1. If there is no touch response suddenly, Re-plug the power to reset the touch static electricity.
2. If bubbles appear on the panel, remove the protective film.

Operation



This touch button is used to turn on/off, change colors, and adjust brightness.

A. Short touch -> lighting on -> short touch -> change light color -> short touch -> change light color -> short touch -> lighting off. B. Long touch -> adjust the luminance



This touch button is used to turn on/off the induction function.

A. Short touch to turn on the induction function. It can auto-turn on the light when people are close to the controller in 1 meters. It can auto power off the light when the body is far away from the controller after 30 seconds.

B. Long touch to turn off the induction function.

C. Note: When you touch the light button to change the light modes, the induction function will automatically turn off. It is best to turn on this function after selecting the light color and adjusting the brightness you want.