
ASSEMBLY INSTRUCTIONS

SKU：DJ505322




V1.0

Package Contents

Plates and iron components	Assembly tool kit	Instruction manual


Precautions ⚠




1.Avoid long-term direct sunlight exposure




2.Stay away from fire




3.Keep away from sharp objects




4.Keep infants/children away from assembly parts to avoid choking and suffocation.




5.Keep away from corrosive substances




6.Please use the correct screws, otherwise the plate will be damaged.



7.Prevent objects from being damaged by immersion in water



8.Prevent object collision and damage



9.An electric drill is recommended for installation

Problems You May Encounter

PART	PROBLEM	SOLUTION
Whole Product	Parts are missing, defective or having wrong parts in package.	You can contact us and we will get back to you within 24 hours
	Having issue(s) while reading the instruction or completing the assembly.	Feel free to contact us and we will get back to you within 24 hours.
	Encountering non-human caused damage during usage.	If the product is damaged due to non-human causes, please keep the product and send us photos of it. We will ascertain the cause of the product damage within 48 hours and provide you with a satisfactory solution.
Product Surface	Board Surface is broken, scratched or lack of some screw holes.	Feel free to contact us and we will get back to you within 24 hours.
	The screw holes on the wooden board and other wooden boards are not aligned.	1.Please tighten the screws on the board by 70 %, do not tighten completely. 2. Adjust the wooden board and board. Until the holes are arranged neatly, then tighten all screws
	Desktop misalignment and unevenness	1.Please tighten the screws connecting the table board to the elevator by 70%, do not tighten them completely. 2.Adjust to a flat and aligned desktop, then tighten the screws. 3.If your problem still can't be solved, please feel free to contact us.
Metal acce--ssories	Metal accessories are damaged, rusted, bent, and broken.	Feel free to contact us and we will get back to you within 24 hours.
	unstable after being assembled.	1.Check if the screws are tightened. 2.Read throughout the manual, check if there are any parts installed incorrectly or some parts are missed to be installed. 3.If the problem still can't be solved, please feel free to contact us.
	Encountering non-human caused damage during usage.	If the product is damaged due to non-human causes, please keep the product and send us photos of it. We will ascertain the cause of the product damage within 48 hours and provide you with a satisfactory solution.

DEAR CUSTOMER,

Caution:

1.Please read all instructions before assembly and check the carton for any parts that may have come loose during shipment. It is recommended to use two or more persons during the assembly process.

2.Please do not discard any packaging before you have checked all the parts and fittings are included. if for any reason this product needs to be returned it must be returned packed in its original packaging.

3.Assemble this product on a flat and clean surface to avoid scratching.


4.Please don't tighten the screws completely and go back later for a final tightening of all the screws after pieces are aligned with each other !




You can choose mobile control or RF Remote ControL
First, pull out the plastic card on the RF Remote Controller and power on the RF Remote Controller.

Mobile phone control steps:







1. Connect LED Lamp and RF RGB Controller.
2. Plug in the Adaptor Power supply.
3. Scan the RF RGB Controller QR code on the controller and download the software Lotus Lantern.
4. Turn on the Bluetooth function of the mobile phone and search for Bluetooth pairing "Trinoes".
5. Open the "Lotus Lantern" APP and switch colors change.
   Click the music switch to realize the skip mode of different LED lights.
   Press the timing switch to realize the automatic light off function,etc.



2
5
31
6
9
30
29
30
29
30
29
30
31
7
1
4
6
9
8
13
11
13
3
13
10
24
12
26
26
25
23
22
20
21
16
15
15
20
15
15
17
14
18
19
18
19
18
19
28
27


Parts List


1 x1
2 x1
3 x1
4 x1
5 x1
6 x2
7 x1
8 x1
9 x2
10 x1
11 x1
12 x1
13 x3
14 x4
15 x4
16 x1
17 x1
18 x9
19 x9
20 x2
21 x1
22 x1
23 x1
24 x1
25 x1
26 x2
27 x9
28 x9
29 x3
30 x10
31 x2
32 x1
33 x1
34 x3

Hardware List


 M8*55mm	 M6*50mm	 M8*35mm	 ϕ8/ϕ16	 M6*15mm
Ⓐ 12PCS	Ⓑ 6PCS	Ⓒ 8PCS	Ⓓ 21PSC	Ⓔ 8PCS
 ϕ5*40	 M6*25mm	 M6	 M6*20mm	 M6*40mm
Ⓕ 4PCS	Ⓖ 19PCS	Ⓗ 2PCS	Ⓘ 8PCS	Ⓙ 36PCS
 ϕ3.5*16mm	 M6*45mm	 S4	 S3	
Ⓚ 8PCS	Ⓛ 5PCS	2PCS	1PC	1PC








Note: Do not fully tighten the screws temporarily

Note: Do not fully tighten the screws temporarily











Note: Do not fully tighten the screws temporarily













Note: Do not fully tighten the screws temporarily












Note: Do not fully tighten the screws temporarily




Tip: 1 and 3 are on the top; 2 and 4 are on the bottom.







Note: Do not fully tighten the screws temporarily




7

Note: Do not fully tighten the screws temporarily

M6*40mm	
J	8 PCS

S4	
	1 PC




8

Now you can fully tighten the screws


M6*40mm	
J	4 PCS


M6*15mm	
E	6 PCS

S4	
	1 PC











TiPlease pay attention to the positions of the mounting holes and the placement method of No .15

x2










Note: Distinguish between No.16 and No.17; pay attention to the installation direction.


11



M6*40mm
J
8 PCS



S4
1 PC



J
J
J
J
J
14
14


12


ϕ5*40
F
4 PCS


ϕ3. 5*16
K
8 PCS



S3
1 PC


1 PC


20
F
21
20
F
K
K
K
22
K

13



M6*25mm
G
10 PCS



S4
1 PC

22
21
G
Please note that the screws used for
these two mounting holes are different
20
G
21
G
G
20
G
G
G
G
x2


14


M6*40mm
J
2 PCS



S4
1 PC


Please note that the screws used for
these two mounting holes are different
J
23


15


19
18
19
18
19
18
Note: Installing the slide rail at an angle
makes the installation easier
x18
Please pay attention to the
placement direction of the sliding groove


16


33

x1


33


17




M6*50mm	
B	2 PCS




M6*45mm	
L	2 PCS




M6*20mm	
I	2 PCS




ϕ8/ϕ16	
D	2 PCS




S4	
	2 PCS




18



M8*35mm	
C	8 PCS



S4	
	1 PC




19




M6*45mm	
L	3 PCS




M6*25mm	
G	3 PCS




M6*20mm	
I	6 PCS



ϕ8/ϕ16	
D	3 PCS




S4	
	2 PCS



20




M6*25mm	
G	6 PCS




S4	
	1 PC

Note: Do not fully tighten the screws temporarily





21

Now you can fully tighten the screws




22







x9




23



24





25




26


Please lock the expansion screw onto the wall.








27



28



Giveaway:
If you feel hurt when your feet step on the stairs, you can cut the protective cotton according to the size of the stairs and glue the protective cotton to the stairs.