





Technical drawing of a roof truss cross-section. The drawing shows a truss with a 45-degree pitch, indicated by a curved line labeled "45deg". The truss is composed of several horizontal members (rafters) and a central vertical member (ridge). The dimensions are as follows:

- Overall width: 50"
- Overall height: 25"
- Top horizontal member width: $40\frac{3}{8}"$
- Top horizontal member height: $2\frac{7}{8}"$
- Second horizontal member height: $20\frac{1}{8}"$
- Bottom horizontal member height: 2"
- Bottom horizontal member width: $4\frac{7}{8}"$



SIDE

LOUVER HEIGHT: 2 7/8"
LOUVER QTY: 7

1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
2. DRAWING MAY NOT BE TO SCALE
3. THIS DRAWING IS INTENDED FOR DESIGN AND PLANNING PURPOSES ONLY.
4. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT BUT MU
- PRODUCT MANUFACTURER TO BE CONSIDERED ACCURATE.
5. ARCHITECTURAL GRADE PVC PRODUCTS ARE MADE FROM EXPANDED CELLULAR PVC AND CO

PAINTED

EKENA MILLWORK
2300 WEST MAIN ST.
CLARKSVILLE, TX 75426
TOLL FREE: 866-607-0453
WWW.EKENAMILLWORK.COM

Generated Date : 08/23/2022