


User Manual




Gray



Beige



White



Pink

Swivel Office Chair with Wheels

Model: BGY0003CA-KD

Please read the instruction manual carefully and use it correctly according to the usage instructions.
Please keep the instruction manual properly for reference!

Safety and Care Advice

Do not let children use unsupervised.

Keep away from fire or high temperatures. Regularly check and tighten loose connections.

Sharp objects (keys, knives, pet claws) may damage the stool.

Ensure proper ventilation to prevent moisture/mold.

Place the stool on a flat surface and avoid rocking to prevent loosening.

Avoid standing, jumping, or excessive force to prevent damage.

Keep away from direct sunlight or heat sources to prevent fading.

Avoid contact with colored liquids, chemicals, or oily substances.


Maintain a 2–3 cm gap between the stool and walls/painted furniture to prevent fabric wear.

Part list


A  X1	B  X1	C  X1	D  X1
E  X1	F  X1	G  X5	H  X5
I  M6x14mm X10	J  M8x20mm X4	K  M8x30mm X4	L  X1

STEP 1

Turn the Base (F) upside down, insert the Legs (G)*5 into the Base one by one. Use Wrench (L), secure both with Bolts (I)*10.



STEP 2



WARNING:

There is a protective cap here, please remove it before installation. Otherwise, the product cannot be installed and used correctly.



STEP 3

The wheel should be inserted vertically into the foot hole correctly.



NOTE:

Make sure the "FRONT" direction of Mechanism (C) and Seat (B) are the same.

STEP 4

Attention: All the screws in, and then tighten them, but not too tight, 80% is OK.



STEP 5

Align the hole on Mechanism (C) with Gas Lift (D), and press the Chair down until it is fully secured.



STEP 6

Use body weight to adjust balance of chair, then tighten all the screws all the way.



STEP 7

Lift the handle upwards to adjust the height of the seat up or down.



STEP 8

Turn the knob counterclockwise to loosen the recline mechanism and pull the handle outward to unlock. Push the handle inward and turn the knob clockwise to tighten the recline mechanism.



STEP 9



Seat and wheels have 360 degree swivel function.

CAUTION:

- * Before using the chair, check to ensure that all bolts are fully tightened.
- * Lubricate all parts and tighten all bolts every 6 months or whenever needed.

