



C56800-36W BASE ASSEMBLY INSTRUCTIONS

Parts:

Divider




Bottom Shelf




Large Back




Top Shelf and Bottom



Small Back



Set of Sides



Top




Top unit
-Assembly required

Hardware:



(20) Hex screws



(2) Allen wrench




(4) Cap Nut




(4) Cap Bolts

Step 1: Attach **Bottom** to **SD**. Align back groove in Bottom with 3/8" deep back groove in SD. Side of Bottom with machining faces towards center of Side. Use **(2) Hex screws** and **Allen wrench** to attach.




For Assistance, Call: Customer Service 1-800-247-8465




Step 3: Attach **Shelves**. Grooves in Shelves face back groove in Side. **Use (2) Hex screws** and Allen wrench to attach each Shelf.


Back groove on both sides



Step 4: Attach **Dividers**. Center Divider will have a back groove in both sides. Attach center divider with **(2) Hex screws** and Allen wrench to Bottom. Dividers w/ no grooves slide into place, scissoring into Shelves and Bottom. Back face of Dividers w/ no grooves do not pass thru back groove in Bottom.




Step 5: Guide in **Backs**. Backs will rest in groove of Bottom. No hardware is required in this step.




Step 6: Attach **Top**. Make sure previously assembled components snap into place in Top before completely attaching. **Use (4) Hex screws to complete**. Tighten with Allen wrench.

For Assistance, Call: Customer Service 1-800-247-8465



Step 6: Attach **Side**. Make sure previously assembled components snap into place in Side before completely attaching. **Use (8) Hex screws to complete.** Tighten with Allen wrench.



Step 7: Attach **Top Assembly** to Base. If not constructed yet refer to instructions included to complete. Align (4) holes in top of base assembly and bottom of Top assembly. Attach using **(4) Cap nuts** and **(4) Hex bolts**. Use **(2) Allen wrenches** to secure.



Step 7: Tighten all screws snugly. **DO NOT OVER-TIGHTEN. DO NOT DRILL.** Assembly is now complete.

For Assistance, Call: Customer Service 1-800-247-8465