


# Assembly Instructions



## ASSEMBLY RATING

The Assembly Rating is a 5-point system that shows the degree of effort needed in assembling a specific product (with 1 being easy and 5 being difficult). For some products, two persons are recommended.


EASY



DIFFICULT

## Tools Required For Assembly:

Allen Wrench




(Included)

Phillips Screwdriver



(Not Included)




2 PERSONS RECOMMENDED


# ASSEMBLY & CARE ADVICE

FOR YOUR FURNITURE TO LAST, CORRECT ASSEMBLY AND PROPER MAINTENANCE ARE NECESSARY. PLEASE FOLLOW THE INFORMATION PROVIDED BELOW TO FULLY ENJOY YOUR FURNITURE.


## BASIC ASSEMBLY TECHNIQUES




When lock or spring washer is used in an assembly, please make sure the lock or spring washer is placed between the larger flat washer and the head of the screw or bolt.




Position each part correctly and insert screws or bolts into their respective holes by hand tighten or using the proper hand tool. Only tighten when step is completed or when instructed to do so.




Use cardboard or carpet area when assembling furniture to prevent scratches. Make sure the furniture rests on a flat and level surface with each leg evenly touching the floor.



Some furniture comes with height adjustment knobs underneath each leg. To lower or to raise each leg, you need to turn clockwise or counterclockwise, respectively.




Make sure all parts are properly aligned, then use the appropriate hand tool to completely tighten the bolts or screws. Do not use power tools and do not overtighten.




Save the instructions and store the Allen wrench or any supplied tool for later maintenance. After two weeks, check and tighten any loose hardware and repeat again every six months thereafter.

IT IS THE USER'S RESPONSIBILITY TO MAINTAIN THE FURNITURE. THE HARDWARE MAY LOOSEN OVER TIME AND MAY CAUSE THE FURNITURE TO BE WOBBLY AND UNABLE TO SUPPORT ITS INTENDED WEIGHT CAPACITY. THIS MAY LEAD TO COLLAPSE AND MAY CAUSE SERIOUS INJURY.




**FAILURE TO FOLLOW THE GUIDELINES ABOVE MAY RESULT IN INJURY AND/OR PROPERTY DAMAGE.**




Before you begin, please read Page 2 of "Assembly and Care Advice".

And remember, do not tighten until each step is completed or instructed.


## Parts List




#1 x 1pc  
Table Top




#2 x 4pcs  
Table Top Support




#3 x 1pc  
Bracket Support



#4 x 1pc  
Shelf




#5 x 1pc  
Base




#6 x 1pc  
Base Support


## Hardware List




#A x 8pcs  
Bolt 1/4" X1-3/8"




#B x 12pcs  
Bolt 1/4" X 3/8"




#C x 4pcs  
Screw M4 X 20mm




#D x 2pcs  
Screw M4 X 40mm



#E x 8pcs  
Flat Washer Ø20



#F x 1pc  
Allen Wrench




#G x 4pcs  
Flat Washer Ø12





#B x 9pcs

- I. With the help of another person, carefully place the table top on protected surface.
- II. Align 3 legs (#2) to the pre-drilled holes on the table top (#1). Insert a bolt (#B) into each leg and secure using the Allen wrench (#F).
- III. Align the bracket support (#3) to the pre-drilled holes on the legs. Insert 2 bolts (#B) into each end and secure using the Allen wrench (#F).


1-2



1-1




Slide shelf (#4) under the bracket support (#3) and into the designated slots along the legs.






3-1



#B x 3pcs  
#C x 4pcs  
#G x 4pcs

3-2





- I. Align the fourth leg (#2) to the pre-drilled hole on the table top (#1). Insert a bolt (#B) into the leg and secure using the Allen wrench (#F).
- II. Align that leg to the pre-drilled hole on the bracket support (#3). Insert 2 bolts (#B) into the bracket end and secure using the Allen wrench (#F).

Insert a flat washer (#G) onto the screw (#C) and insert into the pre-drilled holes on top of the bracket support (#3). Secure using the Phillips screwdriver.




- I. Place the base (#6) onto the legs and make sure to align the pre-drilled holes. Prepare 8 bolt assemblies by inserting a flat washer (#E) onto the bolt (#A) and inserting in the pre-drilled holes. Secure using the Allen wrench (#F).
- II. Place the base support (#5) onto the center of the base as shown and insert 2 screws. Secure using a Phillips screwdriver.



#A x 8pcs  
#D x 2pcs  
#E x 8pcs



Carefully turn the completed table upright. Make sure the table is rested on a flat surface and does not feel loose or wobbly. If it does, double check that the bolts are secured and properly tightened.



**ASSEMBLY IS COMPLETED**