GLASS CHANDELIER

USER MANUAL



Welcome!

Thank you for your purchase.

IMPORTANT:

This is a GLASS product.
We included 10% spare glass parts for minor shipping damage.
Any issues? Please contact us via the platform before returning.
We are here to help!

DIRECTORY

1.Product Overview 02

2.Product Parameters 03

3.Product Installation 04

4.After-sale Service 07



1.PRODUCT OVERVIEW

Modern Glass Design

Add elegance to your space.

Perfect for living rooms, dining areas, entryways, and more.



1.1 USE CASE



Flat Ceilings



Sloped Ceilings



Vaulted Ceilings

2.PRODUCT PARAMETERS





This type of chandelier is suitable for all bundled glass.



The quantity and model of light bulbs shall be based on the actual product.

* Take this product as an example

Voltage	110V(US Standard)
Material	Glass, Metal
Room Type	Bedroom, Living Room, Dining Room, Foyer, Entryway, Staircase
Color Temperature	3000K~6500K
Luminous Flux	1000 Lumen
Light Source Type	LED
Power Source	AC/DC
Color Rendering Index	80

3.PRODUCT INSTALLATION

3.1 TOOLS YOU WILL NEED



Electric drill



Gloves



Screwdriver



Ladder

WARNING: Turn off power before installation.

3.2 STEP 1: MOUNT PLATE

Drill holes and secure the metal mounting plate to the ceiling.



3.2 STEP 2: CONNECT WIRES

1. Schematic



2.On-site Photo



Wiring Instructions

Connect the wires as follows:

* Black (Live) → Connect to either white fixture wire.
* White (Neutral) → Connect to the remaining white wire.
* Ground → Connect to the un-stripped wire with the teal stripe.

Note: The two white wires are interchangeable.
Twist wire nuts tightly.

if you are not familiar with electrical wiring, please hire a licensed electrician.

3.3 ATTACH FIXTURE & GLASS

1.THREAD & TWIST



Thread the metal wire through the small hole at the top of the glass. Twist and tighten securely.

⚠ CAUTION

Glass is fragile.
Do not over-tighten, or it will break the glass.

2. TIE & HANG (RIGHT WAY)



Tie the wire to the frame. Keep the tie point level with the glass head or slightly lower. The glass should stand upright and point outward.

3. WRONG WAY



Do not let the wire go above the glass head. Tying it too high will make the glass hang upside down and look droopy.

4. AFTER-SALE SERVICE

We're Here to Help!

Please contact us via the platform before leaving a review.

We reply within 24 hours.

About Delivery	Your order may arrive in multiple packages. Please wait a few days for all to arrive.
About Color	Actual colors may vary slightly due to lighting and screens.
About Support	Missing or damaged parts? Contact us with your order ID. We will send replacements ASAP.

PRODUCT DISPLAY





