



# ASSEMBLY INSTRUCTION




A:Legs 4PCS



B:Left arm 1PC



C:Right arm 1PC




D:Back Rest 1PC



E:Front Board 1PC




F:Seat cushion 3PCS G: Base support 1PC H:Allen Key 1PC




**STEP 1**


Turn the legs A clockwise to fixed it on the both arm(B&C).

**STEP 2**


Hook on the Back Rest (D) into Left Arm (B) and Right Arm (C) securely.

**STEP 3**



Slightly loosen the four bolts using Allen Key(H) without removing the bolts completely from both Side Arms (B&C). Hook on Front Board (E) hooks into loosen bolts, once placed tighten and secure all four bolts with Allen Key (H)

**STEP 4**


① Put the Base support (G) into the sofa frame



② Put the Seat cushion(F) on the Base Support(G)

**STEP 5**


# ASSEMBLY INSTRUCTION




A:Legs 4PCS




B:Left arm 1PC



C:Right arm 1PC




D:Back Rest 1PC



E:Front Board 1PC




F:Seat cushion 2PCS G: Base support 1PC H:Allen Key 1PC




### STEP 1

Turn the legs A clockwise to fixed it on the both arm(B&C).




### STEP 2

Hook on the Back Rest (D) into Left Arm (B) and Right Arm (C) securely.




### STEP 3

Slightly loosen the four bolts using Allen Key(H) without removing the bolts completely from both Side Arms (B&C). Hook on Front Board (E) hooks into loosen bolts, once placed tighten and secure all four bolts with Allen Key (H)




### STEP 4


① Put the Base support (G) into the sofa frame




② Put the Seat cushion(F) on the Base Support(G)




### STEP 5



# ASSEMBLY INSTRUCTION




A:Legs 4PCS



B:Left arm 1PC




C:Right arm 1PC



D:Back Rest 1PC



E:Front Board 1PC




F:Seat cushion 1PC



G: Base support 1PC




H:Allen Key 1PC




### STEP 1

Turn the legs (A) clockwise to fixed it on the both arm(B&C).




### STEP 2

Hook on the Back Rest (D) into Left Arm (B) and Right Arm (C) securely.




### STEP 3

Slightly loosen the four bolts using Allen Key(H) without removing the bolts completely from both Side Arms (B&C). Hook on Front Board (E) hooks into loosen bolts, once placed tighten and secure all four bolts with Allen Key (H)




### STEP 4

① Put the Base support(G) into the sofa frame



② Put the Seat cushion(F) on the Base Support(G)



### STEP 5

