


Sofa

Assembly Instruction – Please keep properly for future reference.

If you find any missing boxes, damaged parts, or accessory shortages, please contact the customer service team of your purchasing channel immediately. We will resolve the issue as quickly as possible.



SKU:
C002043011
C002043012
C002043013
C002043021
C002043022
C002043023
C002307011
C002307012
C002307013

V2.0

EN

CONTACT US

- **Email: service@grandtunnel.com**
In order to receive assistance more quickly, please provide

THE FOLLOWING INFORMATION:

- Order number
- Purchase platform
- Purchase date
- Detailed description of the issue along with photos (if applicable)

Important – Please read these instructions carefully before starting the installation.

Before Assembly



Thank you for choosing our product!

To ensure a smooth installation process, please read this guide carefully to familiarize yourself with the required tools, materials, and installation steps. Follow the relevant sections to avoid any damage caused by improper installation, and make sure to review all operation and safety guidelines for correct installation procedures.

Packaging Notice:

1. Multi-Box Shipping Notice

This product is packaged in 3 separate boxes for shipping and may arrive in batches at different times. To ensure a smooth assembly process, please make sure all boxes are received before unpacking and starting the installation.

2. Box and Packaging Verification

Each box is labeled with a corresponding number. Please refer to the packing list on the next page of this manual to verify that all boxes have been received.

If you find any missing boxes, damaged parts, or accessory shortages, please contact the customer service team of your purchasing channel immediately. We will resolve the issue as quickly as possible.

Installation Information

- All information in this guide is based on the product's condition at the time of printing. We reserve the right to modify product features, packaging, or availability without prior notice.
- Before installing the furniture, ensure that all necessary electrical or environmental preparations are completed.
- This manual contains important instructions on installation, cleaning, and maintenance. Please read it thoroughly and keep it for future reference.

Pre-Installation Checklist

1. Carefully inspect the new product for any damage or defects.
2. Ensure installation is carried out on a clean, flat surface to maintain balance and stability.

3. Avoid prolonged exposure of the product to damp environments or direct sunlight.
4. Handle with care during installation. Use protective materials (e.g., soft pads) to prevent scratches.
5. For any questions or technical support, refer to the customer service guide and contact the seller's customer service.

Usage and Maintenance Recommendations

1. Clean furniture regularly to maintain hygiene and prevent bacteria growth. Use a damp cloth that has been wrung out to avoid scratching the finish.
2. Avoid contact with acidic or alkaline corrosive liquids.
3. Do not use unauthorized replacement parts. For replacement parts, contact the manufacturer or distributor.
4. Do not machine wash or rinse any part of this product with water.

Safety Warnings



1. Warning Labels:

Do not remove warning labels on the product or packaging, and always follow the related instructions.

2. Regular Inspections:

Regularly check all parts of the product to ensure they are correctly installed, undamaged, and all connectors are securely tightened.

3. Safe Use:

Do not play on or under the sofa, and strictly avoid jumping or any actions that may harm the sofa or users.

4. Rope Hazard:

Do not attach ropes, hooks, straps, or other unintended items to any part of the product.

5. Guide Preservation:

Retain this manual for future reference.

6. Supervisory Responsibility:

Safety is a shared responsibility between the manufacturer and the user. Always adhere to safety guidelines when using the product.

Disclaimer

We are committed to providing safe and reliable products. If you have any questions about this product or require additional support, please contact our customer service team. We are here to assist you.

Customer Service Guide



Thank you for choosing our product! We are committed to providing you with excellent service. If you find any missing parts, damaged packaging, or product damage after receiving all packages, please follow the steps below to quickly contact our customer service team. We will do our best to resolve your issue.

1. Missing Parts

Verify Parts:

1. Refer to the “Parts List” in the manual to verify the name, specifications, and quantity of the missing parts.
2. Take a clear photo of the parts list and mark the missing parts with detailed information, e.g., “Missing 5 pieces of M6×30mm screws.”

Contact Us:

By Email:

Send an email to service@grandtunnel.com, with the subject line “Missing Parts Issue.” Include the following in the email:

- A description of the missing parts and a photo of the parts list.
- Order details (order number, purchase platform, purchase date).

2. Product or Packaging Damage

If it affects normal use:

Steps:

1. Take clear photos or videos showing the damaged parts and the extent of the damage (multi-angle shots are recommended).

2. Email the photos/videos along with order details to service@grandtunnel.com, with the subject line “Product Damage Issue.”

Resolution:

After verification, we will arrange for a replacement part, product exchange, or refund as quickly as possible.

If it does not affect normal use:

Steps:

1. Contact our customer service team (by email: service@grandtunnel.com).
2. Provide a description of the damage and include relevant photos or videos.

Resolution:

We will provide repair guidance or an appropriate compensation plan based on the specific situation.

Contact Us:

Customer Service Email: service@grandtunnel.com

Helpful Tips

To process your issue efficiently, please prepare the following information:










- Order details (order number, purchase platform, purchase date).
- Clear photos or videos.
- We are committed to providing quick and professional solutions, no matter the size of the issue, to ensure your satisfaction.

Thank you for your trust and support!
We hope you enjoy using our product!

Parts List








Box 1

 1 x2	 3 x2	 8 x1	 27 x1
 10 x1	 22 x1	 23 x1	 24 x1
 25 x1	 12 x4	 26 x2	 6 x1
 4 x1	 29 x4	 30 x2	

 M6x18mm A x32		 M8x55mm F x8 (only used for connecting the arm.)	
 M6x45mm G x3	 M8x25mm B1 x12	 C x1	



Box 1

Box 2

					
13x2	15x1	5x4			
					
16x1	17x1	26x4			
 M6x18mm A x8	 M8x70mm B x8	 M8 B2 x8	 M8x25mm B1 x8	 C x1	 D x1

Box 2



Box 3



						
M6x18mm	M8x70mm	M8	M8x25mm			
A	B	B2	B1	E	C	D
x4	x12	x12	x12	x12	x1	x1

Box 3


Combination Instructions



Assembly Instructions



Important : Please read these instructions fully before starting assembly.




Note :

Delivered with **THREE PACKAGES** with **THREE TRACKINGS**, may **NOT** be delivered at the same time.


Before starting assembly, determine where the sofa will be placed and the orientation you want it to be.




2 people needed



Work gloves



Tape measure



Other Tools Required
Phillips Screwdriver
(Not Included)

Simple Assembly Steps

1. Read the manual carefully.
2. Check all parts and hardware.
3. Prepare necessary tools.
4. Have at least 2 adults for assembly.

Please follow the instructions and use a sanitary napkin to protect the product during your assembly process.

Note:

1. The assembly should be done on a flat surface to maintain balance.
 2. Do not tighten the screws before the assembly is complete.
- To make the assembly process easier and better, two or more adults are needed.

Safety and Care Advice



Important:


Please read these instructions fully before starting assembly.

Thanks for your purchase.

Before assembling, please follow the instructions to check if all the spare parts and screws are intact.

- Considering the size and weight of the sofa, we recommend 2 adults to assemble the sofa, on a carpeted or padded area, in the room that it is intended for. Approximate assembly time: 30 minutes.
- Please do not throw away any of the packaging or the instruction until all the components and hardware have been checked and the furniture is fully assembled. Please ensure that the packaging is disposed in a safe and environmentally friendly way.
- Keep all components and packaging out of reach of children or animals to avoid the risk of choking or suffocation.
- Please do not take off the cover, and do not wash.


Your cushions come vacuum packed and sealed for shipping. To restore the cushion's original shape, follow the steps below.




Open the vacuum bag carefully.



Press and tap with both hands from the side to fully inhale air.



Press and tap with both hands from the front to fully inflate.




Carefully smooth out each section until the surface is even.

After packing up, place them somewhere dry and ventilated.

After about 72-96 hours, it can be restored to the best-use condition.

Pull-Out Sofa Bed




① x2	③ x2	⑧ x1	②⑦ x1
⑩ x1	②② x1	②③ x1	②④ x1
②⑤ x1	①② x4	②⑥ x2	⑥ x1
②⑨ x4	③① x2	A M6x18mm x32	G M6x45mm x3
B1 M8x25mm x8	F M8x55mm x4	C x1	

Pull-Out Sofa Bed

Step 1

C	x1
A	x4
M6x18mm	
B1	x4
M8x25mm	




Remove all parts from the carton. Locate part 25, and use wrench C to connect it with screws A.

Note: Tighten the screws to about 30% only at this stage.

Step 2



C	x1
---	----



Place part 23 on the left and part 24 on the right. Hang them onto the corresponding A screws on part 25, then tighten the screws fully to 100%.

Pull-Out Sofa Bed


Step 3



Use wrench C and screws A to attach part 22 to the corresponding screw holes on parts 23, 24, and 25.

Note: First tighten the screws to about 30%, then fully tighten them to 100% after all screws are aligned.



Step 4



Rotate and screw part 12 into the corresponding holes on parts 23 and 24.



Pull-Out Sofa Bed

Step 5



Connect part 29 to part 8, then secure them with wrench C and screws A.

Step 6




Connect part 8 to part 30, then secure them with wrench C and screws A.

Pull-Out Sofa Bed

Step 7


- C x1
G x3
M6x45mm



Attach part 8 to part 10, and secure it with screws G and wrench C.

Step 8

- C x1
A x2
M6x18mm




Attach part 30 to part 10, and secure it with wrench C and screws A.

Pull-Out Sofa Bed

Step 9


- C x1
F x4
M8x55mm
B1 x4
M8x25mm



Attach part 6 to part 23 using screws F and washers B1.

Step 10

- C x1
A x4
M6x18mm




On the right-facing side of the sofa, connect connector plate 26 to part 24. Secure it with wrench C and screws A.

Note: The connector plate should face upward.


Pull-Out Sofa Bed

Step 11



Push pull-out bed part 10 into sofa frame part 25, and fit the bed assembly into the bottom of the pull-out bed section.


Step 12



Place seat cushion 27 onto the bed area.


Pull-Out Sofa Bed

Step 13



Use the pull strap to push the bed inward and pull it outward as needed.


Corner Seat Module



13 x2	14 x1	15 x1	5 x4
16 x1	17 x1	26 x4	A M6x18mm X8
B M8x70mm x8	B1 M8x25mm X8	B2 M8 x8	D x1
C x1			


Corner Seat Module

Step 1



Remove all parts from the carton. Locate part 15 and rotate it to connect with part 5.

Step 2




Rotate threaded bolt B into part 13.

Corner Seat Module

Step 3


D	x1
	
B1	x4
	
8x25mm	
B2	x4
	
M8	



Connect part 15 to part 13, then use socket D to secure washer B1 and nut B2.

Step 4

D	x1
	
B1	x4
	
8x25mm	
B2	x4
	
M8	




Connect part 15 to part 13 again at the other fixing position, then use socket D to secure washer B1 and nut B2.

Corner Seat Module

Step 5

C	x1
	
A	x4
	
M6x18mm	




On the left-facing side, connect connector plate 26 to part 15. Use wrench C to secure it with screws A.

Note: The connector plate should face downward.

Step 6


C	x1
	
A	x4
	
M6x18mm	



On the right-facing side, connect connector plate 26 to part 15. Use wrench C to secure it with screws A.

Note: The connector plate should face upward.


Two-Seat Storage Module



① x2	⑱ x2	⑦ x2	5 x4
⑲ x1	④ x1	⑳ x2	E x12
B M8x70mm x12	B1 M8x25mm x12	B2 M8 x12	D x1
A M6x18mm x4	C x1		


Two-Seat Storage Module

Step 1



Remove all parts from the carton.
Locate part 19 and rotate it to connect with part 5.

Step 2




Rotate threaded bolt B into part 18.

Two-Seat Storage Module

Step 3


B x4
M8x70mm



Rotate threaded bolt B into part 18 and tighten it completely.

Step 4

D x1
B1 x8
8x25mm
B2 x8
M8




Connect part 19 to the two backrest sections of part 18. Use socket D to secure washer B1 and nut B2.

Two-Seat Storage Module

Step 5

B x4
M8x70mm




Connect threaded bolt B to part 4.

Note: When connecting the armrest to part 6, leave about 10mm of the threaded bolt exposed. Do not tighten it all the way.

Step 6

D x1
B1 x4
8x25mm
B2 x4
M8




Connect part 19 to part 4, then use socket D to secure washer B1 and nut B2.

Two-Seat Storage Module

Step 7


E x12



Open the storage compartment of part 19.
Cover the extra exposed threaded bolt B inside with sleeve E.

Step 8

C x1
A x4
M6x18mm




On the left-facing side, connect connector plate 26 to part 19.
Use wrench C to secure it with screws A.

Note: The connector plate should face downward.

Two-Seat Storage Module

Step 9




Close the storage lid. The loveseat section is now complete.

Overall Combination Assembly




Step 1



First, hook the connector plate of the corner section onto the pull-out bed section. Then hook the connector plate of the loveseat section onto the corner section.


Overall Combination Assembly

Step 2



After the complete seat frame is assembled, remove the protective backing from the nylon fasteners on the backrests.


Step 3



Place the seat cushions in their corresponding positions.

Overall Combination Assembly



Step 4



Place the back cushions in their corresponding positions.





Two-Seat Sofa Bed Combination

Step 1



On the right-facing side of the pull-out bed, loosen and remove the connector plate using wrench C.


Step 2



Connect part 24 to part 4 using screws F, washers B1, and wrench C.

Two-Seat Sofa Bed Combination


Step 3



Lift the bed up a little and push it in.

Slide part 10 of the pull-out bed into the sofa frame.


Step 4



Place bed cushion 27 onto the pull-out bed section.


Two-Seat Sofa Bed Combination

Step 5




Place sofa seat cushion 3 and back cushion 1 in position.

Step 6




The assembly is now complete.

More combinations



Box 1 x1

Maintenance



WARNING



Do not sit on the sofa armrests, as this may cause injury or damage to the furniture.

1. Avoid direct sunlight, preferably placed in a place that can avoid sunlight, or use translucent tulle curtains to block the sun.
2. Vacuum at least once a week, paying particular attention to removing dust accumulation between fabric structures.
3. Sofa cushions are turned over once a week to evenly distribute wear.
4. If stained, use a clean cloth dipped in water to wipe. In order to avoid leaving marks, it is best to wipe from the periphery of the stain. Velvet furniture should not be dipped in water and should use a dry cleaning agent.
5. All cloth covers and bushings should be dry-cleaned, not washed, not bleached.
6. If you find loose thread, do not tear it with your hand; it is best to cut the thread neatly with scissors.