Assembly Instructions

Thank you for purchasing this quality product. Be sure to check all packaging material carefully for small parts that may have come loose inside the carton during shipment.

COMPONENT LIST

PART NO	FIGURE	DESCRIPTION	QTY
	 	Hardware Bag	1 pce
		Table Top	1 pce
		Apron Hinge	4 pcs
		Leaf Hinge	3 pcs
		Table Hook	4 pcs
		Support Leaf Hinge	2 pcs
		Apron Leaf	2 pcs
		Glides	2 pcs
		Leg Stretcher	1 pce
		Cover Piece	2 pcs
		Mounting Plate	2 pcs

COMPONENT LIST

PART NO	FIGURE	DESCRIPTION	QTY
	\mathbb{X}	Trestle	2 pcs
	9-	Adjustable Leveler	4 pcs

HARDWARE LIST:

PART NO	FIGURE	DESCRIPTION	QTY		
1		Hex Nut	4pcs		
2	(b)	Lock Washer	8 pcs		
3	0	Flat Washer	4 pcs		
4		Wrench	1 pc		
5	<u></u>	JCBB Bolt	4 pcs		
6	0	Flat Washer (small)	4 pcs		
7		Allen Key M5	1 pc		


This product will take 15-20 minutes to assemble.

Reminders

- 1.Use only the hardware supplied.
- 2.Once the product is assemble, level and tighten all the bolts.
- 3.Do not over-tighten bolts.
- 4. This item may require periodic tightening

NOTE:

- 1.Two or two people are needed for assembly
- 2 please keep all hardware parts out of the reach of children.




Assembly Instructions

ASSEMBLY:


STEP 1

1.1- Step 1.1 Attach the Leg stretcher to the Trestle using the suplie hardware as shown on Fig.1 Add wood cover piece as shown on Fig.1




STEP 2

2.1- Place the Table Top upside down on a soft Protective surface such as a carpet. **REMOVE AND DISCARD THE TEMPORARY WOOD STRIP MARKED AS "REMOVE"** as shown on Fig 2 .Once wood strip is remove flip table to upright position.



STEP 3

3.1-Unlock the hook lock from underneath the table Top and pull the table from both ends. Attached Base assembly to the table top mounting plate using the suply hardware as shown on Fig.3




Assembly Instructions

ASSEMBLY:


STEP 4

- **4.1**-Lift both leaves from the compartment.
- **4.2**-Flip up the aprons and unfold leaf and place the leaf on the table top surface carefully.



STEP 5

5.1-Push table top from both ends to close.Lock the hooks underneath the table.



CARE INSTRUCTION

- Be sure to use the same type of polish consistently. Your furniture will appear cloudy or streaky if oil based or wax based polishes are interchanged.
- Spray your furniture surface evenly. Wipe in a circular motion with a soft clean cloth.