




RECEPTION DESK

ASSEMBLY INSTRUCTIONS


INSTALLATION TIPS



- Please read the instructions carefully before installation.
- After reading, keep them properly for future use.


Please prepare the following aids:

1. Electric drill (optional, improve efficiency)
2. Please use power tools reasonably to avoid injuries.




Installer recommendations:

1. It is recommended that two people work together to install for higher installation efficiency.
2. Improve the safety of the assembly process and better complete the alignment and lifting operations.




Installation precautions:

When tightening the screws, avoid over-tightening to damage the plate.



INSTALLATION INSTRUCTIONS




Eccentric Wheel

Bolt

Pre-installed Bolt Holes

Three-in-one Usage Explanation:

1. Use a screwdriver or a power tool to install screws (at least 10mm deep) at the indicated positions and panels.
2. Screw the bolts into the pre-installed inserts.
3. Insert the assembled bolts into the corresponding holes on the other panel, then press the eccentric wheel into the 15mm diameter hole on the side with the hole alignment.
4. Use a Phillips screwdriver to tighten the eccentric wheel clockwise.







Unlock Control:

Attach the slide rails securely to the side panel!

Sliding Usage Explanation:


Fix the guide rails onto the bottom panel, ensuring they are properly aligned.

Hinge Usage Explanation:


 Hinge installation on the door	 Hinge connection to the cabinet
 Vertical height adjustment	 Door gap alignment adjustment

LIGHT STRIP INSTALLATION


1. Take out the light strip and remove the protective cover at the end.



2. Align the end of the light strip with the wooden board and press it into the groove of the wooden board.



3. After the light strip is installed, make sure it is flush with the wooden board, connect the USB to the power supply, and press the switch.



PASSWORD SETTING

Example 2: Use the key to retrieve the password when you forget it.


1.  = 



5. 😊 = 1 | 6 | 8 | 8

1.


KNOB DIAL WHEEL CHANGE POSITION




STANDARD POSITION

INITIAL PASSWORD 0-0-0-0

2.




Whether it is on or off, you can change the password as long as you know the correct password: turn the Dial Wheel to the correct password and push the Password changer to the triangle arrow position.




3.


1	6	8	8
---	---	---	---




Set the password you want to set, for example "1688"



4.



! Push Password changer to Standard position and new password will be



5.

$$1 \mid 6 \mid 8 \mid 8 =$$




Password set successfully




RETRIEVE PASSWORD

Example 2: Use the key to retrieve the password when you forget it.




6.




Insert the key and turn it 180 degrees clockwise as shown in the diagram.

7.



Turn the Dial Wheel one by one, and the stop position is the password.

8.




Turn the key 180° as shown in the figure and pull out the key.

9.

















1 | 6 | 8 | 8 = ✓

Unlock, password retrieved successfully





















※ Please complete this step with the door open!

ACCESSORIES LIST



1 	2 	3 	4 
5 	6 	7 	8 
9 	10 	11 	12 
1a 	2a 	3a 	4a 
5a 	6a 	7a 	8a 

ACCESSORIES LIST

9a 	10a 	11a 	12a 
13a 	14a 	15a 	16a 
17a 	18a 	19a 	20a 


A ×97 	B ×97 	C ×40 	D ×26 
E ×16 	F ×4 	G ×3 	
H ×2 	I ×3 	J ×6 	K ×2 

INSTALLATION DIAGRAM




INSTALLATION STEPS


1 Install the universal wheels to the bottom plate of the cabinet.




2 Install the rear panel and tighten the screws to secure it.




3 Install the left and right side panels and tighten the screws to secure them.




4 Install the left and right drawer slides.




5 Install the upper panel of the cabinet and tighten the screws to secure it.




6 Install three drawer panels.




7 Install the left and right drawer slides.





8 Install the three drawer fronts, then install the handles.



9 Insert with three drawers, the top drawer with lock.





10 Assemble the table, sides and dividers.





11

Assemble the table body, side panels and partitions and secure them with screws.






12

Assemble the front panel of the table and secure it with screws.





13

Assemble the upper panel of the table.



14



Assemble the upper panel of the table and fix it with screws.



15

Installation of light strips.



Note: Details on installation of light strips can be found on page 3.



16

First align 9 and 10 to the center on the left, assemble them with 8 30 self-tapping screws and set them aside, then install them on the middle positioning hole of the back panel with 8 30 self-tapping screws.


Note: The USB cable of the light strip comes out from the (9) board.



17


Assemble the table correction panel and side panels and secure them with screws.

Note: The installation method is the same as step 16.





18

Assemble the handle and drawer lock.



19 Assemble the correct panel of the table and fix it with screws.



20 Push the cabinet into position under the table. Assemble the vertical dividers to the tabletop.

