

FLASH YOUR LAMP CHANDELIER COLLECTION

The ballroom spherical shape with translucent hues creates a subtle warm glow. Mouth blown and hand painted glass with brass hand painted edge, black fabric electrical cord.

Amber with brass edge Gold socket.

This pendant is handblown small variations and bubbles can occur.

Canopy + your selection of 8 ballroom lamps (various color available).

Specifications

Ballroom Glass pendants: Ø8"

Canopy Specifications

Regular Canopy: 30" width long arms x 18.5" width short arms - base (ø10)



Deluxe Canopy : 30" width long arms x 18.5" width short arms - Base (ø10)



Finishes: Gold or Mat Black

UL Listed

Lead Time: In Stock



FLASH YOUR LAMP PETIT CHANDELIER COLLECTION

The ballroom spherical shape with translucent hues creates a subtle warm glow. Mouth blown and hand painted glass with brass hand painted edge, black fabric electrical cord. This pendant is handblown small variations and bubbles can occur. Canopy + your selection of 4 ballroom lamps (various color available).

Specifications

Ballroom Glass pendants: Ø8"

Canopy Specifications

Regular Canopy: 30" width long arms x 18.5" width short arms - base (ø10)



Deluxe Canopy :30" width long arms x 18.5" width short arms - Base (ø10)



Finishes: Gold or Mat Black

UL Listed

Lead Time: In Stock



LED PANDENT LIGHT

Ballroom series

APPLICATION:

Retail, supermarket and commercial accent & display lighting.

CONSTRUCTION:

Handblown glass shade with paint spraying & artificial colouring, Iron parts with powder coating electroplating, Plastic parts and UL/ETL approval electrical parts. customized colors available

ELECTRICAL:

1, Terminal box: 110 - 130V Input. "L" for Live wire, "N" for Naught wire, "E" for Earth wire is marking in it.

2, LED bulb:

LED80:

Base:E26, Power:5W, Color temp:2700K, Lumen:400, Dimmable:Yes, Size:Ø 80 L 118, Voltage: 110 - 130V, Lifespan:15,000 hrs, RA index:80+.


LED125:

Base:E26, Power:5W, Color temp:2700K, Lumen:400, Dimmable:Yes, Size:Ø 125 L 176, Voltage: 110 - 130V, Lifespan:15,000 hrs, RA index:80+.

MOUNTING:

Canopy

LABELING:




PROJECT:

Pandora

MODEL:

LOL01

LOL02



ORDERING INFORMATION:

Model	Voltage	LED Bulb	Descriptions of Product	Mounting
LOL01	110-130V	G80	Glass shade D200 with rose painting & golden edge, Socket 26 with golden plating, Golden trumpet, 2.5m 3-cord black tc cable, Black plastic cable locker, Iron canopy D120 with white coating.	Canopy
LOL02	110-130V	G80	Glass shade D200 with smoke painting & silver edge, Socket 26 with silver plating, Silver trumpet, 2.5m 3-cord black tc cable, Black plastic cable locker, Iron canopy D120 with white coating.	Canopy

Example: LOL01

Cat #:

Design By Us reserves the right to change details that do not affect overall function and performance.

Rentemestervej • 2400 Copenhagen NV • Denmark
 Tel. +45 3811 8086
 mail@design-by-us.com
 www.design-by-us.com