



## **USER'S MANUAL**

**Bed Rail Guard**



**Y000311/ Y000312**

# Before You Start

Please read all instructions carefully and keep it for future reference.

## General Warnings:

- ⚠ **Danger!** Keep all small parts and packaging materials for this product away from babies and children, otherwise they may pose a choking hazard.
- ⚠ The product must be installed and used under the supervision of an adult.
- ⚠ Read through each step carefully and follow the proper order.
- ⚠ Remove all Packaging, separate and count all parts and hardware before Installation.
- ⚠ Please ensure that all parts are correctly installed, incorrect Installation can lead to a Danger.
- ⚠ We recommend that, where possible, all items are assembled near to the area in which they will be placed in use, to avoid moving the product unnecessarily once assembled.
- ⚠ Ensure a secure surface during construction, and place the product always on a flat, steady and stable surface.




## SAFETY INSTRUCTIONS:

Please read the operating instructions to protect your child from injury. Keep this manual in a safe place. The bed guard is suitable for children from 18 months on and up to 16 kg(35lbs.). Make sure that the height of your bed guard is no less than 16 cm (6.3"). The bed guard is only suitable for standard beds and box spring beds. Under no circumstances suitable for waterbeds, senior beds or bunk beds. Please pay attention to a correct mattress thickness and hardness: if mattresses are too thin or too soft = risk of catching head between the bed guard and mattress , too thick mattress = insufficient height of bed guard


1.Open the S1 and S2 legs ,keep the tube and feet at a 90 degree angle.



2.Assemble the set A and set B tubes .



3.Connect right side of set B with S2.



4.Insert left side of Set B into the right short side of fabric cloth.




5.Put on the top side fabric cloth completely.



6.Pull the fabric cloth to cover the Set B and S2 tubes .



7.Connect left side of set B with S1.




8.Pull off the fabric cloth to cover the S1.



9.Insert Set A tube into fabric .



10.Fix two sides of Set A with S1 and S2.



### Material


100% Polyester | poliester | poliester | poliészter | poliester





MADE IN P.R.C

---

## How to fix the protective belt



top view



### Usage of bed frame:

- 1) Hold the two legs under the mattress
- 2) Tighten the strap along the bottom of the mattress (in the form of a "V")
- 3) Fix the disc on the opposite side as shown