
Version： 1.0





2 PERS.


30 MIN


EN

DJ502863










Installation Parts



A

x31(+2)

Ø6x35mm



B

x31(+2)


Ø15x10mm



C

32(+2)

Ø6x30mm



D

x16(+1)


Ø4x35mm



E

x24(+2)

Ø3.5x10mm



F


x16(+1)



G

x16(+1)

Ø3x16mm




H

x3




I

x3



J

x2



K

x2



L


x5



M


x2

Ø3.5x12mm



N

x1




O

x1



P

x2



CL

x2


L300mm



CR

x2


L300mm



DL

x2

L300mm




DR


x2

L300mm


Install the footstool




1 x1




2 x1




3 x1




4 x1




5 x1




6 x1




7 x1




8 x1




9 x1




10 x1




11 x1




12 x1




13 x1




14 x1



15 x1




16 x2




17 x1


Drawer




18 x2




19 x2




20 x2




21 x2




22 x2



5
6
4
15
7
3
10
9
16
8
2
17
11
1
12
16
13
14
21
20
19
22
18
x2



1
C
x6
D
x1
5
6
6
Dx1
6
Cx6
2
A
x7
C
x4
Ax7
4
4
3
7
7
Cx4


3


B
x3
NOTE: The board to be installed in the current step is darkened in color
7
6
5
3
Bx3


4


B
x1
C
x2
7
6
5
9
3
Bx1
Cx2
Without edge banding
!



5
C
x4
L
x1
Lx1
Cx4
15
6
10
7
9
3
10
10 # plate has edge band in front


6
B
x3
4
4
90°
Bx3
5
6
15
5
7
6
10
9
3


7




8




9







10




11



12




13 (1)




Tear off the back glue of one of the light strips

(2)




Note: The light bar "O" can be installed on the left or right side, as shown in the figure, it is on the right side


(1)




(2)




14




15




16




17





18
B
x6
1
90°
1
1
Bx6
11
11
16
13
12
14
2


19



20 (1)




(2)




21


(1)



(2)




22





23

(1)



H
x1
I
x1
4
3
11
2
8
14
1
O
!
Remove the glue on the back of the remaining lamp band (O)

(2)



11
2
8
1
Hx1
8
2
O
Ix1


F
x16
G
x16
K
x2
P
x2
Px2
Kx2
6
5
15
16
3
17
1
16
Fx16
Gx16


25




Rest awhile, installing drawers next is a repetitive task
Drawer installation





26 x2







27 x2








28 x2



B x8

29 x2




E x12


DL x2

DR x2


30





x2




31


WALL
I x2
WALL
drilling hole
Ø6x30mm
II x2
WALL
J x1
III x2


J
x2
D
x2


WALL
Dx2
Power supply
N

32


WALL
Power supply
Scan qr code to download APP
Bluetooth control
OR
Flip to the other side for
key control