



# Barrington™ | K-3554-T

Two-piece elongated toilet, 1.6 gpf

## Features

- Elongated bowl offers added room and comfort
- Equipped with Sloan FLUSHMATE® – Sloan® Valve Company
- Polished Chrome trip lever
- Tank cover locks included
- Rear outlet
- 4" (102 mm) rough-in
- 1.6 gpf (6.0 lpf)



## Available Colors/Finishes

*Color tiles intended for reference only.*

■ 0 White



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
7-29-2026 23:25 - US-CA

THE BOLD LOOK  
OF **KOHLER**

## Codes/Standards

*Accessibility standards may require controls to be located on the open side of the toilet.*

*Plumbing codes may require elongated toilets and elongated, open-front seats in public bathrooms.*

ASME A112.19.2/CSA B45.1

DOE - Energy Policy Act 1992

## Technical Information

|                       |                             |
|-----------------------|-----------------------------|
| Installation Type:    | Floor-mount                 |
| Rough-in:             | 4"                          |
| Flush Type:           | Pressure Lite               |
| Flush Rate:           | 1.6 gpf (6 lpf)             |
| Bowl Shape:           | Elongated                   |
| Seat-Mounting Holes:  | 5-1/2" (140 mm)             |
| Waste Outlet:         | Wall                        |
| Trapway Size:         | 2-1/4" (57 mm)              |
| Trapway Type:         | Exposed                     |
| Water Surface Size:   | 12" x 10" (305 mm x 254 mm) |
| Rim to Water Surface: | 7" (178 mm)                 |

## Included Combo Skus

- K-4327 Elongated toilet bowl
- K-4645-T Toilet tank, 1.6 gpf

## Recommended Products/Accessories

K-5588 Deodorizing elongated toilet seat

K-5420 Low-profile toilet bolt caps

K-4108 Elongated bidet toilet seat with remote control

## Warranty

*See website for detailed warranty information.*

KOHLER® One-Year Limited Warranty




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

7-29-2026 23:25 - US-CA



## Installation

- Seat and supply line sold separately

## Installation Notes

*Install this product according to the installation instructions.*

For back-to-back toilet installations: Use only a 45° double wye fitting.

Product dimensions are nominal and may vary per ASME A112.19.2 tolerances.

