


1

PRO MOUNTS
AFMSS6402-02 STANDS



100x100	100x400
100x200	200x400
200x200	300x400
200x300	400x400
300x300	400x600




CAUTION: DO NOT EXCEED
RATED LISTED WEIGHT. SERIOUS
INJURY OR PROPERTY DAMAGE
MAY OCCUR!

AFMSS6402-02






PART LIST





FOR TV INSTALLATION



3




4




5

Measure the TV fixing holes Width and Height



If width (X) is greater than 600mm or height (Y) greater than 400mm STOP installation now and contact the customer help line



TV1

TV2-3


TV4-6

You are provided with 4 diameters of TV fixing screws, **M4**, **M6** and **M8**. Determine the screw diameter that fits.

Spacers


SP

For TVs with irregular/obstructed back




No Spacers

For TVs with flat/unobstructed back




WARNING

please keep for future reference.



6

NOT INCLUDED



M4

TV1 X4


+



Washer with 3 holes

TV10 X4

+



M6

TV2-3 X4


+



Washer with 3 holes

TV10 X4

+



M8

TV4-6 X4


+



Washer with 3 holes

TV10 X4

+



2.5mm

TV7 X8



10mm

TV8 X4



22mm

TV9 X4



2.5mm

TV7 X8



10mm

TV8 X4



22mm

TV9 X4



2.5mm

TV7 X8



10mm

TV8 X4



22mm

TV9 X4

Attach the bracket to the back of your TV using suitable screw, reducer and spacer combinations.

7

NOT INCLUDED

