



DTV Prompt® | K-558-E

Three-outlet digital interface with eco-mode diverter

Features

- Easy-to-read LCD display and raised one-touch buttons
- Integrated diverter lets you toggle between three water outlets
- Digital thermostatic valve ensures safe and accurate temperature control
- Warm-up mode reaches set temperature and then pauses until you're ready
- Additional pause function stops water flow for up to two minutes
- Countdown mode allows you to set shower duration to save and manage time and water use
- Ideal for new installation or retrofit to existing shower



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-30-2026 01:23 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ADA compliant when installed to the specific requirements of these regulations.

ADA

UL 1951

ADA

ICC/ANSI A117.1

UL Listed

Recommended Products/Accessories

K-23723 Faucet cleaner

Required Electrical Service

Electrical Component Ratings


Power Cord Length: 20" (508 mm)

Warranty

See website for detailed warranty information.

KOHLER® Electronic Faucets, Valves, and Controls Five-Year Limited Warranty





Installation

- Includes prewired plug-and-play electrical connections
- Install valve up to 20' (6.1 meters) away from the digital interface (cable supplied with interface)
- Distance can be extended with a standard RJ-11 phone extension cord

Installation Notes

Install this product according to the installation instructions.

ADA compliant when installed to the specific requirements of these regulations.

