

DESIGNER COLLECTION

# LORRAINE I

## 7444

### SIZE

74" L x 44"W x 22"D (Specify Lip Height When Ordering)

### WATER CAPACITY

90 Gallons

### WEIGHT

120-160 Pounds

### INSTALLATION


Drop-in

### BACK SLOPE

25°

### MATERIAL

Acrylic



| MODEL      |               |
|------------|---------------|
| LOR7444ATO | Tub Only      |
| LOR7444AWP | Whirlpool (8) |
| LOR7444ATA | Thermal Air   |
| LOR7444ACO | Combo System  |

### COLORS

|                |                         |
|----------------|-------------------------|
| Standard       | White   Biscuit   Bone  |
| Premium Colors | Black   Sterling Silver |

### FINISH

|                 |                               |
|-----------------|-------------------------------|
| Matte Finish    | MAT (must specify if desired) |
| Polished Finish | STANDARD                      |

### BACK MASSEUSE SYSTEMS

|                                        |             |
|----------------------------------------|-------------|
| System I - Manual Control (WP/CO)      | BAC.MA1-XXX |
| System II - Electronic Control (WP/CO) | BAC.MA2-XXX |
| System III - Electronic Control (TA)   | BAC.MA3-XXX |

**COLD PLUNGE** | See Website for Install Form CLD.PL

**EXPORT CRATE** FRT.EXPCRT

**EXTRA HIGH DENSITY** HI.DEN

**GRAB BARS** (Pair) Refer to price book for all available finishes

|                     |             |
|---------------------|-------------|
| Standard Grab Bars  | GRA.BAR-XXX |
| Universal Grab Bars | UGB.BAR-XXX |

| MODEL                  |                         |
|------------------------|-------------------------|
| <b>HEATED BACKREST</b> | INCLUDED ON THERMAL AIR |

### HYDRO BLANKET

|                                                                                                        |           |
|--------------------------------------------------------------------------------------------------------|-----------|
| 2 Zones   3 Zones   4 Zones   5 Zones<br>(3 or 4 zones require two keypads. 5 zones require 3 keypads) | BLA.HEA-X |
|--------------------------------------------------------------------------------------------------------|-----------|

### HYDRO COAT

HYC.COA

### HYDRO EXPRESS

69.104-HYD.EXP

### HYDRO FILL (must specify location)

HYD.FIL

### HYDRO FUSION

|                                     |        |
|-------------------------------------|--------|
| Hydro Fusion (Tub Only)             | 29.102 |
| Hydro Fusion w/ Ozone (Tub Only)    | 29.103 |
| Hydro Fusion (TA, Whirlpool, Combo) | 29.107 |

### HYDRO INDULGE

HYD.IND

### HYDRO OZONE UV COMBO SYSTEM

|                                  |                              |
|----------------------------------|------------------------------|
| Whirlpool and Combo Systems only | OZUV.XXX<br>110 V   OZUV.110 |
|----------------------------------|------------------------------|

### INLINE HEATER Whirlpool and Combo Systems only

|                                            |        |
|--------------------------------------------|--------|
| No dedicated GFI required for 6 amp models |        |
| 12.50 Amps 1.5 KW - 110V                   | 27.100 |
| 6.00 Amps 0.75 KW                          | 27.103 |

### CODES AND COMPLIANCES

Massachusetts code File no: P1-0614-491



All specifications and options subject to change without notice please contact a hydro systems representative for more information.



**Headquarters**  
29132 Avenue Paine  
Valencia, CA 91355

**Manufacturing Facility**  
385 Highway 155 South  
McDonough, GA 30253

**Technical Support**  
support@hydrosystem.com

**Orders Department**  
orders@hydrosystem.com

**General Information**  
info@hydrosystem.com  
**Phone:** 661-775-0686  
**Website:** hydrosystem.com

# LORRAINE I

## 7444

| DESCRIPTION                                                                                                                                                                                                                       |                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| <b>JETS</b><br>Installed per jet price for extra jets added to standard system price. All metallic finishes come with colored eyeball.                                                                                            |                        |
| <b>Additional Standard or Swirling Jet</b> JET.STD-XX   JET.SWI-XX<br>Color Trim<br>Group 1 - PC or PB<br>Group 2 - AB, BB, SB, BC, SC, PN, SN, BN<br>Group 3 - PG, BG, SG                                                        |                        |
| <b>Swirling Jet Upgrade</b><br>(Per jet substitution price added to standard system price)                                                                                                                                        | JUP.SWI-XX             |
| <b>Micro Therapy Jet</b><br>BIS, BLA, BON, SIL, WHI                                                                                                                                                                               | MTJ.XXX                |
| <b>Custom Jet Locations</b><br>(Must include drawing of locations)                                                                                                                                                                | 69.116-CUS.JET         |
| <b>JET PLATING</b><br>Clear / Brass / Chrome. Trim kit covers jet escutcheons, suction, and electronic softtouch pad. Per jet substitution price added to standard system price. All metallic finishes come with colored eyeball. |                        |
| <b>Group 1</b> (PC or PB)                                                                                                                                                                                                         |                        |
| 8 Jets                                                                                                                                                                                                                            | PLA.08-XX              |
| 10 Jets                                                                                                                                                                                                                           | PLA.10-XX              |
| <b>Group 2</b> (AB, BB, SB, BC, SC, PN, SN, BN)                                                                                                                                                                                   |                        |
| 8 Jets                                                                                                                                                                                                                            | PLA.08-XX              |
| 10 Jets                                                                                                                                                                                                                           | PLA.10-XX              |
| <b>Group 2</b> (PG, BG)                                                                                                                                                                                                           |                        |
| 8 Jets                                                                                                                                                                                                                            | PLA.08-XX              |
| 10 Jets                                                                                                                                                                                                                           | PLA.10-XX              |
| <b>LED TEMP. READOUT KEYPAD</b><br>Upgrade only, must have a keypad controlled system to purchase.                                                                                                                                | LED.UPG                |
| <b>LIGHTING</b><br>LED Bath Light Chromotherapy System                                                                                                                                                                            | LIG.LED                |
| <b>LOW WATER PROTECTION</b><br>Includes 30 minute timer (110V)                                                                                                                                                                    | LOW.WAT-110            |
| <b>MICROMOUNT</b><br>Micromount requires increase in framing height by approximately 1¼"                                                                                                                                          | 69.140MCREDG           |
| <b>MOLDED ARMRESTS</b><br>Some molded armrests add an interior detail line to the bathtub 2 Armrests (one pair)                                                                                                                   | ARM.MOL-2<br>ARM.MOL-4 |
| <b>NECK MASSEUSE JET PILLOW</b><br>Available in black, bone and white.                                                                                                                                                            | PIL.NEC-XX             |

| DESCRIPTION                                                                                                                                                              |                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| <b>PADDED HEADREST PILLOW</b><br>Black only                                                                                                                              | 41.128         |
| <b>PUMPS</b><br>Custom Pump Locations                                                                                                                                    | 69.116-CUS.PMP |
| <b>REMOTE CONTROL</b><br>Must must have system to purchase                                                                                                               | REM.CON        |
| <b>WASTE &amp; OVERFLOW</b><br>Cable W/O No Charge<br>(WHI, BIS, PC, PB, PN, BC, BB, BN, SC, SB, SN, ORB, PE)                                                            | WOV.XX         |
| Cable W/O - Gold Finish Upgrade (PG, BG)                                                                                                                                 |                |
| <b>INTEGRAL W/O</b> (Std. round)                                                                                                                                         | IWO.XX         |
| Waste and overflow manufactured as part of the bath.<br>Comes standard as a round overflow cover. Drain will be a tip-toe style and drain outlet will be a direct drain. |                |
| <b>LINEAR INTEGRAL W/O</b>                                                                                                                                               | LWO-XXX        |
| Waste and overflow manufactured as part of the bath.<br>Drain will be a tip-toe style and drain outlet will be a direct drain.                                           |                |

### CODES AND COMPLIANCES

Massachusetts code File no: P1-0614-491



All specifications and options subject to change without notice  
please contact a hydro systems representative for more information.

# LORRAINE I

## 7444




### STANDARD ACRYLIC COLORS



WHITE BISCUIT BONE

### PREMIUM ACRYLIC COLORS



BLACK STERLING SILVER

### WELLNESS OPTIONS



#### Cold Plunge

Revitalizing cold hydrotherapy into a traditional tub



#### Thermal Air

Tiny bubbles into the bathwater and offers untold relaxing benefits, similar to Swedish massage



#### Hydro Indulge

A concentrated dose of oxygen-rich molecules cleanse and restore skin



#### Whirlpool Massaging Jets

Flexibility to customize jet location, quantity of jets and type of jet therapy




#### Back and Neck Masseuse

Utilizes six strategically located jets enabling a "shiatsu" type massage and direct to the neck with 3 pulse settings



#### Advanced UV system

Ozone and UV light helps to disinfect the water and keep it clean



#### Chromatherapy

Digitally controlled, multicolored lighting feature LED lighting system



#### Hydro Fusion

Totally silent operation maintains ideal temperature without adding hot water constantly



#### Hydro Blanket


Radiant heat emanates through the acrylic tub surface. Choose up to 2-5 panels.

### Drop In Cutout Install Dimensions

- (L)ength - 72"
- (W)idth - 42"
- Finished Height - 22"

### OTHER OPTIONS

Additional options can be found on our website



#### Integral Waste and Overflow

Seamless built-in protection for bathtub



#### Grab Bars

Adds functionality and enhanced styling. Affords a mounting solution in virtually any position on any tub.



#### Micromount

Reduces the standard edge profile of the tub to a nominal 1/2" for a sleek, modern look

### Installation Tips:

- When adding integral linear drain p-trap location is now below waste
- Adding multiple systems/options may require equipment to stick out from tub deck or be installed remotely



**Headquarters**  
29132 Avenue Paine  
Valencia, CA 91355

**Manufacturing Facility**  
385 Highway 155 South  
McDonough, GA 30253

**Technical Support**  
support@hydrosystem.com

**Orders Department**  
orders@hydrosystem.com

**General Information**  
info@hydrosystem.com

**Phone:** 661-775-0686

**Website:** hydrosystem.com

### CODES AND COMPLIANCES

Massachusetts code File no: P1-0614-491



All specifications and options subject to change without notice please contact a hydro systems representative for more information.