




2-Drawer Fluted Nightstand

INSTRUCTION MANUAL

IMPORTANT WARRANTY INFORMATION

PLEASE READ CAREFULLY

Questions? Concern? Contact our Customer Support Team. Your satisfaction is our priority. Our team is available 24/7 to assist you. We respond to all inquiries within 24 hours.

All items can be returned or replaced for any reason within 30 days of the receipt as long as the item is returned in its original product package and all accessories of its original shipment are included.

About Replacement:

Missing or Damaged Parts? Do not return the entire unit. Contact us with your Order ID, and we will ship replacement parts free of charge.

About Returns:


1. To initiate a return, email **After-sales Team with your Order ID. For damaged items, please include a photo to expedite your replacement. We will provide a PREPAID RETURN LABEL by E-mail.**
2. **Please Note: Returns made without a pre-authorized label may be subject to shipping fees at the customer's expense. Seller will not bear the fee of the customer's own purchase of the return label.**
3. If the product is damaged by the customer, we can refuse to provide a prepaid return label, and the customer needs to pay for the return shipping.
4. Boxes for return shipping will not be provided by the seller. Items must be returned in their original packaging. If original packaging is unavailable, the customer is responsible for providing suitable shipping cartons.
5. After all returned items arrive at the Return Center, please contact the After-sales team and we will fully refund back to the original payment method.

WARRANTY:


This product is warranted to be free from defects in material and workmanship for a period of 6 months from the date of original purchase. This warranty does not cover damage resulting from misuse, abuse, neglect, alteration, normal wear and tear, or accidental damage.



Please raise up the cabinet by holding the bottom when you move it



DON'T try to raise up the cabinet by holding the Top Plank



DON'T try to move the cabinet by holding the Side Plank




DON'T try to move the cabinet by holding the Top Plank




Tips before you start:

CAM BOLTS



Tighten Cam Bolts until shoulder is flush with panel. Do not overtighten or undertighten.

CAMLOCK




When fitting cam lock, ensure starting position is correct before you insert connecting Cam Bolts.


LOCKING-IN

Cam Bolts head should be in the centre of the cam lock when the two panels are joined.


Cam lock should be inserted before Cam Bolts.




Turn camlock clockwise to tighten.




PARTS LIST

 Ax20+2 M4 x 40mm	 Bx20+2	M6 x 30mm  Cx20+2	M4 x 30mm  Dx16+2	M3.5 x 12mm  Ex14+2	 Fx4
 Gx4+1	 Hx2	 Ix8	 Jx1	M4 x 10mm  Kx4+1	M4 x 14mm  Lx16+2
 Mx4					


Step 1




Step 2



Step 3




 Ax8	 Bx8
M3.5 x 12mm  Ex4	 Hx2




x2


Step 4




 Ax2	 Bx2
	M6 x 30mm  Cx2



Step 5

M6 x 30mm  Cx4	M4 x 30mm  Dx4
---	---







Ensure the correct orientation when installing part 6. The end shown in the diagram should face outward.

Step 6

Important:



The slide rails must be secured by the fixing holes shown in this step. Follow the indicated hole positions in each step precisely to avoid installation errors.

 Bx2	M3.5 x 12mm  Ex4
 Fx2	






Step 7

 Ax2	 Bx2
M6 x 30mm	
 Cx2	



Step 8

M6 x 30mm  Cx4	M4 x 30mm  Dx4
---	---








Ensure the correct orientation when installing part 6. The end shown in the diagram should face outward.



Step 9

Important:


The slide rails must be secured by the fixing holes shown in this step. Follow the indicated hole positions in each step precisely to avoid installation errors.




Step 10




Step 11



Step 12



Step 13



M6 x 30mm




Cx4

M4 x 40mm



Gx4

Step 14




M4 x 14mm



Lx16




Mx4




ATTENTION:

When installing part M onto part 15, ensure that the lower side of part M is positioned toward the corner of part 15, while the higher side faces inward. This confirms that part M is oriented correctly.


Step 15




Step 16




Step 17





 Ax4	 Bx4
	M6 x 30mm  Cx4



Step 18



M3.5 x 12mm  Ex2	 Ix8
	 Jx1



Step 19



M4 x 10mm




Kx4

NOTE:

- 1. Align the grooves in the drawer sides with the drawer glides on the side panels, then slide the drawer into place.
- 2. Open the drawer and push each drawer glide forward until it is flush with the front panel of the drawer.
- 3. From inside the drawer, locate the hole on the drawer side and secure the glide with a screw.



Step 20



Finished!!!