




INSTALLATION GUIDE

DJ 1018PK-T-F-Q / DJ 1018WT-T-F-Q








Decomposition chart































DJ 1018PK-T-F-Q / DJ 1018WT-T-F-Q



Screw accessory details

 (A) M6×12mm 10pcs+1pc	 (B) M6×15mm 2pcs	 (C) M8×12mm 10pcs+1pc	 (D) M8×15mm 16pcs+1pc
 (E) M6×30mm 4pcs	 (F) M8×40mm 20pcs+2pcs	 (G) M8×60mm 5pcs	 (H) 4# 1pc
			2 OF 20


List of parts


 1pc	 1pc	 1pc	 1pc
 2pcs	 3pcs	 1pc	 1pc
 1pc	 2pcs	 2pcs	 1pc
 1pc	 24pcs+2pcs	 12pcs	 1pc
 3pcs	 1pc	 2pcs	 2pcs
 2pcs	 2pcs	 2pcs	 2pcs
 4pcs	 8pcs	 2pcs	 2pcs
 2pcs	 2pcs	 1pc	 2pcs Velcro

' SAFETY TIPS:

Static charge may cause duston foam clean with a dry or damp cloth.
Smafoam strands may oepresent -handie gently and dispose of properly.
Do not burn or incinerate.
Check local recycling quldelines.


STEP:1


C		M8×12mm	3pcs
H		4#	1pc




Align both sides and then lock the screws 100%.

STEP:2


C		M8×12mm	3pcs
H		4#	1pc



STEP:3



STEP:4



STEP:5


C



M8×12mm


4pcs

H



4#

1pc



STEP:6


D



M8×15

2pcs


H



4#


1pc


Preintall to 50% first




Screw tightens 100%.

STEP:7


G		M8×60mm	4pcs
D		M8×15mm	4pcs
H		4#	1pc




STEP:8


D		M8×15	8pcs
H		4#	1pc

Screw tightens 100%.




STEP:9


G		M8×60mm	1pc
H		4#	1pc




STEP:10

Screw 100% locked


F		M8×40	6pcs
H		4#	1pc




STEP:11

D		M8×15mm	2pcs
H		4#	1pc


Screw 100% locked



STEP:12

F		M8×40mm	2pcs
H		4#	1pc

All screws 100% tightened




STEP:13

14




24pcs

15



12pcs




STEP:14

22



2pcs


×2



Prevent pinching hands when opening


STEP: 15

20




2pcs

24



2pcs




STEP: 16

25



4pcs




STEP:17




26



8pcs




×2




STEP:18

23



2pcs

×2




23

22


23


×2



23



STEP: 19


A		M6×12mm	8pcs
H		4#	1pc



× 2

STEP: 20


A		M6×12mm	2pcs
B		M6×15mm	2pcs
H		4#	1pc
21			2pcs




× 2

Drawers can be installed at any position according to the demand


STEP:21





STEP:22

E		M6×30mm	4pcs
H		4#	1pc

The wooden board can be installed at any position according to the demand.



STEP : 23



LotusLantern APP Manual

1. Software Overview

1.1 Overview

LotusLantern is a mobile APP to control LED strip by both IOS and Android phones.

The traditional control ways like infrared, 433MHz, 2.4GHz and others old wired ways will be replaced by mobile phone control way with convenient, powerful and scalable features.

Through this mobile APP , you can not only control the color, brightness and color temperature of the LED strips but also set up all kinds of fancy flash mode ; Also this APP can change the light of the LED strip according to the rhythm of the music. This APP can set and control several LED strips through Bluetooth and the operation is very simple, easy to learn and easy to use.

1.2 Features

- Adjust color LED strips with 60,000 colors to change color and brightness and adjust monochrome LED strips to change brightness and color temperature
- Play music or turn on a sound playback device, you can let the light change the color and brightness with the rhythm of music, the music rhythm beautiful
- Inside multiple setting mode for color change and control LED strips without mobile
- Long distance control with omni-directional antenna, and many-to-many group control mode
- Once the connection is successful, connect automatically next time

1.3 Performance

LotusLantern APP is easy for use as well as great compatible with all kinds of smart phones; After the actual test of hundreds of mobile phones verification, the compatibility is above 95% of mobile phones in the market. APP is small and convenient, it consumes less system resources, so the requirements of the mobile configuration are low. Control delay is small, the operation feels good, light control is smooth with people's visual sense.

2. Operating Environment

This APP program requires phones of system above Andriod 4.3 and iOS 8.0. Mobile phone configuration is not limited.

3. Instructions

Note: Android version and iOS version download and use the same method, here in the Android version as an example.

3.1 APP Download



Scan the QR code

iOS and Android systems can download the "LotusLantern" APP by scanning the QR code. Open the browser or other tools with "Scan QR code" function, scan the "LotusLantern" QR code as below:



3.2 App Operation

(2) After entering the APP interface, if Bluetooth is not enabled, "an application wants to enable the Bluetooth function of this device." Click [Allow]



(3) switch to color and brightness interface:

Click to show the lamp list

Switch the color wheel

Display the RGB value
Click to manual adjustment view

Click to shift the interface

A screenshot of the app's color and brightness interface. It features a large color wheel in the center, a brightness slider below it, and various preset color buttons at the bottom. The interface is dark-themed with a blue and purple gradient background.

Click to display setting view

Lamp switch button

Adjust the color

Click square icon to adjust the color

(4) click to show the lamp list, view lamp list:

Bluetooth auto connect after search for devices


Lamp list

Status of device connection

A screenshot of the app's device connection interface. It shows a list of discovered devices under the heading "My Devices". One device, "ELK-BLEDOM", is listed with its MAC address and a connection status icon. The interface includes a color wheel and various control buttons.

Status of device connection

(5) Click to RGB manual adjustment view:




(6) switch to the mode interface:

Scroll the selection mode

Adjust seed

Adjust luminance




(7) switch to the music rhythm interface:


Previous song,
Pause/Play,
Next song

Play mode

Music List



(8) Switch to the online music interface:




(9) Switch to the microphone rhythm interface:

Music rhythm through the
microphone on the product


Switch phone microphone
and external microphone

4-style rhythm


Change the sensitivity of
MIC to match the sound




(10) Switch to the schedule interface:



(11) Switch to the modify pin sequence interface:



LED2021-24KEY



Rhythm 1-2: Single click to switch to 1-2 rhythm mode

Rhythm 3-4: Click to cycle through the 3-4 rhythm mode

Remote control lock: After pressing, the remote control is locked, pressing the switch is available, other keys are invalid. After pressing once, the unlock button can be used. After the remote control is locked, press the switch to unlock the remote control.